

Link do produktu: <https://www.lisprom.pl/domek-narzedziowy-hudson-277x191cm-cold-grey-hardmaister-p-20967.html>



# Domek narzędziowy HUDSON 277x191cm Cold Grey - Hardmaister

|                  |             |
|------------------|-------------|
| Cena brutto      | 1 270,09 zł |
| Cena netto       | 1 032,59 zł |
| Dostępność       | Dostępny    |
| Czas wysyłki     | 24 godziny  |
| Numer katalogowy | 003132      |
| Kod producenta   | 003132      |

## Opis produktu

### Domek narzędziowy HUDSON 277x191cm Cold Grey - Hardmaister - Opis

#html-body [data-pb-style=IG1L0C2],#html-body [data-pb-style=PINFYNS],#html-body [data-pb-style=WK3WATC]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=IG1L0C2],#html-body [data-pb-style=WK3WATC]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=PINFYNS]{align-self:stretch}#html-body [data-pb-style=CJ7CTAW]{display:flex;width:100%}#html-body [data-pb-style=HVXGQ8V],#html-body [data-pb-style=NE58U3Q]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}

Domek narzędziowy **HUDSON o wymiarach 277x191 cm zapewnia 4,83 m<sup>2</sup>** przestrzeni użytkowej, idealnej do przechowywania sprzętu ogrodowego i narzędzi. Konstrukcja wykonana z ocynkowanej stali charakteryzuje się wyjątkową trwałością i odpornością na korozję, co gwarantuje wieloletnie użytkowanie. **Podwójne drzwi przesuwne umożliwiają łatwy dostęp**, a ich zabezpieczenie kłódką zwiększa ochronę zawartości. **Otworki wentylacyjne skutecznie ograniczają problem wilgoci**, chroniąc przechowywane narzędzia przed rdzewieniem i pleśnieniem.

### Najważniejsze cechy:

- Nie wymaga konserwacji
- Wymiary z dachem 277x191 cm
- Wysokość drzwi 162 cm
- Podwójne drzwi przesuwne
- Kolor: Cold Grey
- Cyrkulacja powietrza
- Możliwość zamontowania kłódki na drzwiach (brak w zestawie)

- 
- Otwory wentylacyjne
  - Okno z wyborem miejsca montażu
  - Całoroczny
  - Dwuspadowy dach
  - Łatwy montaż, bez specjalistycznej wiedzy technicznej
  - Odporny na korozję
  - Nie zawiera podłogi

## Dane techniczne

---

```
#html-body [data-pb-style=CV49NQC],#html-body [data-pb-style=GSFUBU6],#html-body [data-pb-style=P0TNVIA]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=P0TNVIA]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=CV49NQC],#html-body [data-pb-style=GSFUBU6]{align-self:stretch}#html-body [data-pb-style=JU11BKK]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=L4NE896],#html-body [data-pb-style=LO0ABCI]{display:flex;width:100%}#html-body [data-pb-style=HAKRBGS],#html-body [data-pb-style=OUUCKXU],#html-body [data-pb-style=TR0SHJ8],#html-body [data-pb-style=UE4VAMC],#html-body [data-pb-style=YJGPUAI]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=HAKRBGS],#html-body [data-pb-style=UE4VAMC],#html-body [data-pb-style=YJGPUAI]{width:16.6667%}#html-body [data-pb-style=HAKRBGS],#html-body [data-pb-style=YJGPUAI]{justify-content:center;width:66.6667%}#html-body [data-pb-style=HAKRBGS]{justify-content:flex-start;width:16.6667%}#html-body [data-pb-style=DVCFRW4]{border-style:none}#html-body [data-pb-style=HX9XQUA],#html-body [data-pb-style=XQMR4AW]{max-width:100%;height:auto}@media only screen and (max-width: 384pt) { #html-body [data-pb-style=DVCFRW4]{border-style:none} }
```

### Wymiary domku u podstawy:

- szerokość: **267 cm**
- głębokość: **181 cm**

### Wymiary i waga opakowania:

- Karton 1: **176x72x14 cm ; 66 kg**

### Materiał:

- Konstrukcja: **stal ocynkowana**
- Panele: **stalowe, ocynkowane ogniowo (grubość: 0,25 mm)**

**Powierzchnia: 4,83 m2**

---

**Waga (z opakowaniem): 66 kg**

**Wymiary zewnętrzne z dachem:**

- szerokość: **277 cm**
- głębokość: **191 cm**
- wysokość: **202 cm**

**Wymiary drzwi:**

- szerokość: **117 cm**
- wysokość: **162 cm**

**Wymiary okna:**

- szerokość: **24,6 cm**
- wysokość: **46 cm**

---

**Wymiary całkowite:**

**Zalety**

---

```
#html-body [data-pb-style=KSV8HLW],#html-body [data-pb-style=N4E1D4I],#html-body [data-pb-style=WULGCRH]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=KSV8HLW],#html-body [data-pb-style=N4E1D4I]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=WULGCRH]{align-self:stretch}#html-body [data-pb-style=YTDCABP]{display:flex;width:100%}#html-body [data-pb-style=CY8MWB9],#html-body [data-pb-style=N2S17C]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=N2S17C]{justify-content:flex-start}#html-body [data-pb-style=F938EQB]{border-style:none}#html-body [data-pb-style=L3O3TWN],#html-body [data-pb-style=WTQ166R]{max-width:100%;height:auto}#html-body [data-pb-style=TR9U7C1]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=EVC0GBF]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=KE362HF]{display:flex;width:100%}#html-body [data-pb-style=X00RAKT],#html-body [data-pb-style=YJGN06O]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:16.6667%;align-self:stretch}#html-body [data-pb-style=X00RAKT]{width:66.6667%}#html-body [data-pb-style=H6NQWN6]{border-style:none}#html-body [data-pb-style=HUDH3VD],#html-body [data-pb-style=YUX7YNP]{max-width:100%;height:auto}#html-body [data-pb-style=WKPUFT6]{width:16.6667%;align-self:stretch}#html-body [data-pb-style=DLURJ87],#html-body [data-pb-style=WKPUFT6]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=CC8KJVB]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=KUVXVDR]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=RB6322C]{display:flex;width:100%}#html-body [data-pb-style=X09UCVT]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=RUPD0MD]{border-style:none}#html-body [data-pb-style=DNJ4155],#html-body [data-pb-style=S3FSFXH]{max-width:100%;height:auto}#html-body [data-pb-style=OCTHK5O],#html-body [data-pb-style=QMH69C7]{display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=QMH69C7]{justify-content:center;width:50%;align-self:stretch}#html-body
```

---

```
[data-pb-style=OCTHK5O]{justify-content:flex-start}#html-body [data-pb-style=PGU37EL]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=CRME06U]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=GIAX9IW]{display:flex;width:100%}#html-body [data-pb-style=D5GQT14]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=I7V2PEN]{border-style:none}#html-body [data-pb-style=KWBQBT2],#html-body [data-pb-style=NLME1E6]{max-width:100%;height:auto}#html-body [data-pb-style=EL5WS53],#html-body [data-pb-style=MOFKAUC]{display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=EL5WS53]{justify-content:center;width:50%;align-self:stretch}#html-body [data-pb-style=MOFKAUC]{justify-content:flex-start}#html-body [data-pb-style=KI6OYLW]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=V7BK1DG]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=KYE2E9V]{display:flex;width:100%}#html-body [data-pb-style=NYH67N1]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=UCDWJ8Q]{border-style:none}#html-body [data-pb-style=LQP6MXL],#html-body [data-pb-style=RKXJ53E]{max-width:100%;height:auto}#html-body [data-pb-style=UYDERX3]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}@media only screen and (max-width: 384pt) { #html-body [data-pb-style=F938EQB],#html-body [data-pb-style=H6NQWN6],#html-body [data-pb-style=I7V2PEN],#html-body [data-pb-style=RUPD0MD],#html-body [data-pb-style=UCDWJ8Q]{border-style:none} }
```

Domek narzędziowy **HUDSON** firmy Hardmaister to połączenie elegancji i trwałości. Naturalne światło dzienne wpada przez okno, poprawiając komfort użytkowania. Panele z pionowymi rowkami nadają konstrukcji klasyczny styl. Montaż jest szybki dzięki dołączonej instrukcji. **Domek nie wymaga konserwacji ani pozwolenia budowlanego**, co ułatwia instalację.

#### Funkcjonalne przesuwne drzwi

**Podwójne drzwi przesuwne w domku HUDSON** gwarantują **swobodny dostęp do środka**. Mechanizm otwierania cechuje się płynnością działania, co ułatwia korzystanie z domku, szczególnie przy wnoszeniu dużych akcesoriów i narzędzi.

#### Domek narzędziowy z możliwością zamknięcia na kłódkę

Drzwi domku **HUDSON** wyposażono w **uchwyt, który pozwala na zamocowanie kłódki lub zamka**, co podnosi bezpieczeństwo przechowywanych przedmiotów. **Zestaw nie zawiera kłódki**, co umożliwia indywidualne dobranie zabezpieczenia.

---

#### Wybór strony montażu okna - pełna swoboda adaptacji

Domek narzędziowy **HUDSON** pozwala na **montaż okna w dowolnym miejscu**, co umożliwia lepsze dopasowanie do indywidualnych potrzeb. Rozwiązanie to zapewnia właściwe doświetlenie wnętrza i idealne dostosowanie do ogrodu.

---

#### Stabilna konstrukcja domku

---

**Stalowe kątowniki** wzmacniające w domku HUDSON to gwarancja **stabilności i wytrzymałości konstrukcji**. Elementy te nadają ścianom większą sztywność i poprawiają odporność na obciążenia oraz pogodowe zmienne. Antykorozyjna warstwa skutecznie chroni przed rdzą.

---

#### Cyrkulacja powietrza w domku narzędziowym

**HUDSON** został wyposażony w **cztery otwory wentylacyjne**, które **zapewniają odpowiednią cyrkulację powietrza**. To skutecznie zapobiega wilgoci, pleśni oraz korozji, szczególnie w zmiennych warunkach pogodowych i wysokiej wilgotności.

---

#### Ergonomiczny, niski próg w domku

**Próg** w modelu HUDSON cechuje się **niskim, ergonomicznym kształtem**, co sprawia, że wprowadzanie większych narzędzi ogrodowych staje się łatwiejsze. Bez problemu można transportować takie przedmioty jak kosiarki czy grille.

---

## Dodatkowe informacje

---

```
#html-body [data-pb-style=NKWGGIW],#html-body [data-pb-style=R0PFOSO]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=NKWGGIW]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=R0PFOSO]{align-self:stretch}#html-body [data-pb-style=SM40G2D]{display:flex;width:100%}#html-body [data-pb-style=SJJV6ER],#html-body [data-pb-style=VA9HW8H]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:66.6667%;align-self:stretch}#html-body [data-pb-style=VA9HW8H]{width:33.3333%}#html-body [data-pb-style=A3T4AQ8]{border-style:none}#html-body [data-pb-style=A8S75QP],#html-body [data-pb-style=XHB4TI6]{max-width:100%;height:auto}#html-body [data-pb-style=PDYW41O],#html-body [data-pb-style=W7M43UI]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=PDYW41O]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=W7M43UI]{align-self:stretch}#html-body [data-pb-style=TO4GKYW]{display:flex;width:100%}#html-body [data-pb-style=O4MRL6T],#html-body [data-pb-style=VTG2M5H]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:8.3333%;align-self:stretch}#html-body [data-pb-style=O4MRL6T]{text-align:center;width:83.3333%}#html-body [data-pb-style=U3MUOQV]{border-style:none}#html-body [data-pb-style=A4HAWYE],#html-body [data-pb-style=ER2S1TU]{max-width:100%;height:auto}#html-body [data-pb-style=NF1BPAY]{width:8.3333%;align-self:stretch}#html-body [data-pb-style=NF1BPAY],#html-body [data-pb-style=QH72CCT]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=T56TEJ8]{width:100%;border-width:0pt;border-color:#878787;display:inline-block}#html-body [data-pb-style=BCHO80R]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=FLH1WVE]{display:flex;width:100%}#html-body [data-pb-style=SAIBP3D]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:16.6667%;align-self:stretch}#html-body [data-pb-style=L9JNONA]{border-style:none}#html-body [data-pb-style=IPTN5O0],#html-body [data-pb-style=NFPGAJE]{max-width:100%;height:auto}#html-body [data-pb-style=SM3MLIL]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-
```

---

attachment:scroll;width:83.3333%;align-self:stretch}@media only screen and (max-width: 384pt) { #html-body [data-pb-style=A3T4AQ8],#html-body [data-pb-style=L9JNONA],#html-body [data-pb-style=U3MUOQV]{border-style:none} }

## Rekomendacje montażowe:

### Przygotowanie podłoża

Domek narzędziowy nie posiada własnej podłogi, dlatego zalecamy przygotowanie odpowiedniej powierzchni pod montaż. Najlepszą opcją jest wykonanie **wylewki betonowej o grubości 15-20 cm**. Wylewka powinna być większa niż wymiary domku – powinna przekraczać obrys domku **o co najmniej 10 cm**. Taka nadwyżka powierzchni zapewni stabilność i ochronę przed wodą opadową, a także ułatwi montaż.

### Montaż domku do podłoża

Przed rozpoczęciem montażu upewnij się, że wylewka betonowa jest odpowiednio wyrównana i całkowicie sucha. Montaż domku na nierównej powierzchni może prowadzić do niestabilności konstrukcji. **W zestawie nie znajdują się kotwy montażowe do podłoża.**

Wykonanie odpowiedniej wylewki betonowej i prawidłowy montaż domku zapewnią jego trwałość i bezpieczeństwo użytkowania przez wiele lat.

## Warianty:

- Dostępne rozmiary domku: **277x255 cm | 277x319 cm**
- Inne kolory modelu Hudson - domek narzędziowy:

---

**Hardmaister** to marka specjalizująca się w architekturze ogrodowej, oferująca szeroki wybór **domków narzędziowych**, **altan** i **obrzeży trawnikowych**. Nasze produkty wyróżniają się trwałością oraz nowoczesnym designem. Dbamy o to, by każdy element ogrodu łączył w sobie estetykę z funkcjonalnością, tworząc przestrzeń, która nie tylko cieszy oko, ale i ułatwia codzienne prace.