

Link do produktu: <https://www.lisprom.pl/domek-narzedziowy-hudson-277x255cm-light-grey-hardmaister-p-20970.html>



Domek narzędziowy HUDSON 277x255cm Light Grey - Hardmaister

Cena brutto	1 494,41 zł
Cena netto	1 214,97 zł
Dostępność	Dostępny
Czas wysyłki	24 godziny
Numer katalogowy	003135
Kod producenta	003135

Opis produktu

Domek narzędziowy HUDSON 277x255cm Light Grey - Hardmaister - Opis

#html-body [data-pb-style=G0C0USD],#html-body [data-pb-style=IT0KMMI],#html-body [data-pb-style=MXHRP6H]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=IT0KMMI],#html-body [data-pb-style=MXHRP6H]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=G0C0USD]{align-self:stretch}#html-body [data-pb-style=W4N00CC]{display:flex;width:100%}#html-body [data-pb-style=BQ8T969],#html-body [data-pb-style=KQ5SLV9]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}

Przestronny **domek HUDSON 277x255 cm zapewnia 6,5 m²** miejsca do przechowywania narzędzi i sprzętu ogrodowego. Wykonany z ocynkowanej stali, cechuje się trwałością oraz odpornością na korozję, co sprawia, że jest odporny na działanie trudnych warunków atmosferycznych. **Podwójne drzwi przesuwne umożliwiają wygodny dostęp do wnętrza**, a możliwość ich zamknięcia na kłódkę pozwala zabezpieczyć zawartość. **Otworki wentylacyjne efektywnie zapobiegają gromadzeniu się wilgoci**, gwarantując ochronę narzędzi przed pleśnią i rdzewieniem.

Najważniejsze cechy:

- Nie wymaga konserwacji
- Wymiary z dachem 277x255 cm
- Wysokość drzwi 162 cm
- Podwójne drzwi przesuwne
- Kolor: Light Grey
- Cyrkulacja powietrza
- Możliwość zamontowania kłódki na drzwiach (brak w zestawie)

-
- Otwory wentylacyjne
 - Okno z wyborem miejsca montażu
 - Nie zawiera podłogi
 - Całoroczny
 - Dwuspadowy dach
 - Łatwy montaż, bez specjalistycznej wiedzy technicznej
 - Odporny na korozję

Dane techniczne

```
#html-body [data-pb-style=MAP8KPW],#html-body [data-pb-style=MH536YM]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=MAP8KPW]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=MH536YM]{align-self:stretch}#html-body [data-pb-style=E0VYHTI]{display:flex;width:100%}#html-body [data-pb-style=CM83AY8],#html-body [data-pb-style=R5HNO6O]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=LC35HC1]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=YS7GR4A]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=J6M3925]{display:flex;width:100%}#html-body [data-pb-style=ORJLKY7],#html-body [data-pb-style=QDDFGM1]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:16.6667%;align-self:stretch}#html-body [data-pb-style=ORJLKY7]{justify-content:center;width:66.6667%}#html-body [data-pb-style=N0G5IJO]{border-style:none}#html-body [data-pb-style=D6JM5BP],#html-body [data-pb-style=HXM06XC]{max-width:100%;height:auto}#html-body [data-pb-style=M94Q182]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:16.6667%;align-self:stretch}@media only screen and (max-width: 384pt) { #html-body [data-pb-style=N0G5IJO]{border-style:none} }
```

Wymiary domku u podstawy:

- szerokość: **267 cm**
- głębokość: **245 cm**

Wymiary i waga opakowania:

- Karton: **176x72x15 cm ; 75 kg**

Materiał:

- Konstrukcja: **stal ocynkowana**
- Panele: **stalowe, ocynkowane ogniowo**
(grubość: **0,25 mm**)

Powierzchnia: 6,5 m2

Wymiary zewnętrzne z dachem:

- szerokość: **277 cm**
- głębokość: **255 cm**
- wysokość: **202 cm**

Wymiary drzwi:

- szerokość: **117 cm**
- wysokość: **162 cm**

Wymiary okna:

- szerokość: **24,6 cm**
- wysokość: **46 cm**

Waga (z opakowaniem): 75 kg

Wymiary całkowite:

Zalety

#html-body [data-pb-style=NYR2CTE],#html-body [data-pb-style=S7V482A],#html-body [data-pb-style=V113K6H]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=NYR2CTE],#html-body [data-pb-style=V113K6H]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=S7V482A]{align-self:stretch}#html-body [data-pb-style=PMBGB4B]{display:flex;width:100%}#html-body [data-pb-style=CHB76W3],#html-body [data-pb-style=JROG8T6]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=CHB76W3]{justify-content:flex-start}#html-body [data-pb-style=SUIRFUT]{border-style:none}#html-body [data-pb-style=WN8I4VF],#html-body [data-pb-style=X0476WX]{max-width:100%;height:auto}#html-body [data-pb-style=BN0UA52]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=R1P16L4]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=EA298Q1]{display:flex;width:100%}#html-body [data-pb-style=MG6RGPQ],#html-body [data-pb-style=MMN9KUW]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:16.6667%;align-self:stretch}#html-body [data-pb-style=MG6RGPQ]{width:66.6667%}#html-body [data-pb-style=N5OEIH9]{border-style:none}#html-body [data-pb-style=EN9Y3WD],#html-body [data-pb-style=QUTEEIK]{max-width:100%;height:auto}#html-body [data-pb-style=F5J07JP]{width:16.6667%;align-self:stretch}#html-body [data-pb-style=F5J07JP],#html-body [data-pb-style=SP5SQ8C]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=IEDPXMR]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=VU87G0U]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=HG28LAW]{display:flex;width:100%}#html-body [data-pb-style=U5NUUDB]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=NLQVXJI]{border-style:none}#html-body [data-pb-style=A9X9U9Y],#html-body [data-pb-style=MK8LEBT]{max-width:100%;height:auto}#html-body [data-pb-

style=IU1EPUP],#html-body [data-pb-style=SDJSFB3]{display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=IU1EPUP]{justify-content:center;width:50%;align-self:stretch}#html-body [data-pb-style=SDJSFB3]{justify-content:flex-start}#html-body [data-pb-style=AP7TYDW]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=NVYNEEF]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=MOV16G3]{display:flex;width:100%}#html-body [data-pb-style=B5FOMYF]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=MCYVY6W]{border-style:none}#html-body [data-pb-style=K6IAKCD],#html-body [data-pb-style=S7RN60Q]{max-width:100%;height:auto}#html-body [data-pb-style=JB9HD7U],#html-body [data-pb-style=OCF4MJ1]{display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=JB9HD7U]{justify-content:center;width:50%;align-self:stretch}#html-body [data-pb-style=OCF4MJ1]{justify-content:flex-start}#html-body [data-pb-style=OIMPHFD]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=HIBLMAK]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=Y81WVF0]{display:flex;width:100%}#html-body [data-pb-style=XXY9V3K]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=RBF0AEV]{border-style:none}#html-body [data-pb-style=NVWXEXO],#html-body [data-pb-style=NW4CBRW]{max-width:100%;height:auto}#html-body [data-pb-style=EKDWIPU]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}@media only screen and (max-width: 384pt) { #html-body [data-pb-style=MCYVY6W],#html-body [data-pb-style=N5OEIH9],#html-body [data-pb-style=NLQVXJI],#html-body [data-pb-style=RBF0AEV],#html-body [data-pb-style=SUIRFUT]{border-style:none} }

Nowoczesny **domek narzędziowy HUDSON** firmy Hardmaister łączy trwałość i elegancję. **Okno umożliwia dopływ światła dziennego**, co czyni wnętrze bardziej komfortowym. Klasyczne pionowe rowki w panelach dodają mu tradycyjnego charakteru. Szczegółowa instrukcja pozwala na szybki montaż, a brak potrzeby konserwacji czyni domek wygodnym w użytkowaniu. **Instalacja nie wymaga pozwolenia budowlanego**.

Funkcjonalne przesuwne drzwi

Przesuwane drzwi podwójne w domku HUDSON zostały zaprojektowane z myślą o wygodzie użytkowania. Mechanizm działa płynnie, co **umożliwia łatwy dostęp do wnętrza nawet podczas przenoszenia dużych narzędzi czy sprzętów ogrodowych**.

Domek narzędziowy z możliwością zamknięcia na kłódkę

W drzwiach domku HUDSON **zastosowano uchwyt przeznaczony do montażu kłódki lub zamka**, co pozwala na dodatkowe zabezpieczenie narzędzi. **Kłódka nie wchodzi w skład zestawu**, co umożliwia wybór optymalnego zabezpieczenia.

Wybór strony montażu okna - pełna swoboda adaptacji

Domek narzędziowy HUDSON **pozwala na swobodny montaż okna na dowolnej ścianie**, co umożliwia dopasowanie do Twojego ogrodu. To praktyczne rozwiązanie zapewnia optymalne doświetlenie wnętrza i maksymalny komfort użytkowania.

Stabilna konstrukcja domku

HUDSON wyróżnia się stalowymi kątownikami wzmacniającymi, które **zwiększają stabilność konstrukcji i odporność na obciążenia**. Ściany są dzięki nim sztywniejsze, a całość lepiej radzi sobie z trudnymi warunkami atmosferycznymi. Antykorozyjna powłoka chroni kątowniki przed rdzą.

Cyrkulacja powietrza w domku narzędziowym

Domek HUDSON posiada **cztery otwory wentylacyjne, które wspierają stały przepływ powietrza**. To praktyczne rozwiązanie skutecznie chroni wnętrze przed nadmierną wilgocią, korozją oraz rozwojem pleśni w zmiennych warunkach pogodowych.

Ergonomiczny, niski próg w domku

Domek narzędziowy HUDSON wyposażono w **niski próg, który znacząco ułatwia wprowadzanie ciężkich sprzętów**. Dzięki ergonomicznej konstrukcji transport kosiarki czy grilla staje się prostszy i wygodniejszy.

Dodatkowe informacje

#html-body [data-pb-style=VYL9Q6E],#html-body [data-pb-style=WB81P5]]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=WB81P5]]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=VYL9Q6E]]{align-self:stretch}#html-body [data-pb-style=XWHW0M2]]{display:flex;width:100%}#html-body [data-pb-style=OFHPYG7],#html-body [data-pb-style=PQ3EGEO]]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:66.6667%;align-self:stretch}#html-body [data-pb-style=OFHPYG7]]{width:33.3333%}#html-body [data-pb-style=ALPI3V8]]{border-style:none}#html-body [data-pb-style=O50P00W],#html-body [data-pb-style=QLWWX9S]]{max-width:100%;height:auto}#html-body [data-pb-style=I9Q5P9G],#html-body [data-pb-style=UM1PH8C]]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=UM1PH8C]]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=I9Q5P9G]]{align-self:stretch}#html-body [data-pb-style=RJN5V32]]{display:flex;width:100%}#html-body [data-pb-style=XY2S8FK],#html-body [data-pb-style=Y9V7614]]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:8.3333%;align-self:stretch}#html-body [data-pb-style=XY2S8FK]]{text-align:center;width:8.3333%}#html-body [data-pb-style=I4JP1IG]]{border-style:none}#html-body [data-pb-style=HO6UIUD],#html-body [data-pb-style=X94DQJD]]{max-width:100%;height:auto}#html-body [data-pb-style=R4FKBAD]]{width:8.3333%;align-self:stretch}#html-body [data-pb-style=D9G7828],#html-body [data-pb-style=R4FKBAD]]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=YSGI250]]{width:100%;border-width:0pt;border-color:#878787;display:inline-block}#html-body [data-pb-style=NF2S9B1]]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=TS4CDFI]]{display:flex;width:100%}#html-body [data-pb-style=BF0H9Q7]]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-

size:cover;background-repeat:no-repeat;background-attachment:scroll;width:16.6667%;align-self:stretch}#html-body [data-pb-style=Y4VCQ0M]{border-style:none}#html-body [data-pb-style=JXQUM00],#html-body [data-pb-style=QOLLCWR]{max-width:100%;height:auto}#html-body [data-pb-style=NVRYP8B]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:83.3333%;align-self:stretch}@media only screen and (max-width: 384pt) { #html-body [data-pb-style=ALPI3V8],#html-body [data-pb-style=I4JP1IG],#html-body [data-pb-style=Y4VCQ0M]{border-style:none} }

Rekomendacje montażowe:

Przygotowanie podłoża

Domek narzędziowy nie posiada własnej podłogi, dlatego zalecamy przygotowanie odpowiedniej powierzchni pod montaż. Najlepszą opcją jest wykonanie **wylewki betonowej o grubości 15-20 cm**. Wylewka powinna być większa niż wymiary domku – powinna przekraczać obrys domku **o co najmniej 10 cm**. Taka nadwyżka powierzchni zapewni stabilność i ochronę przed wodą opadową, a także ułatwi montaż.

Montaż domku do podłoża

Przed rozpoczęciem montażu upewnij się, że wylewka betonowa jest odpowiednio wyrównana i całkowicie sucha. Montaż domku na nierównej powierzchni może prowadzić do niestabilności konstrukcji. **W zestawie nie znajdują się kotwy montażowe do podłoża.**

Wykonanie odpowiedniej wylewki betonowej i prawidłowy montaż domku zapewnią jego trwałość i bezpieczeństwo użytkowania przez wiele lat.

Warianty:

- Dostępne rozmiary domku: **277x319 cm | 277x191 cm**
- Inne kolory modelu Hudson - domek narzędziowy:

Hardmaister to marka specjalizująca się w architekturze ogrodowej, oferująca szeroki wybór **domków narzędziowych, altan i obrzeży trawnikowych**. Nasze produkty wyróżniają się trwałością oraz nowoczesnym designem. Dbamy o to, by każdy element ogrodu łączył w sobie estetykę z funkcjonalnością, tworząc przestrzeń, która nie tylko cieszy oko, ale i ułatwia codzienne prace.