

Link do produktu: <https://www.lisprom.pl/domek-narzedziowy-hudson-277x255cm-oak-brown-hardmaister-p-21022.html>



Domek narzędziowy HUDSON 277x255cm Oak Brown - Hardmaister

Cena brutto	1 921,69 zł
Cena netto	1 562,35 zł
Dostępność	Dostępny
Czas wysyłki	24 godziny
Numer katalogowy	003814
Kod producenta	003814

Opis produktu

Domek narzędziowy HUDSON 277x255cm Oak Brown - Hardmaister - Opis

#html-body [data-pb-style=I8WJNGJ],#html-body [data-pb-style=N82FW0G],#html-body [data-pb-style=YELFDGT]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=I8WJNGJ],#html-body [data-pb-style=N82FW0G]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=YELFDGT]{align-self:stretch}#html-body [data-pb-style=I66NXHT]{display:flex;width:100%}#html-body[data-pb-style=NOVB1C6],#html-body[data-pb-style=SXL36CA]{justify-content:flex-start;display:flex;flex-direction:column;background-position:lefttop;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}

Praktyczny domek HUDSON 277x255 cm zapewnia **6,5 m²** przestrzeni do przechowywania narzędzi ogrodowych i sprzętu. Wykonanie z **ocynkowanej stali** gwarantuje wysoką trwałość oraz odporność na korozję, co pozwala na długoletnie użytkowanie. **Przesuwne, podwójne drzwi** ułatwiają korzystanie z domku, a ich zabezpieczenie kłódką pozwala na ochronę zawartości. Wbudowane **otwory wentylacyjne** zapobiegają gromadzeniu się wilgoci, dzięki czemu narzędzia i sprzęt są skutecznie chronione przed rdzewieniem i pleśnieniem.

Najważniejsze cechy:

- Nie wymaga konserwacji
- Wymiary z dachem 277x255 cm
- Wysokość drzwi 162 cm
- Podwójne drzwi przesuwne
- Kolor: Oak Brown
- Cyrkulacja powietrza
- Możliwość zamontowania kłódki na drzwiach (brak w zestawie)

-
- Otwory wentylacyjne
 - Okno z wyborem miejsca montażu
 - Nie zawiera podłogi
 - Całoroczny
 - Dwuspadowy dach
 - Łatwy montaż, bez specjalistycznej wiedzy technicznej
 - Odporny na korozję

Dane techniczne

```
#html-body [data-pb-style=KD39C5C],#html-body [data-pb-style=UQ1AERO]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=UQ1AERO]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=KD39C5C]{align-self:stretch}#html-body [data-pb-style=X8K0I98]{display:flex;width:100%}#html-body [data-pb-style=EIC2VOW],#html-body [data-pb-style=TYAMYH8]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=IX9TICI]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=KENPYUC]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=AMBEWG2]{display:flex;width:100%}#html-body [data-pb-style=DJQVYJA],#html-body [data-pb-style=KPNMWS1]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:16.6667%;align-self:stretch}#html-body [data-pb-style=DJQVYJA]{justify-content:center;width:66.6667%}#html-body [data-pb-style=C482UJN]{border-style:none}#html-body [data-pb-style=L2Q748A],#html-body [data-pb-style=Q1W8W36]{max-width:100%;height:auto}#html-body [data-pb-style=VL5YLSX]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:16.6667%;align-self:stretch}@media only screen and (max-width: 384pt) { #html-body [data-pb-style=C482UJN]{border-style:none} }
```

Wymiary domku u podstawy:

- szerokość: **267 cm**
- głębokość: **245 cm**

Wymiary i waga opakowania:

- Karton: **176x72x15 cm ; 75 kg**

Materiał:

- Konstrukcja: **stal ocynkowana**
- Panele: **stalowe, ocynkowane ogniowo**
(grubość: **0,25 mm**)

Powierzchnia: 6,5 m2

Wymiary zewnętrzne z dachem:

- szerokość: **277 cm**
- głębokość: **255 cm**
- wysokość: **202 cm**

Wymiary drzwi:

- szerokość: **117 cm**
- wysokość: **162 cm**

Wymiary okna:

- szerokość: **24,6 cm**
- wysokość: **46 cm**

Waga (z opakowaniem): 75 kg

Wymiary całkowite:

Zalety

#html-body [data-pb-style=CR6DLCH],#html-body [data-pb-style=L9T7Q7B],#html-body [data-pb-style=XWJWVFS]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=CR6DLCH],#html-body [data-pb-style=L9T7Q7B]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=XWJWVFS]{align-self:stretch}#html-body [data-pb-style=G34WBTQ]{display:flex;width:100%}#html-body [data-pb-style=T2FYMP3],#html-body [data-pb-style=VR58YE4]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=VR58YE4]{justify-content:flex-start}#html-body [data-pb-style=LL9W6JU]{border-style:none}#html-body [data-pb-style=I4KOMA4],#html-body [data-pb-style=V7H9PKW]{max-width:100%;height:auto}#html-body [data-pb-style=EO18GB2]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=DN3QKP0]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=DVFDNOM]{display:flex;width:100%}#html-body [data-pb-style=GX15AVC],#html-body [data-pb-style=JNM79NQ]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:16.6667%;align-self:stretch}#html-body [data-pb-style=JNM79NQ]{width:66.6667%}#html-body [data-pb-style=YG1KI1Q]{border-style:none}#html-body [data-pb-style=IPC55CC],#html-body [data-pb-style=TJEK53R]{max-width:100%;height:auto}#html-body [data-pb-style=RVXQ3SF]{width:16.6667%;align-self:stretch}#html-body [data-pb-style=EYTCKX2],#html-body [data-pb-style=RVXQ3SF]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=MFIFJWX]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=SJ3INW0]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=DMJY2WV]{display:flex;width:100%}#html-body [data-pb-style=SCRS8UF]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=R9JDYLQ]{border-style:none}#html-body [data-pb-style=CGK4B2N],#html-body [data-pb-style=X1M5UF]]{max-width:100%;height:auto}#html-body [data-pb-style=ECAFCFG],#html-body [data-pb-style=RK6EU6A]{display:flex;flex-

direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll} #html-body [data-pb-style=RK6EU6A]{justify-content:center;width:50%;align-self:stretch} #html-body [data-pb-style=ECAF CFG]{justify-content:flex-start} #html-body [data-pb-style=Q6CN3WB]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=KAL1UDL]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch} #html-body [data-pb-style=J8CGCL4]{display:flex;width:100%} #html-body [data-pb-style=APJ8KE8]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch} #html-body [data-pb-style=VMTQDAC]{border-style:none} #html-body [data-pb-style=KKI0QDL], #html-body [data-pb-style=NVYOFRB]{max-width:100%;height:auto} #html-body [data-pb-style=AF4QWM5], #html-body [data-pb-style=O4W2K4S]{display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll} #html-body [data-pb-style=O4W2K4S]{justify-content:center;width:50%;align-self:stretch} #html-body [data-pb-style=AF4QWM5]{justify-content:flex-start} #html-body [data-pb-style=WKUIEDX]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=TR7XF4V]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch} #html-body [data-pb-style=E0635NY]{display:flex;width:100%} #html-body [data-pb-style=C5BU49S]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch} #html-body [data-pb-style=YVSW4BA]{border-style:none} #html-body [data-pb-style=EE7S4FL], #html-body [data-pb-style=TCDGCN8]{max-width:100%;height:auto} #html-body [data-pb-style=TVROLDF]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch} @media only screen and (max-width: 384pt) { #html-body [data-pb-style=LL9W6JU], #html-body [data-pb-style=R9JDYLQ], #html-body [data-pb-style=VMTQDAC], #html-body [data-pb-style=YG1KI1Q], #html-body [data-pb-style=YVSW4BA]{border-style:none} }

Nowoczesny i trwały **domek narzędziowy HUDSON** to produkt Hardmaister, który wyróżnia się stylowym designem. **Okno** sprawia, że wnętrze jest dobrze oświetlone, co zwiększa jego funkcjonalność. Panele ściennie z pionowymi rowkami podkreślają **klasyczny wygląd domku**. **Montaż jest niezwykle prosty** dzięki szczegółowej instrukcji. Domek nie wymaga konserwacji ani malowania i można go zainstalować bez pozwolenia budowlanego.

Funkcjonalne przesuwne drzwi

Domek narzędziowy HUDSON posiada funkcjonalne, **podwójne drzwi przesuwane**, które gwarantują łatwy dostęp do wnętrza. Mechanizm ich otwierania jest płynny, co znacząco ułatwia przenoszenie większych sprzętów czy narzędzi ogrodowych.

Domek narzędziowy z możliwością zamknięcia na kłódkę

Praktyczny uchwyt w drzwiach domku HUDSON pozwala na **zamocowanie kłódki** lub zamka, zwiększając ochronę narzędzi i sprzętu. Brak kłódki w zestawie umożliwia indywidualne dopasowanie odpowiedniego zabezpieczenia.

Wybór strony montażu okna - pełna swoboda adaptacji

Domek HUDSON umożliwia zamontowanie okna na dowolnej ścianie, co pozwala na dostosowanie do Twojego ogrodu i wymagań. Dzięki temu możesz cieszyć się optymalnym oświetleniem wnętrza i wygodnym użytkowaniem.

Stabilna konstrukcja domku

Stalowe kątowniki wzmacniające w domku HUDSON to istotny element konstrukcji, który **zapewnia większą stabilność i odporność na obciążenia**. Dzięki nim ściany są sztywniejsze, a konstrukcja lepiej znosi zmienne warunki atmosferyczne. Ochrona przed rdzą jest gwarantowana dzięki antykorozyjnej powłoce.

Cyrkulacja powietrza w domku narzędziowym

Domek HUDSON oferuje **cztery otwory wentylacyjne**, które zapewniają stały przepływ powietrza wewnątrz. Cyrkulacja powietrza skutecznie **eliminuje ryzyko pleśni, wilgoci i korozji**, co pozwala utrzymać wewnątrz suche i bezpieczne.

Ergonomiczny, niski próg w domku

Niski próg w domku HUDSON zaprojektowano z myślą o łatwym przenoszeniu większych narzędzi ogrodowych. Ergonomiczna konstrukcja umożliwia **komfortowe wprowadzanie ciężkich sprzętów**, takich jak grille i kosiarki.

Dodatkowe informacje

```
#html-body [data-pb-style=WMQEQ40],#html-body [data-pb-style=XDXTB68]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=XDXTB68]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=WMQEQ40]{align-self:stretch}#html-body [data-pb-style=QV94E0N]{display:flex;width:100%}#html-body [data-pb-style=HIARLO2],#html-body [data-pb-style=YQFHYHW]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:66.6667%;align-self:stretch}#html-body [data-pb-style=YQFHYHW]{width:33.3333%}#html-body [data-pb-style=WTG0S0N]{border-style:none}#html-body [data-pb-style=A4R7LOG],#html-body [data-pb-style=MWG3Y60]{max-width:100%;height:auto}#html-body [data-pb-style=K9X58SB],#html-body [data-pb-style=KCASDGV]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=K9X58SB]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=KCASDGV]{align-self:stretch}#html-body [data-pb-style=KIIQX08]{display:flex;width:100%}#html-body [data-pb-style=CF7G9CI],#html-body [data-pb-style=H1MU4NA]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:8.3333%;align-self:stretch}#html-body [data-pb-style=CF7G9CI]{text-align:center;width:83.3333%}#html-body [data-pb-style=I9C6EGL]{border-style:none}#html-body [data-pb-style=JILLF8X],#html-body [data-pb-style=TXD5845]{max-width:100%;height:auto}#html-body [data-pb-style=TLQGDTP]{width:8.3333%;align-self:stretch}#html-body [data-pb-style=H99NNA5],#html-body [data-pb-style=TLQGDTP]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=HV315EV]{width:100%;border-width:0pt;border-color:#878787;display:inline-block}#html-body [data-pb-style=WI9MG0I]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=FWEWWE1]{display:flex;width:100%}#html-body [data-pb-style=OMN2LDQ]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:16.6667%;align-self:stretch}#html-body [data-pb-style=NN2453G]{border-style:none}#html-body [data-pb-style=NP7URHM],#html-body [data-pb-style=SLWV4VM]{max-
```

width:100%;height:auto} #html-body [data-pb-style=JlWV9V6]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:83.3333%;align-self:stretch}@media only screen and (max-width: 384pt) { #html-body [data-pb-style=I9C6EGL],#html-body [data-pb-style=NN2453G],#html-body [data-pb-style=WTG0S0N]{border-style:none} }

Rekomendacje montażowe:

Przygotowanie podłoża

Domek narzędziowy nie posiada własnej podłogi, dlatego zalecamy przygotowanie odpowiedniej powierzchni pod montaż. Najlepszą opcją jest wykonanie **wylewki betonowej o grubości 15-20 cm**. Wylewka powinna być większa niż wymiary domku – powinna przekraczać obrys domku **o co najmniej 10 cm**. Taka nadwyżka powierzchni zapewni stabilność i ochronę przed wodą opadową, a także ułatwi montaż.

Montaż domku do podłoża

Przed rozpoczęciem montażu upewnij się, że wylewka betonowa jest odpowiednio wyrównana i całkowicie sucha. Montaż domku na nierównej powierzchni może prowadzić do niestabilności konstrukcji. **W zestawie nie znajdują się kotwy montażowe do podłoża.**

Wykonanie odpowiedniej wylewki betonowej i prawidłowy montaż domku zapewnią jego trwałość i bezpieczeństwo użytkowania przez wiele lat.

Warianty:

- Dostępne rozmiary domku: **277x319 cm | 277x191 cm**
- Inne kolory modelu Hudson - domek narzędziowy:

Hardmaister to marka specjalizująca się w architekturze ogrodowej, oferująca szeroki wybór **domków narzędziowych, altan i obrzeży trawnikowych**. Nasze produkty wyróżniają się trwałością oraz nowoczesnym designem. Dbamy o to, by każdy element ogrodu łączył w sobie estetykę z funkcjonalnością, tworząc przestrzeń, która nie tylko cieszy oko, ale i ułatwia codzienne prace.