

Link do produktu: <https://www.lisprom.pl/domek-narzedziowy-hudson-277x319cm-cold-grey-hardmaister-p-20971.html>



Domek narzędziowy HUDSON 277x319cm Cold Grey - Hardmaister

Cena brutto	1 804,19 zł
Cena netto	1 466,82 zł
Dostępność	Dostępny
Czas wysyłki	24 godziny
Numer katalogowy	003136
Kod producenta	003136

Opis produktu

Domek narzędziowy HUDSON 277x319cm Cold Grey - Hardmaister - Opis

#html-body [data-pb-style=LINI3TK],#html-body [data-pb-style=WEVBVH8],#html-body [data-pb-style=Y0KO8N7]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=LINI3TK],#html-body [data-pb-style=Y0KO8N7]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=WEVBVH8]{align-self:stretch}#html-body [data-pb-style=K58YCY7]{display:flex;width:100%}#html-body [data-pb-style=GLR81DE],#html-body [data-pb-style=PQDCDG3]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}

HUDSON 277x319 cm to przestronny domek narzędziowy, zapewniający aż **8,25 m²** powierzchni użytkowej na narzędzia i sprzęty ogrodowe. Konstrukcja z **ocynkowanej stali** charakteryzuje się doskonałą odpornością na korozję i trwałością, co sprawia, że domek służy przez wiele lat. Praktyczne, **przesuwne drzwi** umożliwiają łatwe korzystanie z wnętrza, a opcja zamknięcia ich na kłódkę zapewnia dodatkowe bezpieczeństwo. Domek został wyposażony w **otwory wentylacyjne**, które skutecznie **zapobiegają gromadzeniu się wilgoci, chroniąc zawartość przed pleśnią i korozją**.

Najważniejsze cechy:

- Nie wymaga konserwacji
- Wymiary z dachem 277x319 cm
- Wysokość drzwi 162 cm
- Podwójne drzwi przesuwne
- Kolor: Cold Grey
- Cyrkulacja powietrza
- Możliwość zamontowania kłódki na drzwiach (brak w zestawie)

-
- Otwory wentylacyjne
 - Okno z wyborem miejsca montażu
 - Nie zawiera podłogi
 - Całoroczny
 - Dwuspadowy dach
 - Łatwy montaż, bez specjalistycznej wiedzy technicznej
 - Odporny na korozję

Dane techniczne

```
#html-body [data-pb-style=E9UAI0B],#html-body [data-pb-style=JWQJ10A],#html-body [data-pb-style=RO4IR3G]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=RO4IR3G]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=E9UAI0B],#html-body [data-pb-style=JWQJ10A]{align-self:stretch}#html-body [data-pb-style=P48BUH4]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=NTR7R81],#html-body [data-pb-style=U5J1TSW]{display:flex;width:100%}#html-body [data-pb-style=LF17A3K],#html-body [data-pb-style=XDKBHRR],#html-body [data-pb-style=XVVMTMS],#html-body [data-pb-style=XW4H2UR],#html-body [data-pb-style=YA9B]7Q]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=XDKBHRR],#html-body [data-pb-style=XW4H2UR],#html-body [data-pb-style=YA9B]7Q){width:16.6667%}#html-body [data-pb-style=XDKBHRR],#html-body [data-pb-style=XW4H2UR]{justify-content:center;width:66.6667%}#html-body [data-pb-style=XDKBHRR]{justify-content:flex-start;width:16.6667%}#html-body [data-pb-style=EMN1AQM]{border-style:none}#html-body [data-pb-style=O2ER9JF],#html-body [data-pb-style=OFWRTAT]{max-width:100%;height:auto}@media only screen and (max-width: 384pt) { #html-body [data-pb-style=EMN1AQM]{border-style:none} }
```

Wymiary domku u podstawy:

- szerokość: **267 cm**
- głębokość: **309 cm**

Wymiary i waga opakowania:

- Karton 1: **172x72x12 cm ; 68 kg**
- Karton 2: **188x26x17 cm ; 25 kg**

Materiał:

- Konstrukcja: **stal ocynkowana**
- Panele: **stalowe, ocynkowane ogniowo**
(grubość: **0,25 mm**)

Powierzchnia: 8,25 m2

Wymiary zewnętrzne z dachem:

- szerokość: **277 cm**
- głębokość: **319 cm**
- wysokość: **202 cm**

Wymiary drzwi:

- szerokość: **117 cm**
- wysokość: **162 cm**

Wymiary okna:

- szerokość: **24,6 cm**
- wysokość: **46 cm**

Waga (z opakowaniem): 93 kg

Wymiary całkowite:

Zalety

```
#html-body [data-pb-style=S9WCHX3],#html-body [data-pb-style=XJBO3B1],#html-body [data-pb-style=YRXC536]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=S9WCHX3],#html-body [data-pb-style=XJBO3B1]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=YRXC536]{align-self:stretch}#html-body [data-pb-style=KIOHWNL]{display:flex;width:100%}#html-body [data-pb-style=D528RRL],#html-body [data-pb-style=S9PU71F]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=S9PU71F]{justify-content:flex-start}#html-body [data-pb-style=FQP38HM]{border-style:none}#html-body [data-pb-style=OY9UU6R],#html-body [data-pb-style=VE8XAO6]{max-width:100%;height:auto}#html-body [data-pb-style=SIIRDIO]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=A7BD3WU]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=ERQ5F93]{display:flex;width:100%}#html-body [data-pb-style=H11VCU3],#html-body [data-pb-style=XT3I6R2]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:16.6667%;align-self:stretch}#html-body [data-pb-style=H11VCU3]{width:66.6667%}#html-body [data-pb-style=B1B39OK]{border-style:none}#html-body [data-pb-style=R099PMN],#html-body [data-pb-style=UVAREHE]{max-width:100%;height:auto}#html-body [data-pb-style=EGUJ37O]{width:16.6667%;align-self:stretch}#html-body [data-pb-style=EGUJ37O],#html-body [data-pb-style=JMQ6TON]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=THJA4L4]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=LIYFEHI]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=PBUJOIR]{display:flex;width:100%}#html-body [data-pb-style=SC2VYGE]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=VMPHRJR]{border-style:none}#html-body [data-pb-style=C1V42MU],#html-body [data-pb-style=NIDSFOU]{max-width:100%;height:auto}#html-body [data-pb-style=PNQLJQI],#html-body [data-pb-style=YOMLJJA]{display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=PNQLJQI]{justify-content:center;width:50%;align-self:stretch}#html-body [data-
```

pb-style=YOMLJJA){justify-content:flex-start} #html-body [data-pb-style=Q1SAIQM]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=NL49H2O){background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch} #html-body [data-pb-style=SLYFSQ3]{display:flex;width:100%} #html-body [data-pb-style=XBL6FC5]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch} #html-body [data-pb-style=CPAKLK0]{border-style:none} #html-body [data-pb-style=BKQR8OX], #html-body [data-pb-style=IS26B35]{max-width:100%;height:auto} #html-body [data-pb-style=IJFYDT], #html-body [data-pb-style=YYLDSSK]{display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll} #html-body [data-pb-style=YYLDSSK]{justify-content:center;width:50%;align-self:stretch} #html-body [data-pb-style=IJFYDT]{justify-content:flex-start} #html-body [data-pb-style=S0ABCNP]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=QNLVGLO){background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch} #html-body [data-pb-style=OL0C6R4]{display:flex;width:100%} #html-body [data-pb-style=V3OEBUJ]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch} #html-body [data-pb-style=VFC242N]{border-style:none} #html-body [data-pb-style=K0JKHIM], #html-body [data-pb-style=N30H30E]{max-width:100%;height:auto} #html-body [data-pb-style=R6U4RJ]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch} @media only screen and (max-width: 384pt) { #html-body [data-pb-style=B1B39OK], #html-body [data-pb-style=CPAKLK0], #html-body [data-pb-style=FQP38HM], #html-body [data-pb-style=VFC242N], #html-body [data-pb-style=VMPHRJR]{border-style:none} }

Domek HUDSON od Hardmaister to połączenie stylowego designu z funkcjonalnością. Naturalne światło wpadające przez **okno** czyni wnętrze bardziej przyjaznym. Pionowe żłobienia na panelach dodają mu tradycyjnego charakteru. **Prosty montaż** możliwy jest dzięki szczegółowej instrukcji, a **wytrzymała konstrukcja** nie wymaga regularnej konserwacji. Instalacja nie wiąże się z koniecznością uzyskania pozwolenia na budowę.

Funkcjonalne przesuwne drzwi

Podwójne drzwi przesuwne w modelu HUDSON umożliwiają wygodny dostęp do wnętrza domku. Dzięki starannie zaprojektowanemu mechanizmowi drzwi poruszają się płynnie, co sprawia, że przenoszenie dużych narzędzi i sprzętów nie stanowi problemu.

Domek narzędziowy z możliwością zamknięcia na kłódkę

Drzwi w domku **HUDSON** mają uchwyt, który pozwala na założenie kłódki lub zamka, zapewniając **dodatkową ochronę zawartości**. Brak kłódki w zestawie umożliwia użytkownikowi wybór najlepszego zabezpieczenia dostosowanego do potrzeb.

Wybór strony montażu okna - pełna swoboda adaptacji

Domek narzędziowy HUDSON daje **możliwość instalacji okna na dowolnej ścianie**, co pozwala na dopasowanie do Twoich preferencji. To rozwiązanie umożliwia optymalne doświetlenie wnętrza i lepsze dopasowanie do przestrzeni ogrodowej.

Stabilna konstrukcja domku

Domek HUDSON wyposażono w stalowe **kątowniki wzmacniające**, które zwiększają stabilność oraz wytrzymałość konstrukcji. Dzięki nim

ściany są bardziej sztywne, a domek **odporny na trudne warunki pogodowe i obciążenia**. Dodatkowo antykorozyjna powłoka chroni kątowniki przed rdzą, zapewniając ich długą żywotność.

Cyrkulacja powietrza w domku narzędziowym

Domek HUDSON posiada cztery wentylatory zapewniające ciągłą wymianę powietrza. Dzięki temu **wnętrze jest chronione przed wilgocią**, pleśnią i korozją, co sprawia, że konstrukcja pozostaje sucha nawet w trudnych warunkach atmosferycznych.

Ergonomiczny, niski próg w domku

Domek HUDSON posiada **próg o niskim profilu**, który ułatwia wprowadzanie większych sprzętów ogrodowych. Jego **ergonomiczny kształt** pozwala na wygodne transportowanie ciężkich przedmiotów, takich jak grille i kosiarki.

Dodatkowe informacje

```
#html-body [data-pb-style=U3NJ5BL],#html-body [data-pb-style=VISDU8W]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=U3NJ5BL]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=VISDU8W]{align-self:stretch}#html-body [data-pb-style=OLIS853]{display:flex;width:100%}#html-body [data-pb-style=BM678J3],#html-body [data-pb-style=CG30I5Y]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:66.6667%;align-self:stretch}#html-body [data-pb-style=BM678J3]{width:33.3333%}#html-body [data-pb-style=J09CYC]{border-style:none}#html-body [data-pb-style=EOHNOS1],#html-body [data-pb-style=XUIQ9EM]{max-width:100%;height:auto}#html-body [data-pb-style=OESYRAP],#html-body [data-pb-style=OR25MXW]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=OR25MXW]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=OESYRAP]{align-self:stretch}#html-body [data-pb-style=O3UAMVO]{display:flex;width:100%}#html-body [data-pb-style=FDCAU7B],#html-body [data-pb-style=L15VLAL]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:8.3333%;align-self:stretch}#html-body [data-pb-style=L15VLAL]{text-align:center;width:83.3333%}#html-body [data-pb-style=X7XP3UM]{border-style:none}#html-body [data-pb-style=DN5BXD8],#html-body [data-pb-style=FDNDMVY]{max-width:100%;height:auto}#html-body [data-pb-style=NBD6Q45]{width:8.3333%;align-self:stretch}#html-body [data-pb-style=NBD6Q45],#html-body [data-pb-style=VJKOEFH]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=DXSG8MI]{width:100%;border-width:0pt;border-color:#878787;display:inline-block}#html-body [data-pb-style=PPHUI3L]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=F9F8V98]{display:flex;width:100%}#html-body [data-pb-style=WVBKT7R]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:16.6667%;align-self:stretch}#html-body [data-pb-style=A8GEBQR]{border-style:none}#html-body [data-pb-style=F89FTI8],#html-body [data-pb-style=OEKGV2E]{max-width:100%;height:auto}#html-body [data-pb-style=XCM9BMV]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:83.3333%;align-self:stretch}@media only screen and (max-width: 384pt) { #html-body [data-pb-
```

style=A8GEBQR],#html-body [data-pb-style=J09CYYC],#html-body [data-pb-style=X7XP3UM]{border-style:none} }

Rekomendacje montażowe:

Przygotowanie podłoża

Domek narzędziowy nie posiada własnej podłogi, dlatego zalecamy przygotowanie odpowiedniej powierzchni pod montaż. Najlepszą opcją jest wykonanie **wylewki betonowej o grubości 15-20 cm**. Wylewka powinna być większa niż wymiary domku – powinna przekraczać obrys domku **o co najmniej 10 cm**. Taka nadwyżka powierzchni zapewni stabilność i ochronę przed wodą opadową, a także ułatwi montaż.

Montaż domku do podłoża

Przed rozpoczęciem montażu upewnij się, że wylewka betonowa jest odpowiednio wyrównana i całkowicie sucha. Montaż domku na nierównej powierzchni może prowadzić do niestabilności konstrukcji. **W zestawie nie znajdują się kotwy montażowe do podłoża.**

Wykonanie odpowiedniej wylewki betonowej i prawidłowy montaż domku zapewnią jego trwałość i bezpieczeństwo użytkowania przez wiele lat.

Warianty:

- Dostępne rozmiary domku: **277x255 cm | 277x191 cm**
- Inne kolory modelu Hudson - domek narzędziowy:

Hardmaister to marka specjalizująca się w architekturze ogrodowej, oferująca szeroki wybór **domków narzędziowych, altan i obrzeży trawnikowych**. Nasze produkty wyróżniają się trwałością oraz nowoczesnym designem. Dbamy o to, by każdy element ogrodu łączył w sobie estetykę z funkcjonalnością, tworząc przestrzeń, która nie tylko cieszy oko, ale i ułatwia codzienne prace.