

Link do produktu: <https://www.lisprom.pl/domek-narzedziowy-hudson-277x319cm-light-grey-hardmaister-p-20972.html>



Domek narzędziowy HUDSON 277x319cm Light Grey - Hardmaister

Cena brutto	1 804,19 zł
Cena netto	1 466,82 zł
Dostępność	Dostępny
Czas wysyłki	24 godziny
Numer katalogowy	003137
Kod producenta	003137

Opis produktu

Domek narzędziowy HUDSON 277x319cm Light Grey - Hardmaister - Opis

#html-body [data-pb-style=MLGNFGC],#html-body [data-pb-style=N93WS3S],#html-body [data-pb-style=PKI3HB3]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=N93WS3S],#html-body [data-pb-style=PKI3HB3]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=MLGNFGC]{align-self:stretch}#html-body [data-pb-style=DDT8DW5]{display:flex;width:100%}#html-body [data-pb-style=BBPKQKD],#html-body [data-pb-style=IL6LAEE]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}

Domek narzędziowy HUDSON o wymiarach **277x319 cm** to praktyczne rozwiązanie oferujące **8,25 m²** przestrzeni do przechowywania narzędzi i akcesoriów ogrodowych. Konstrukcja wykonana z **trwałej, ocynkowanej stali** gwarantuje odporność na rdzę i wytrzymałość nawet w niesprzyjających warunkach atmosferycznych. **Podwójne, przesuwne drzwi** zapewniają **wygodny dostęp**, a ich możliwość zabezpieczenia kłódką zwiększa ochronę zawartości. **Otworki wentylacyjne** skutecznie eliminują problem wilgoci, chroniąc przed pleśnią i rdzewieniem.

Najważniejsze cechy:

- Nie wymaga konserwacji
- Wymiary z dachem 277x319 cm
- Wysokość drzwi 162 cm
- Podwójne drzwi przesuwne
- Kolor: Light Grey
- Cyrkulacja powietrza
- Możliwość zamontowania kłódki na drzwiach (brak w zestawie)

-
- Otwory wentylacyjne
 - Okno z wyborem miejsca montażu
 - Nie zawiera podłogi
 - Całoroczny
 - Dwuspadowy dach
 - Łatwy montaż, bez specjalistycznej wiedzy technicznej
 - Odporny na korozję

Dane techniczne

```
#html-body [data-pb-style=GQNERV9],#html-body [data-pb-style=JDLLV5L],#html-body [data-pb-style=SMXR04O]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=GQNERV9]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=JDLLV5L],#html-body [data-pb-style=SMXR04O]{align-self:stretch}#html-body [data-pb-style=M8WDGKR]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=XA61P1K],#html-body [data-pb-style=Y5SY3UF]{display:flex;width:100%}#html-body [data-pb-style=J45426Q],#html-body [data-pb-style=KK1D9SF],#html-body [data-pb-style=KNM22BH],#html-body [data-pb-style=TH1EENH],#html-body [data-pb-style=X0H36LL]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=J45426Q],#html-body [data-pb-style=KK1D9SF],#html-body [data-pb-style=TH1EENH]{width:16.6667%}#html-body [data-pb-style=J45426Q],#html-body [data-pb-style=TH1EENH]{justify-content:center;width:66.6667%}#html-body [data-pb-style=J45426Q]{justify-content:flex-start;width:16.6667%}#html-body [data-pb-style=O4KTTIJ]{border-style:none}#html-body [data-pb-style=CXQGFNY],#html-body [data-pb-style=HNWJ84M]{max-width:100%;height:auto}@media only screen and (max-width: 384pt) { #html-body [data-pb-style=O4KTTIJ]{border-style:none} }
```

Wymiary domku u podstawy:

- szerokość: **267 cm**
- głębokość: **309 cm**

Wymiary i waga opakowania:

- Karton 1: **172x72x12 cm ; 68 kg**
- Karton 2: **188x26x17 cm ; 25 kg**

Materiał:

- Konstrukcja: **stal ocynkowana**
- Panele: **stalowe, ocynkowane ogniowo**
(grubość: **0,25 mm**)

Powierzchnia: 8,25 m2

Wymiary zewnętrzne z dachem:

- szerokość: **277 cm**
- głębokość: **319 cm**
- wysokość: **202 cm**

Wymiary drzwi:

- szerokość: **117 cm**
- wysokość: **162 cm**

Wymiary okna:

- szerokość: **24,6 cm**
- wysokość: **46 cm**

Waga (z opakowaniem): 93 kg

Wymiary całkowite:

Zalety

#html-body [data-pb-style=EEMVUJN],#html-body [data-pb-style=SQDMDWX],#html-body [data-pb-style=W4G8K96]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=EEMVUJN],#html-body [data-pb-style=SQDMDWX]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=W4G8K96]{align-self:stretch}#html-body [data-pb-style=EBDBJ55]{display:flex;width:100%}#html-body [data-pb-style=CDE9QO7],#html-body [data-pb-style=T9PDUN8]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=CDE9QO7]{justify-content:flex-start}#html-body [data-pb-style=K3T6QTM]{border-style:none}#html-body [data-pb-style=NNEBQ4J],#html-body [data-pb-style=P683BBG]{max-width:100%;height:auto}#html-body [data-pb-style=CHHE1IV]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=F44DVRN]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=Q7CX22B]{display:flex;width:100%}#html-body [data-pb-style=PJLICC2],#html-body [data-pb-style=S8OHX4N]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:16.6667%;align-self:stretch}#html-body [data-pb-style=PJLICC2]{width:66.6667%}#html-body [data-pb-style=P9JC1S3]{border-style:none}#html-body [data-pb-style=PN6VEP0],#html-body [data-pb-style=QJK1GUQ]{max-width:100%;height:auto}#html-body [data-pb-style=LQSB8AX]{width:16.6667%;align-self:stretch}#html-body [data-pb-style=LQSB8AX],#html-body [data-pb-style=Y7MTYTQ]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=JK9NE06]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=NVSGW5W]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=D1QQ5RX]{display:flex;width:100%}#html-body [data-pb-style=QOMQSP4]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=NPBUWQE]{border-style:none}#html-body [data-pb-style=BLVY4CT],#html-body [data-pb-style=JT4M70]{max-width:100%;height:auto}#html-body [data-pb-style=OXEV3LJ],#html-body [data-pb-style=YC070YJ]{display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=YC070YJ]{justify-content:center;width:50%;align-self:stretch}#html-body [data-pb-style=OXEV3LJ]{justify-content:flex-start}#html-body [data-pb-style=UNVKX2O]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=HB9061D]{background-position:left top;background-

```
size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=R3WM84H]){display:flex;width:100%}#html-body [data-pb-style=INRCSQG){justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=X3GJG2L){border-style:none}#html-body [data-pb-style=NSM4QID],#html-body [data-pb-style=Q3T0XT9]{max-width:100%;height:auto}#html-body [data-pb-style=FWSKWP1],#html-body [data-pb-style=UV5W0XC){display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=UV5W0XC){justify-content:center;width:50%;align-self:stretch}#html-body [data-pb-style=FWSKWP1]{justify-content:flex-start}#html-body [data-pb-style=R3TMLWU]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=LSW4XP0){background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=AOF79CD]{display:flex;width:100%}#html-body [data-pb-style=VOVQKKL){justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=S339OXJ){border-style:none}#html-body [data-pb-style=F83XNNH],#html-body [data-pb-style=SIVV4YU]{max-width:100%;height:auto}#html-body [data-pb-style=TM1M2HI){justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}@media only screen and (max-width: 384pt) { #html-body [data-pb-style=K3T6QTM],#html-body [data-pb-style=NPBUWQE],#html-body [data-pb-style=P9JC1S3],#html-body [data-pb-style=S339OXJ],#html-body [data-pb-style=X3GJG2L){border-style:none} }
```

Stylowy i praktyczny **domek narzędziowy HUDSON** marki Hardmaister to świetny wybór do przechowywania narzędzi. **Okno** sprawia, że wewnątrz jest dobrze oświetlone, co zwiększa wygodę użytkownika. Klasyczne panele z pionowymi żłobieniami nadają estetyczny wygląd. **Montaż jest łatwy** dzięki dołączonej instrukcji, a konstrukcja nie wymaga malowania ani konserwacji. Instalacja możliwa jest bez pozwolenia na budowę.

Funkcjonalne przesuwne drzwi

Domek HUDSON został wyposażony w **przesuwane podwójne drzwi**, które zapewniają bezproblemowy dostęp do wnętrza. Ich **płynny mechanizm** otwierania ułatwia korzystanie z domku, także podczas przenoszenia większego sprzętu ogrodowego czy narzędzi.

Domek narzędziowy z możliwością zamknięcia na kłódkę

Domek HUDSON posiada drzwi z **uchwytem przystosowanym do montażu kłódki** lub innego zabezpieczenia, co gwarantuje lepszą ochronę narzędzi. Kłódka nie została dołączona do zestawu, co daje możliwość wyboru rozwiązania odpowiadającego indywidualnym wymaganiom.

Wybór strony montażu okna - pełna swoboda adaptacji

Domek HUDSON oferuje opcję **montażu okna na dowolnej ścianie**, co sprawia, że domek narzędziowy można dostosować do własnych potrzeb. Takie rozwiązanie zapewnia lepsze oświetlenie wnętrza oraz idealne dopasowanie do układu ogrodu.

Stabilna konstrukcja domku

Stabilność i wytrzymałość **domku HUDSON** to zasługa **stalowych kątowników** wzmacniających. Dzięki nim **konstrukcja lepiej znosi**

obciążenia i zmienne warunki atmosferyczne, a ściany zyskują większą sztywność. Antykorozyjna warstwa skutecznie zabezpiecza kątowniki przed działaniem rdzy.

Cyrkulacja powietrza w domku narzędziowym

Cztery otwory wentylacyjne w domku HUDSON gwarantują odpowiednią cyrkulację powietrza, co redukuje ryzyko kondensacji wilgoci. **Stały przepływ powietrza** chroni wnętrze przed korozją i pleśnią, nawet w warunkach wysokiej wilgotności.

Ergonomiczny, niski próg w domku

Próg w domku HUDSON cechuje się **niskim, ergonomicznym kształtem**, który został zaprojektowany z myślą o łatwym wprowadzaniu dużych sprzętów. Dzięki temu transport kosiarki czy grilla nie sprawia problemu.

Dodatkowe informacje

```
#html-body [data-pb-style=PPWCX5I],#html-body [data-pb-style=TFJU5X]){background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=TFJU5X]){justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=PPWCX5I]{align-self:stretch}#html-body [data-pb-style=UNXGLDH){display:flex;width:100%}#html-body [data-pb-style=LQBCXIA],#html-body [data-pb-style=VBXJEC0]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:66.6667%;align-self:stretch}#html-body [data-pb-style=LQBCXIA){width:33.3333%}#html-body [data-pb-style=N3CYDKE){border-style:none}#html-body [data-pb-style=SOVAGEK],#html-body [data-pb-style=UYIMQ06){max-width:100%;height:auto}#html-body [data-pb-style=I5T957E],#html-body [data-pb-style=LQBEIEW]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=LQBEIEW){justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=I5T957E){align-self:stretch}#html-body [data-pb-style=QGEGE7P){display:flex;width:100%}#html-body [data-pb-style=HWYE2PJ],#html-body [data-pb-style=PTN67SC){justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:8.3333%;align-self:stretch}#html-body [data-pb-style=PTN67SC){text-align:center;width:83.3333%}#html-body [data-pb-style=W9PE4R0){border-style:none}#html-body [data-pb-style=NM2OHGM],#html-body [data-pb-style=T7EUEXI){max-width:100%;height:auto}#html-body [data-pb-style=BXXDXH6){width:8.3333%;align-self:stretch}#html-body [data-pb-style=BXXDXH6],#html-body [data-pb-style=LAG5TJ7){justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=NSYKDYH){width:100%;border-width:0pt;border-color:#878787;display:inline-block}#html-body [data-pb-style=J2OWQ1S1){background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=J10A7JV]{display:flex;width:100%}#html-body [data-pb-style=SX4IYSL){justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:16.6667%;align-self:stretch}#html-body [data-pb-style=XJFI13F){border-style:none}#html-body [data-pb-style=J9UON5C],#html-body [data-pb-style=TSKRVV4){max-width:100%;height:auto}#html-body [data-pb-style=SAEGX16){justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:83.3333%;align-self:stretch}@media only screen and (max-width: 384pt) { #html-body [data-pb-
```

style=N3CYDKE],#html-body [data-pb-style=W9PE4R0],#html-body [data-pb-style=XJFI13F]{border-style:none} }

Rekomendacje montażowe:

Przygotowanie podłoża

Domek narzędziowy nie posiada własnej podłogi, dlatego zalecamy przygotowanie odpowiedniej powierzchni pod montaż. Najlepszą opcją jest wykonanie **wylewki betonowej o grubości 15-20 cm**. Wylewka powinna być większa niż wymiary domku – powinna przekraczać obrys domku **o co najmniej 10 cm**. Taka nadwyżka powierzchni zapewni stabilność i ochronę przed wodą opadową, a także ułatwi montaż.

Montaż domku do podłoża

Przed rozpoczęciem montażu upewnij się, że wylewka betonowa jest odpowiednio wyrównana i całkowicie sucha. Montaż domku na nierównej powierzchni może prowadzić do niestabilności konstrukcji. **W zestawie nie znajdują się kotwy montażowe do podłoża.**

Wykonanie odpowiedniej wylewki betonowej i prawidłowy montaż domku zapewnią jego trwałość i bezpieczeństwo użytkowania przez wiele lat.

Warianty:

- Dostępne rozmiary domku: **277x255 cm | 277x191 cm**
- Inne kolory modelu Hudson - domek narzędziowy:

Hardmaister to marka specjalizująca się w architekturze ogrodowej, oferująca szeroki wybór **domków narzędziowych, altan i obrzeży trawnikowych**. Nasze produkty wyróżniają się trwałością oraz nowoczesnym designem. Dbamy o to, by każdy element ogrodu łączył w sobie estetykę z funkcjonalnością, tworząc przestrzeń, która nie tylko cieszy oko, ale i ułatwia codzienne prace.