

Link do produktu: <https://www.lisprom.pl/domek-narzedziowy-hudson-277x319cm-oak-brown-hardmaister-p-21024.html>



Domek narzędziowy HUDSON 277x319cm Oak Brown - Hardmaister

Cena brutto	2 135,33 zł
Cena netto	1 736,04 zł
Dostępność	Dostępny
Czas wysyłki	24 godziny
Numer katalogowy	003816
Kod producenta	003816

Opis produktu

Domek narzędziowy HUDSON 277x319cm Oak Brown - Hardmaister - Opis

#html-body [data-pb-style=C6DM1J6],#html-body [data-pb-style=K73IG7O],#html-body [data-pb-style=W344TEN]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=C6DM1J6],#html-body [data-pb-style=W344TEN]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=K73IG7O]{align-self:stretch}#html-body [data-pb-style=WJMN42X]{display:flex;width:100%}#html-body [data-pb-style=TK56SAB],#html-body [data-pb-style=V9DW99Y]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}

Domek narzędziowy **HUDSON** o wymiarach **277x319 cm** oferuje przestronną **powierzchnię użytkową 8,25 m²**, idealną do przechowywania sprzętu ogrodowego. Solidna konstrukcja z **ocynkowanej stali** cechuje się wysoką odpornością na korozję, co czyni domek niezwykle trwałym nawet w trudnych warunkach atmosferycznych. **Przesuwne, podwójne drzwi** zapewniają wygodny dostęp, a możliwość zastosowania kłódki zwiększa bezpieczeństwo przechowywanych rzeczy. **Otworki wentylacyjne** chronią wnętrze domku przed wilgocią, zapobiegając powstawaniu pleśni i korozji narzędzi.

Najważniejsze cechy:

- Nie wymaga konserwacji
- Wymiary z dachem 277x319 cm
- Wysokość drzwi 162 cm
- Podwójne drzwi przesuwne
- Kolor: Oak Brown
- Cyrkulacja powietrza
- Możliwość zamontowania kłódki na drzwiach (brak w zestawie)

-
- Otwory wentylacyjne
 - Okno z wyborem miejsca montażu
 - Nie zawiera podłogi
 - Całoroczny
 - Dwuspadowy dach
 - Łatwy montaż, bez specjalistycznej wiedzy technicznej
 - Odporny na korozję

Dane techniczne

```
#html-body [data-pb-style=JX8P5QY],#html-body [data-pb-style=XK63D8M]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=XK63D8M]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=JX8P5QY]{align-self:stretch}#html-body [data-pb-style=SYJCTYT]{display:flex;width:100%}#html-body [data-pb-style=BH7BUHQ],#html-body [data-pb-style=WBAPIH0]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=YVDMUON]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=KX06OEO]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=EWRY0J1]{display:flex;width:100%}#html-body [data-pb-style=FH1NUDF],#html-body [data-pb-style=RKPIB1Y]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:16.6667%;align-self:stretch}#html-body [data-pb-style=RKPIB1Y]{justify-content:center;width:66.6667%}#html-body [data-pb-style=D6FION7]{border-style:none}#html-body [data-pb-style=BIBPTLH],#html-body [data-pb-style=YL6FKHJ]{max-width:100%;height:auto}#html-body [data-pb-style=EP4FYGK]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:16.6667%;align-self:stretch}@media only screen and (max-width: 384pt) { #html-body [data-pb-style=D6FION7]{border-style:none} }
```

Wymiary domku u podstawy:

- szerokość: **267 cm**
- głębokość: **309 cm**

Wymiary i waga opakowania:

- Karton 1: **172x72x12 cm ; 68 kg**
- Karton 2: **188x26x17 cm ; 25 kg**

Materiał:

- Konstrukcja: **stal ocynkowana**
- Panele: **stalowe, ocynkowane ogniowo**
(grubość: **0,25 mm**)

Powierzchnia: 8,25 m2

Wymiary zewnętrzne z dachem:

- szerokość: **277 cm**
- głębokość: **319 cm**
- wysokość: **202 cm**

Wymiary drzwi:

- szerokość: **117 cm**
- wysokość: **162 cm**

Wymiary okna:

- szerokość: **24,6 cm**
- wysokość: **46 cm**

Waga (z opakowaniem): 93 kg

Wymiary całkowite:

Zalety

#html-body [data-pb-style=AB8X59J],#html-body [data-pb-style=K03CMX2],#html-body [data-pb-style=ULF4521]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=AB8X59J],#html-body [data-pb-style=ULF4521]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=K03CMX2]{align-self:stretch}#html-body [data-pb-style=W2E02J9]{display:flex;width:100%}#html-body [data-pb-style=RR7ADTO],#html-body [data-pb-style=S302GAQ]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=S302GAQ]{justify-content:flex-start}#html-body [data-pb-style=SSBA0GG]{border-style:none}#html-body [data-pb-style=DYETXCX],#html-body [data-pb-style=WDB1CW9]{max-width:100%;height:auto}#html-body [data-pb-style=P3PIOJH]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=BS2ENE5]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=CSP1GVN]{display:flex;width:100%}#html-body [data-pb-style=HTVA6EP],#html-body [data-pb-style=NJ55NR3]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:16.6667%;align-self:stretch}#html-body [data-pb-style=HTVA6EP]{width:66.6667%}#html-body [data-pb-style=N9DW9JR]{border-style:none}#html-body [data-pb-style=BYBLGH1],#html-body [data-pb-style=JHAS6QR]{max-width:100%;height:auto}#html-body [data-pb-style=LRK69X2]{width:16.6667%;align-self:stretch}#html-body [data-pb-style=GONOCLEB],#html-body [data-pb-style=LRK69X2]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=AX7CK8D]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=QHQF1FN]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=F3OKA76]{display:flex;width:100%}#html-body [data-pb-style=DAFMJK0]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=G3MHB9K]{border-style:none}#html-body [data-pb-style=SAV4CE3],#html-body [data-pb-style=W9O725C]{max-width:100%;height:auto}#html-body [data-pb-style=Jl9G9EN],#html-body [data-pb-style=OBRVYAP]{display:flex;flex-

direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll} #html-body [data-pb-style=OBRVYAP]{justify-content:center;width:50%;align-self:stretch} #html-body [data-pb-style=JI9G9EN]{justify-content:flex-start} #html-body [data-pb-style=JR6NGRA]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=QFY2GK6]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch} #html-body [data-pb-style=G8G7VHB]{display:flex;width:100%} #html-body [data-pb-style=JEF5QC8]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch} #html-body [data-pb-style=C8J16K1]{border-style:none} #html-body [data-pb-style=R6KP3OP], #html-body [data-pb-style=WQ1JWL9]{max-width:100%;height:auto} #html-body [data-pb-style=HI3TS39], #html-body [data-pb-style=VCPBTAM]{display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll} #html-body [data-pb-style=HI3TS39]{justify-content:center;width:50%;align-self:stretch} #html-body [data-pb-style=VCPBTAM]{justify-content:flex-start} #html-body [data-pb-style=QUKJ11R]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=G7DQ9OB]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch} #html-body [data-pb-style=DW0HDG7]{display:flex;width:100%} #html-body [data-pb-style=HEEV027]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch} #html-body [data-pb-style=GAC6DM6]{border-style:none} #html-body [data-pb-style=EGP54WO], #html-body [data-pb-style=PINT8KQ]{max-width:100%;height:auto} #html-body [data-pb-style=VXSMGK9]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}@media only screen and (max-width: 384pt) { #html-body [data-pb-style=C8J16K1], #html-body [data-pb-style=G3MHB9K], #html-body [data-pb-style=GAC6DM6], #html-body [data-pb-style=N9DW9JR], #html-body [data-pb-style=SSBA0GG]{border-style:none} }

Domek narzędziowy HUDSON marki Hardmaister to połączenie nowoczesności i praktyczności. Wyposażony w **okno**, które wpuszcza naturalne światło, zapewnia wygodę użytkowania. Klasyczne panele z **pionowymi żłobieniami** nadają mu estetyczny wygląd. **Łatwość montażu** gwarantuje szczegółowa instrukcja, dołączona do zestawu, a **konstrukcja nie wymaga konserwacji** ani malowania. Instalacja możliwa jest bez dodatkowych pozwoleń budowlanych.

Funkcjonalne przesuwne drzwi

Domek narzędziowy **HUDSON** został wyposażony w **podwójne przesuwne drzwi**, które umożliwiają wygodne i łatwe korzystanie z jego wnętrza. Mechanizm otwierania drzwi działa płynnie, co pozwala na komfortowe wnoszenie nawet dużych narzędzi i sprzętu ogrodowego.

Domek narzędziowy z możliwością zamknięcia na kłódkę

Drzwi domku **HUDSON** posiadają **funkcjonalny uchwyt, umożliwiający zamontowanie kłódki** lub innego zamka, co zapewnia dodatkowe zabezpieczenie przechowywanych narzędzi i sprzętów. **Kłódka nie jest dołączona do zestawu**, co daje możliwość wyboru najlepszego rozwiązania ochrony.

Wybór strony montażu okna - pełna swoboda adaptacji

Domek narzędziowy **HUDSON** oferuje **możliwość zamontowania okna na wybranej ścianie**, co pozwala na dostosowanie do indywidualnych potrzeb. Dzięki temu możesz zoptymalizować oświetlenie wnętrza i **lepiej dopasować domek do aranżacji swojego ogrodu**.

Stabilna konstrukcja domu

W domu **HUDSON** zastosowano **stalowe kątowniki wzmacniające**, które są kluczowe dla zapewnienia stabilności i wytrzymałości konstrukcji. Dzięki nim ściany zyskują większą sztywność, a całość jest bardziej **odporna na obciążenia** oraz zmienne warunki pogodowe. Powłoka antykorozyjna skutecznie chroni przed rdzą, zwiększając trwałość konstrukcji.

Cyrkulacja powietrza w domu narzędziowym

Domek **HUDSON** posiada cztery otwory wentylacyjne, które zapewniają stałą cyrkulację powietrza wewnątrz. Dzięki temu **skutecznie minimalizowane jest ryzyko gromadzenia się wilgoci**, rozwoju pleśni oraz korozji, nawet w trudnych warunkach atmosferycznych.

Ergonomiczny, niski próg w domu

Próg w domu HUDSON został stworzony z myślą o wygodzie użytkownika, zwłaszcza przy wprowadzaniu dużych sprzętów ogrodowych. **Niska konstrukcja** umożliwia **łatwy transport ciężkich przedmiotów**, takich jak kosiarki czy grille.

Dodatkowe informacje

```
#html-body [data-pb-style=BD8SGKM],#html-body [data-pb-style=E0PL4GY],#html-body [data-pb-style=Y6I9TIA]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=QNMKLIV]{width:100%;border-width:0pt;border-color:#878787;display:inline-block}#html-body [data-pb-style=AF5DV5N],#html-body [data-pb-style=FX0SRFT],#html-body [data-pb-style=NY80UI2]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=DHE1KHA],#html-body [data-pb-style=JF9O4I6],#html-body [data-pb-style=SWR7JAX]{display:flex;width:100%}#html-body [data-pb-style=GJY01NS],#html-body [data-pb-style=GMKFCHY]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:66.6667%;align-self:stretch}#html-body [data-pb-style=GMKFCHY]{width:33.3333%}#html-body [data-pb-style=S0WTFE8]{width:8.33333%}#html-body [data-pb-style=D3MBAL6],#html-body [data-pb-style=G2Q5SHO],#html-body [data-pb-style=MMDCQ16],#html-body [data-pb-style=NTJJ2FX],#html-body [data-pb-style=S0WTFE8]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=MMDCQ16]{text-align:center;width:83.3333%}#html-body [data-pb-style=D3MBAL6],#html-body [data-pb-style=G2Q5SHO],#html-body [data-pb-style=NTJJ2FX]{width:8.33333%}#html-body [data-pb-style=D3MBAL6],#html-body [data-pb-style=G2Q5SHO]{justify-content:center;width:16.6667%}#html-body [data-pb-style=G2Q5SHO]{justify-content:flex-start;width:83.3333%}#html-body [data-pb-style=W96J30Q]{border-style:none}#html-body [data-pb-style=CHGNKX8],#html-body [data-pb-style=PME91RL]{max-width:100%;height:auto}#html-body [data-pb-style=JCHOIXO]{border-style:none}#html-body [data-pb-style=NXAAU6L],#html-body [data-pb-style=S28CTHD]{max-width:100%;height:auto}#html-body [data-pb-style=YU8CMJC]{border-style:none}#html-body [data-pb-style=AIEIQ67],#html-body [data-pb-style=AJUKS2]{max-width:100%;height:auto}@media only screen and (max-width:384pt) {#html-body [data-pb-style=JCHOIXO],#html-body [data-pb-style=W96J30Q],#html-body [data-pb-style=YU8CMJC]{border-style:none}}
```

Rekomendacje montażowe:

Przygotowanie podłoża

Domek narzędziowy nie posiada własnej podłogi, dlatego zalecamy przygotowanie odpowiedniej powierzchni pod montaż. Najlepszą opcją jest wykonanie **wylewki betonowej o grubości 15-20 cm**. Wylewka powinna być większa niż wymiary domku – powinna przekraczać obrys domku **o co najmniej 10 cm**. Taka nadwyżka powierzchni zapewni stabilność i ochronę przed wodą opadową, a także ułatwi montaż.

Montaż domku do podłoża

Przed rozpoczęciem montażu upewnij się, że wylewka betonowa jest odpowiednio wyrównana i całkowicie sucha. Montaż domku na nierównej powierzchni może prowadzić do niestabilności konstrukcji. **W zestawie nie znajdują się kotwy montażowe do podłoża.**

Wykonanie odpowiedniej wylewki betonowej i prawidłowy montaż domku zapewnią jego trwałość i bezpieczeństwo użytkowania przez wiele lat.

Warianty:

- Dostępne rozmiary domku: **277x255 cm | 277x191 cm**
- Inne kolory modelu Hudson - domek narzędziowy:

Hardmaister to marka specjalizująca się w architekturze ogrodowej, oferująca szeroki wybór **domków narzędziowych, altan i obrzeży trawnikowych**. Nasze produkty wyróżniają się trwałością oraz nowoczesnym designem. Dbamy o to, by każdy element ogrodu łączył w sobie estetykę z funkcjonalnością, tworząc przestrzeń, która nie tylko cieszy oko, ale i ułatwia codzienne prace.