

Link do produktu: <https://www.lisprom.pl/domek-narzedziowy-montreal-277x195cm-cold-grey-hardmaister-p-20963.html>



Domek narzędziowy MONTREAL 277x195cm Cold Grey - Hardmaister

Cena brutto	1 451,68 zł
Cena netto	1 180,23 zł
Dostępność	Dostępny
Czas wysyłki	24 godziny
Numer katalogowy	003103
Kod producenta	003103

Opis produktu

Domek narzędziowy MONTREAL 277x195cm Cold Grey - Hardmaister - Opis

#html-body [data-pb-style=DLSOHVP],#html-body [data-pb-style=F2AG3V2],#html-body [data-pb-style=J6U01CF]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=F2AG3V2],#html-body [data-pb-style=J6U01CF]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=DLSOHVP]{align-self:stretch}#html-body [data-pb-style=D12MCII]{display:flex;width:100%}#html-body [data-pb-style=HBCO5RO],#html-body [data-pb-style=ICT8I6H]{justify-content:flex-start;display:flex;flex-direction:column;background-position:lefttop;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}

Domek narzędziowy MONTREAL to stylowe i praktyczne rozwiązanie do przechowywania sprzętu ogrodowego, rowerów i narzędzi. Solidna konstrukcja z ocynkowanej stali oraz panele o grubości 0,25 mm, ocynkowane ogniowo, gwarantują odporność na korozję i niekorzystne warunki atmosferyczne. Dzięki **dwuspadowemu dachowi** woda i śnieg nie zalegają na powierzchni, co zwiększa bezpieczeństwo użytkowania. Domek posiada **szerokie, przesuwne drzwi** z możliwością zamontowania kłódki. Cztery **otwory wentylacyjne** zapewniają odpowiednią cyrkulację powietrza, a praktyczne **okno** wprowadza do wnętrza naturalne światło.

Najważniejsze cechy:

- Wymiary z dachem 277x195 cm
- Wysokość drzwi 181 cm
- Podwójne drzwi przesuwne
- Dwuspadowy dach
- Cyrkulacja powietrza
- Nie wymaga konserwacji
- Łatwy montaż, bez specjalistycznej wiedzy technicznej

-
- Całoroczny
 - Okno z wyborem miejsca montażu
 - Otwory wentylacyjne
 - Kolor: Cold Grey
 - Odporny na korozję
 - Możliwość zamontowania kłódki na drzwiach
 - Nie zawiera podłogi

Dane techniczne

```
#html-body [data-pb-style=BUUCFTC],#html-body [data-pb-style=TX9G23D],#html-body [data-pb-style=W5F4F78]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=TX9G23D]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=BUUCFTC],#html-body [data-pb-style=W5F4F78]{align-self:stretch}#html-body [data-pb-style=XWTKKU3]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=KE11517],#html-body [data-pb-style=Q9W22SY]{display:flex;width:100%}#html-body [data-pb-style=H863DI0],#html-body [data-pb-style=O8U9MTC],#html-body [data-pb-style=TMOVBAS],#html-body [data-pb-style=WDPVHCS],#html-body [data-pb-style=X2RE6TV]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=O8U9MTC],#html-body [data-pb-style=WDPVHCS],#html-body [data-pb-style=X2RE6TV]{width:16.6667%}#html-body [data-pb-style=O8U9MTC],#html-body [data-pb-style=WDPVHCS]{justify-content:center;width:66.6667%}#html-body [data-pb-style=WDPVHCS]{justify-content:flex-start;width:16.6667%}#html-body [data-pb-style=H4GPRA3]{border-style:none}#html-body [data-pb-style=IQ8W8V6],#html-body [data-pb-style=PONPPL9]{max-width:100%;height:auto}@media only screen and (max-width: 384pt) { #html-body [data-pb-style=H4GPRA3]{border-style:none} }
```

Wymiary zewnętrzne z dachem:

- szerokość: **277 cm**
- głębokość: **195 cm**
- wysokość: **219 cm**

Wymiary drzwi:

- szerokość: **117 cm**
- wysokość: **181 cm**

Wymiary okna:

- szerokość: **46 cm**
- wysokość: **24,6 cm**

Powierzchnia: 4,83 m2

Waga (z opakowaniem): 75 kg

Wymiary domku u podstawy:

- szerokość: **267 cm**
- głębokość: **181 cm**
- wysokość: **219 cm**

Wymiary i waga opakowania:

- Karton: **192x71x15 cm ; 75 kg**

Materiał:

- Konstrukcja: **stal ocynkowana**
- Panele: **stalowe, ocynkowane ogniowo**
(grubość: 0,25 mm)

Wymiary całkowite:

Zalety

#html-body [data-pb-style=EBM6CN6],#html-body [data-pb-style=T66KGY5],#html-body [data-pb-style=XFN2NEE]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=EBM6CN6],#html-body [data-pb-style=XFN2NEE]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=T66KGY5]{align-self:stretch}#html-body [data-pb-style=B721DLX]{display:flex;width:100%}#html-body [data-pb-style=C6VMESX],#html-body [data-pb-style=VU78G7S]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=C6VMESX]{justify-content:flex-start}#html-body [data-pb-style=R5K5UVY]{border-style:none}#html-body [data-pb-style=JKO9CXT],#html-body [data-pb-style=P0ASD4I]{max-width:100%;height:auto}#html-body [data-pb-style=QRYUIAG]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=QWLPLCA]{text-align:center;border-style:none}#html-body [data-pb-style=EDPM17R],#html-body [data-pb-style=TLMAW7R]{max-width:100%;height:auto}#html-body [data-pb-style=UKN5ATW]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=OFBR14R]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=NFSBX4K]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=TNV4SON]{display:flex;width:100%}#html-body [data-pb-style=HQJEEH5]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=P5XAMUD]{border-style:none}#html-body [data-pb-style=H79G5H3],#html-body [data-pb-style=Q8Q5C2V]{max-width:100%;height:auto}#html-body [data-pb-style=NX5ST98],#html-body [data-pb-style=RXUN823]{display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=RXUN823]{justify-content:center;width:50%;align-self:stretch}#html-body [data-pb-style=NX5ST98]{justify-content:flex-start}#html-body [data-pb-style=NKBM0AD]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=BIUKJB1]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=PK4J83B]{display:flex;width:100%}#html-body [data-pb-style=PFYK87W]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-

```
style=XSHXCHP){border-style:none}#html-body [data-pb-style=N716LVW],#html-body [data-pb-style=R6W75II]{max-width:100%;height:auto}#html-body [data-pb-style=DYRSA2P],#html-body [data-pb-style=ICYWFEY]{display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=DYRSA2P]{justify-content:center;width:50%;align-self:stretch}#html-body [data-pb-style=ICYWFEY]{justify-content:flex-start}#html-body [data-pb-style=XB6O1QW]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=U8CX5UW]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=NLCE04T]{display:flex;width:100%}#html-body [data-pb-style=I2YS1SK]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=K0TSH7P]{border-style:none}#html-body [data-pb-style=U9SB105],#html-body [data-pb-style=X4D13JH]{max-width:100%;height:auto}#html-body [data-pb-style=X2AFX2C]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}@media only screen and (max-width: 384pt) { #html-body [data-pb-style=K0TSH7P],#html-body [data-pb-style=P5XAMUD],#html-body [data-pb-style=QWLPLCA],#html-body [data-pb-style=R5K5UVY],#html-body [data-pb-style=XSHXCHP]{border-style:none} }
```

MONTREAL to nowoczesny domek ogrodowy marki Hardmaister, który łączy w sobie funkcjonalność i styl. Oferuje przestrzeń o wymiarach 277x195 cm, idealną do przechowywania narzędzi i sprzętu ogrodowego. Ocynkowane stalowe panele 0,25 mm zapewniają odporność na korozję i promieniowanie UV. Domek jest łatwy w pielęgnacji, wystarczy raz na jakiś czas umyć go gąbką namoczoną wodą. Dwuspadowy dach zapobiega zaleganiu deszczu i śniegu, dzięki czemu domek jest bezpieczny w użytkowaniu przez cały rok.

Funkcjonalne drzwi przesuwne

W modelu MONTREAL zastosowano **przesuwne drzwi**, które ułatwiają użytkowanie domku w ograniczonej przestrzeni. Brak potrzeby otwierania skrzydeł drzwiowych na zewnątrz sprawia, że są cały domek jest **praktycznym wyborem** do ciasnych miejsc.

Domek z możliwością zamknięcia na kłódkę

W domku MONTREAL drzwi posiadają uchwyty, które umożliwiają **montaż kłódki** lub innego typu zamka, zapewniając dodatkowe zabezpieczenie. Należy jednak pamiętać, że kłódka nie jest dostarczana w zestawie.

Wybór strony montażu okna - pełna swoboda adaptacji

Montreal oferuje elastyczność w aranżacji dzięki opcji montażu okna w dowolnym miejscu na ścianie. To praktyczne rozwiązanie umożliwia lepsze doświetlenie wnętrza oraz **dostosowanie domku do indywidualnego układu ogrodu**.

Stabilna konstrukcja domku

Domek MONTREAL został wyposażony w **kątowniki stalowe**, które zapewniają sztywność i zwiększają **odporność konstrukcji na obciążenia**. Powłoka antykorozyjna chroni kątowniki przed rdzą, gwarantując ich trwałość przez wiele lat.

Cyrkulacja powietrza w domku narzędziowym

Cztery otwory wentylacyjne w domku MONTREAL to element, który dba o odpowiednią cyrkulację powietrza. Dzięki nim wnętrze jest dobrze wentylowane, co **minimalizuje ryzyko wilgoci**, korozji i rozwijania się pleśni.

Ergonomiczny, niski próg w domku

Dzięki **niskiemu progowi** domek MONTREAL oferuje komfortowe warunki do wprowadzania sprzętów ogrodowych. Jego **ergonomiczna konstrukcja** doskonale sprawdza się przy przenoszeniu ciężkich urządzeń, takich jak kosiarki i grille.

Dodatkowe informacje

```
#html-body [data-pb-style=AH8EJT5],#html-body [data-pb-style=BLMANFY],#html-body [data-pb-style=QF0AFCY]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=FT3KSBE],#html-body [data-pb-style=I4RSX1M],#html-body [data-pb-style=LK3TIP1]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=VAEHOYM]{width:100%;border-width:0pt;border-color:#878787;display:inline-block}#html-body [data-pb-style=BE8MYA6],#html-body [data-pb-style=ENV4PGK],#html-body [data-pb-style=R2WAQHA]{display:flex;width:100%}#html-body [data-pb-style=V9TDMI1],#html-body [data-pb-style=VP9WV0F]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:66.6667%;align-self:stretch}#html-body [data-pb-style=VP9WV0F]{width:33.3333%}#html-body [data-pb-style=OG1U3NA]{width:8.33333%}#html-body [data-pb-style=B8L9009],#html-body [data-pb-style=GBNV6HL],#html-body [data-pb-style=L2FHUEX],#html-body [data-pb-style=OG1U3NA],#html-body [data-pb-style=OPNVIRE]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=OPNVIRE]{text-align:center;width:83.3333%}#html-body [data-pb-style=B8L9009],#html-body [data-pb-style=GBNV6HL],#html-body [data-pb-style=L2FHUEX]{width:8.33333%}#html-body [data-pb-style=B8L9009],#html-body [data-pb-style=GBNV6HL]{justify-content:center;width:16.6667%}#html-body [data-pb-style=GBNV6HL]{justify-content:flex-start;width:83.3333%}#html-body [data-pb-style=UHQ65LV]{border-style:none}#html-body [data-pb-style=BSE9KY8],#html-body [data-pb-style=CP9S29M]{max-width:100%;height:auto}#html-body [data-pb-style=KMG9GQH]{border-style:none}#html-body [data-pb-style=ANDSLS6],#html-body [data-pb-style=VDFKV4U]{max-width:100%;height:auto}#html-body [data-pb-style=K6T1AV4]{border-style:none}#html-body [data-pb-style=K7HT0QK],#html-body [data-pb-style=QHPGMX4]{max-width:100%;height:auto}@media only screen and (max-width: 384pt) { #html-body [data-pb-style=K6T1AV4],#html-body [data-pb-style=KMG9GQH],#html-body [data-pb-style=UHQ65LV]{border-style:none} }
```

Rekomendacje montażowe:

Przygotowanie podłoża

Domek narzędziowy nie posiada własnej podłogi, dlatego zalecamy przygotowanie odpowiedniej powierzchni pod montaż. Najlepszą opcją jest wykonanie **wylewki betonowej o grubości 15-20 cm**. Wylewka powinna być większa niż wymiary domku – powinna przekraczać obrys domku **o co najmniej 10 cm**. Taka nadwyżka powierzchni zapewni stabilność i ochronę przed wodą opadową, a także ułatwi montaż.

Montaż domku do podłoża

Przed rozpoczęciem montażu upewnij się, że wylewka betonowa jest odpowiednio wyrównana i całkowicie sucha. Montaż domku na nierównej powierzchni może prowadzić do niestabilności konstrukcji. **W zestawie nie znajdują się kotwy montażowe do podłoża.**

Wykonanie odpowiedniej wylewki betonowej i prawidłowy montaż domku zapewnią jego trwałość i bezpieczeństwo użytkowania przez wiele lat.

Warianty:

- Dostępne rozmiary domku: **277x323 cm | 277x259 cm**
- Inne kolory modelu Montreal - domek narzędziowy:

Hardmaister to marka specjalizująca się w architekturze ogrodowej, oferująca szeroki wybór **domków narzędziowych, altan i obrzeży trawnikowych**. Nasze produkty wyróżniają się trwałością oraz nowoczesnym designem. Dbamy o to, by każdy element ogrodu łączył w sobie estetykę z funkcjonalnością, tworząc przestrzeń, która nie tylko cieszy oko, ale i ułatwia codzienne prace.