

Link do produktu: <https://www.lisprom.pl/domek-narzedziowy-montreal-277x195cm-light-grey-hardmaister-p-20964.html>



Domek narzędziowy MONTREAL 277x195cm Light Grey - Hardmaister

Cena brutto	1 494,41 zł
Cena netto	1 214,97 zł
Dostępność	Dostępny
Czas wysyłki	24 godziny
Numer katalogowy	003104
Kod producenta	003104

Opis produktu

Domek narzędziowy MONTREAL 277x195cm Light Grey - Hardmaister - Opis

#html-body [data-pb-style=E3NM91P],#html-body [data-pb-style=POD6EST],#html-body [data-pb-style=TUQHxEW]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=POD6EST],#html-body [data-pb-style=TUQHxEW]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=E3NM91P]{align-self:stretch}#html-body [data-pb-style=FSK86TI]{display:flex;width:100%}#html-body{data-pb-style=DO4LGBQ},#html-body{data-pb-style=VU347CX}{justify-content:flex-start;display:flex;flex-direction:column;background-position:lefttop;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}

Domek narzędziowy MONTREAL to niezawodne rozwiązanie do ogrodu od marki Hardmaister. Zapewnia wygodne i bezpieczne przechowywanie wszelkiego sprzętu ogrodowego oraz narzędzi. Wykonany z **ocynkowanej stali**, odporny na rdzę i zmienne warunki pogodowe, oferuje trwałość na lata. Dwuspadowy dach zapobiega zbieraniu się śniegu i deszczu, dzięki czemu domek może być użytkowany przez cały rok. Cztery **otwory wentylacyjne** zapewniają swobodny przepływ powietrza, a prostokątne **okno** gwarantuje dostęp do naturalnego światła.

Najważniejsze cechy:

- Wymiary z dachem 277x195 cm
- Wysokość drzwi 181 cm
- Podwójne drzwi przesuwne
- Dwuspadowy dach
- Okno z wyborem miejsca montażu
- Nie wymaga konserwacji
- Łatwy montaż, bez specjalistycznej wiedzy technicznej

-
- Całoroczny
 - Cyrkulacja powietrza
 - Otwory wentylacyjne
 - Kolor: Light Grey
 - Odporny na korozję
 - Nie zawiera podłogi
 - Możliwość zamontowania kłódki na drzwiach

Dane techniczne

```
#html-body [data-pb-style=BRDKL0],#html-body [data-pb-style=OE8E605],#html-body [data-pb-  
style=PSVAELL]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-  
attachment:scroll}#html-body [data-pb-style=PSVAELL]{justify-content:flex-start;display:flex;flex-direction:column}#html-  
body [data-pb-style=BRDKL0],#html-body [data-pb-style=OE8E605]{align-self:stretch}#html-body [data-pb-  
style=QU2MA5M]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-  
style=D9D2C50],#html-body [data-pb-style=IJCT45A]{display:flex;width:100%}#html-body [data-pb-style=EK6ORD4],#html-  
body [data-pb-style=GTI1731],#html-body [data-pb-style=NR8P50Y],#html-body [data-pb-style=OOUOVTA],#html-body  
[data-pb-style=WTGYLDX]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;backgroun  
d-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-  
style=GTI1731],#html-body [data-pb-style=NR8P50Y],#html-body [data-pb-style=OOUOVTA]{width:16.6667%}#html-body  
[data-pb-style=NR8P50Y],#html-body [data-pb-style=OOUOVTA]{justify-content:center;width:66.6667%}#html-body [data-  
pb-style=NR8P50Y]{justify-content:flex-start;width:16.6667%}#html-body [data-pb-style=YWOIIXF]{border-style:none}#html-  
body [data-pb-style=EIX14U6],#html-body [data-pb-style=R7PBT6U]{max-width:100%;height:auto}@media only screen and  
(max-width: 384pt) { #html-body [data-pb-style=YWOIIXF]{border-style:none} }
```

Wymiary zewnętrzne z dachem:

- szerokość: **277 cm**
- głębokość: **195 cm**
- wysokość: **219 cm**

Wymiary drzwi:

- szerokość: **117 cm**
- wysokość: **181 cm**

Wymiary okna:

- szerokość: **46 cm**
- wysokość: **24,6 cm**

Powierzchnia: 4,83 m2

Waga (z opakowaniem): 75 kg

Wymiary domku u podstawy:

- szerokość: **267 cm**
- głębokość: **181 cm**
- wysokość: **219 cm**

Wymiary i waga opakowania:

- Karton: **192x71x15 cm ; 75 kg**

Materiał:

- Konstrukcja: **stal ocynkowana**
- Panele: **stalowe, ocynkowane ogniowo**
(grubość: **0,25 mm**)

Wymiary całkowite:

Zalety

```
#html-body [data-pb-style=EO0U4H3],#html-body [data-pb-style=KFKEU1M],#html-body [data-pb-style=UUWYJB3]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=KFKEU1M],#html-body [data-pb-style=UUWYJB3]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=EO0U4H3]{align-self:stretch}#html-body [data-pb-style=XMD8MI8]{display:flex;width:100%}#html-body [data-pb-style=NK88PA7],#html-body [data-pb-style=NXFP61T]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=NK88PA7]{justify-content:flex-start}#html-body [data-pb-style=N15G51I]{border-style:none}#html-body [data-pb-style=CUU0A5E],#html-body [data-pb-style=X2NR3IA]{max-width:100%;height:auto}#html-body [data-pb-style=B1MIVDM]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=J1552XW]{text-align:center;border-style:none}#html-body [data-pb-style=A7AEVGV],#html-body [data-pb-style=WLVVG1K]{max-width:100%;height:auto}#html-body [data-pb-style=LLDWWDW]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=P4LFO7I]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=T469T26]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=BJDOL68]{display:flex;width:100%}#html-body [data-pb-style=N2GJKI0]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=BVQ6GYH]{border-style:none}#html-body [data-pb-style=KMCO4GW],#html-body [data-pb-style=SCY8C9K]{max-width:100%;height:auto}#html-body [data-pb-style=LEY1HS4],#html-body [data-pb-style=NR5PBW8]{display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=NR5PBW8]{justify-content:center;width:50%;align-self:stretch}#html-body [data-pb-style=LEY1HS4]{justify-content:flex-start}#html-body [data-pb-style=DMU8CRR]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=H0VOM2S]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=MPOQCA1]{display:flex;width:100%}#html-body [data-pb-style=I6BUYC]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=CYI3O77]{border-style:none}#html-body [data-pb-style=FYTWBW],#html-body [data-pb-style=YBQDVAD]{max-width:100%;height:auto}#html-body [data-pb-style=ABTCFIF],#html-body [data-pb-style=ISUGH5S]{display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-
```

```
style=ABTCFIF){justify-content:center;width:50%;align-self:stretch}#html-body [data-pb-style=ISUGH5S]{justify-content:flex-start}#html-body [data-pb-style=H1VBMKC]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=S88R21X]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=HYDFCL1]{display:flex;width:100%}#html-body [data-pb-style=R76X57Y]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=DL16314]{border-style:none}#html-body [data-pb-style=SGT6P8S],#html-body [data-pb-style=UMHTKVM]{max-width:100%;height:auto}#html-body [data-pb-style=ON7FXUY]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}@media only screen and (max-width: 384pt) { #html-body [data-pb-style=BVQ6GYH],#html-body [data-pb-style=CYI3O77],#html-body [data-pb-style=DL16314],#html-body [data-pb-style=J1552XW],#html-body [data-pb-style=N15G51I]{border-style:none} }
```

Domek narzędziowy MONTREAL marki Hardmaister to praktyczne i estetyczne rozwiązanie dla każdego ogrodu. Jego wymiary **277x195 cm** gwarantują dużą przestrzeń do przechowywania narzędzi. Konstrukcja z **paneli stalowych ocynkowanych ogniowo** o grubości 0,25 mm zapewnia trwałość i odporność na trudne warunki pogodowe. **Dwuspadowy dach** chroni przed gromadzeniem się wody oraz śniegu.

Funkcjonalne drzwi przesuwne

Przesuwne drzwi w domku MONTREAL to rozwiązanie zaprojektowane z myślą o oszczędności miejsca. Dzięki swojej funkcji umożliwiają swobodne korzystanie z domku nawet na małych działkach czy w wąskich ogrodach.

Domek z możliwością zamknięcia na kłódkę

Drzwi domku MONTREAL zostały wyposażone w uchwyty przeznaczone do **montażu kłódki** lub innego rodzaju zamka. Takie rozwiązanie zwiększa bezpieczeństwo sprzętu ogrodowego wewnątrz domku. Kłódka nie wchodzi w skład standardowego kompletu.

Wybór strony montażu okna - pełna swoboda adaptacji

Domek narzędziowy Montreal z możliwością montażu okna na każdej ścianie daje **pełną swobodę w aranżacji**. Takie rozwiązanie pozwala zoptymalizować oświetlenie wnętrza i w pełni dostosować domek do przestrzeni ogrodu.

Stabilna konstrukcja domku

Stalowe kątowniki w modelu MONTREAL wzmacniają konstrukcję, zwiększając jej stabilność i **odporność na trudne warunki**. Ich antykorozyjna powłoka zapewnia skuteczną ochronę przed rdzą, co czyni domek bardziej wytrzymałym.

Cyrkulacja powietrza w domku narzędziowym

Model MONTREAL wyposażono w **cztery otwory wentylacyjne**, które odpowiadają za skuteczną cyrkulację powietrza. Zapobiegają one wilgoci oraz **chronią przed pleśnią i korozją**, co jest szczególnie przydatne podczas deszczowych dni.

Ergonomiczny, niski próg w domku

Niski próg w domku MONTREAL ułatwia wprowadzanie dużych urządzeń ogrodowych. To przemyślane rozwiązanie sprawia, że transport ciężkich przedmiotów, takich jak grille czy kosiarki, staje się znacznie prostszy.

Dodatkowe informacje

```
#html-body [data-pb-style=EJQGBDH],#html-body [data-pb-style=JCG7LAW]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=JCG7LAW]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=EJQGBDH]{align-self:stretch}#html-body [data-pb-style=XNI5170]{display:flex;width:100%}#html-body [data-pb-style=HB38IGW],#html-body [data-pb-style=WYXBGYY]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:66.6667%;align-self:stretch}#html-body [data-pb-style=HB38IGW]{width:33.3333%}#html-body [data-pb-style=PTATSI3]{border-style:none}#html-body [data-pb-style=MYLSM3],#html-body [data-pb-style=XQCIESO]{max-width:100%;height:auto}#html-body [data-pb-style=HA88K8W],#html-body [data-pb-style=L6XNU1Q]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=HA88K8W]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=L6XNU1Q]{align-self:stretch}#html-body [data-pb-style=A61CRKC]{display:flex;width:100%}#html-body [data-pb-style=HIOIP1B],#html-body [data-pb-style=UDFKWOG]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:8.3333%;align-self:stretch}#html-body [data-pb-style=HIOIP1B]{text-align:center;width:83.3333%}#html-body [data-pb-style=OWPXELR]{border-style:none}#html-body [data-pb-style=MVD6F60],#html-body [data-pb-style=PLXBAA3]{max-width:100%;height:auto}#html-body [data-pb-style=U6IFJ12]{width:8.3333%;align-self:stretch}#html-body [data-pb-style=A4RDVI5],#html-body [data-pb-style=U6IFJ12]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=ILRTH0Q]{width:100%;border-width:0pt;border-color:#878787;display:inline-block}#html-body [data-pb-style=UJM0CNE]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=GKAD7A2]{display:flex;width:100%}#html-body [data-pb-style=QVR7WKK]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:16.6667%;align-self:stretch}#html-body [data-pb-style=GUOUXFK]{border-style:none}#html-body [data-pb-style=PDA57PW],#html-body [data-pb-style=TGW0CNC]{max-width:100%;height:auto}#html-body [data-pb-style=N32HQ94]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:83.333%;align-self:stretch}@media only screen and (max-width: 384pt) { #html-body [data-pb-style=GUOUXFK],#html-body [data-pb-style=OWPXELR],#html-body [data-pb-style=PTATSI3]{border-style:none} }
```

Rekomendacje montażowe:

Przygotowanie podłoża

Domek narzędziowy nie posiada własnej podłogi, dlatego zalecamy przygotowanie odpowiedniej powierzchni pod montaż. Najlepszą opcją jest wykonanie **wylewki betonowej o grubości 15-20 cm**. Wylewka powinna być większa niż wymiary domku – powinna przekraczać obrys domku **o co najmniej 10 cm**. Taka nadwyżka powierzchni zapewni stabilność i ochronę przed wodą opadową, a także ułatwi montaż.

Montaż domku do podłoża

Przed rozpoczęciem montażu upewnij się, że wylewka betonowa jest odpowiednio wyrównana i całkowicie sucha. Montaż domku na nierównej powierzchni może prowadzić do niestabilności konstrukcji. **W zestawie nie znajdują się kotwy montażowe do podłoża.**

Wykonanie odpowiedniej wylewki betonowej i prawidłowy montaż domku zapewnią jego trwałość i bezpieczeństwo użytkowania przez wiele lat.

Warianty:

- Dostępne rozmiary domku: **277x323 cm | 277x259 cm**
- Inne kolory modelu Montreal - domek narzędziowy:

Hardmaister to marka specjalizująca się w architekturze ogrodowej, oferująca szeroki wybór **domków narzędziowych, altan i obrzeży trawnikowych**. Nasze produkty wyróżniają się trwałością oraz nowoczesnym designem. Dbamy o to, by każdy element ogrodu łączył w sobie estetykę z funkcjonalnością, tworząc przestrzeń, która nie tylko cieszy oko, ale i ułatwia codzienne prace.