

Link do produktu: <https://www.lisprom.pl/domek-narzedziowy-montreal-277x195cm-oak-brown-hardmaister-p-21026.html>



Domek narzędziowy MONTREAL 277x195cm Oak Brown - Hardmaister

Cena brutto	1 921,69 zł
Cena netto	1 562,35 zł
Dostępność	Dostępny
Czas wysyłki	24 godziny
Numer katalogowy	003818
Kod producenta	003818

Opis produktu

Domek narzędziowy MONTREAL 277x195cm Oak Brown - Hardmaister - Opis

#html-body [data-pb-style=LD8IR1Y],#html-body [data-pb-style=QA4T9P4],#html-body [data-pb-style=VS0LHQ6]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=QA4T9P4],#html-body [data-pb-style=VS0LHQ6]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=LD8IR1Y]{align-self:stretch}#html-body [data-pb-style=POERN7J]{display:flex;width:100%}#html-body[data-pb-style=RFUUSGQ],#html-body[data-pb-style=XUJVC07]{justify-content:flex-start;display:flex;flex-direction:column;background-position:lefttop;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}

MONTREAL to **funkcjonalny domek narzędziowy**, który świetnie sprawdzi się jako miejsce do przechowywania narzędzi, sprzętu ogrodowego czy rowerów. Wykonany z wysokiej jakości **ocynkowanej stali**, oferuje niezawodną ochronę przed rdzą i trudnymi warunkami atmosferycznymi. Panele o grubości 0,25 mm zapewniają trwałość konstrukcji, a praktyczny **dwuspadowy dach** skutecznie odprowadza wodę i śnieg, zwiększając komfort użytkowania. Domek wyposażono w **przesuwne drzwi**, które można zabezpieczyć kłódką, a także w **cztery otwory wentylacyjne**, dzięki którym wewnątrz panuje optymalna cyrkulacja powietrza.

Najważniejsze cechy:

- Wymiary z dachem 277x195 cm
- Wysokość drzwi 181 cm
- Kolor: Oak Brown
- Dwuspadowy dach
- Cyrkulacja powietrza
- Odporny na korozję
- Łatwy montaż, bez specjalistycznej wiedzy technicznej

-
- Całoroczny
 - Okno z wyborem miejsca montażu
 - Otwory wentylacyjne
 - Podwójne drzwi przesuwne
 - Nie wymaga konserwacji
 - Możliwość zamontowania kłódki na drzwiach
 - Nie zawiera podłogi

Dane techniczne

```
#html-body [data-pb-style=C0BBD9U],#html-body [data-pb-style=N8BIAJQ],#html-body [data-pb-style=RR0WNV3]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=C0BBD9U]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=N8BIAJQ],#html-body [data-pb-style=RR0WNV3]{align-self:stretch}#html-body [data-pb-style=M6IWC6N]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=K73BWGH],#html-body [data-pb-style=TYRGQE9]{display:flex;width:100%}#html-body [data-pb-style=BS0AO3],#html-body [data-pb-style=NRDH6Q8],#html-body [data-pb-style=VE0LG16],#html-body [data-pb-style=WKAXL7S],#html-body [data-pb-style=YCK48PY]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=NRDH6Q8],#html-body [data-pb-style=VE0LG16],#html-body [data-pb-style=YCK48PY]{width:16.6667%}#html-body [data-pb-style=NRDH6Q8],#html-body [data-pb-style=VE0LG16]{justify-content:center;width:66.6667%}#html-body [data-pb-style=VE0LG16]{justify-content:flex-start;width:16.6667%}#html-body [data-pb-style=ST7KWDU]{border-style:none}#html-body [data-pb-style=DM2B0RJ],#html-body [data-pb-style=UHVWTX5]{max-width:100%;height:auto}@media only screen and (max-width: 384pt) { #html-body [data-pb-style=ST7KWDU]{border-style:none} }
```

Wymiary zewnętrzne z dachem:

- szerokość: **277 cm**
- głębokość: **195 cm**
- wysokość: **219 cm**

Wymiary drzwi:

- szerokość: **117 cm**
- wysokość: **181 cm**

Wymiary okna:

- szerokość: **46 cm**
- wysokość: **24,6 cm**

Powierzchnia: 4,83 m2

Waga (z opakowaniem): 75 kg

Wymiary domku u podstawy:

- szerokość: **267 cm**
- głębokość: **181 cm**
- wysokość: **219 cm**

Wymiary i waga opakowania:

- Karton: **192x71x15 cm ; 75 kg**

Materiał:

- Konstrukcja: **stal ocynkowana**
- Panele: **stalowe, ocynkowane ogniowo**
(grubość: 0,25 mm)

Wymiary całkowite:

Zalety

#html-body [data-pb-style=E4E7X11],#html-body [data-pb-style=G09L2Y8],#html-body [data-pb-style=MWG08PC]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=E4E7X11],#html-body [data-pb-style=G09L2Y8]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=MWG08PC]{align-self:stretch}#html-body [data-pb-style=I1PHANJ]{display:flex;width:100%}#html-body [data-pb-style=O1H0U9Q],#html-body [data-pb-style=OX8PD4I]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=O1H0U9Q]{justify-content:flex-start}#html-body [data-pb-style=D2X2URQ]{border-style:none}#html-body [data-pb-style=LXOAX6M],#html-body [data-pb-style=OTF6UYF]{max-width:100%;height:auto}#html-body [data-pb-style=HU04JQ2]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=AU5XVTG]{text-align:center;border-style:none}#html-body [data-pb-style=DAK0GHQ],#html-body [data-pb-style=SN759FD]{max-width:100%;height:auto}#html-body [data-pb-style=DC4IMCW]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=J31QSRU]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=OR3624V]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=QIJ51J6]{display:flex;width:100%}#html-body [data-pb-style=GCU095V]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=OAM4H9V]{border-style:none}#html-body [data-pb-style=FFNBPGT],#html-body [data-pb-style=OVJPNEP]{max-width:100%;height:auto}#html-body [data-pb-style=FXISCU],#html-body [data-pb-style=T8W2OFL]{display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=T8W2OFL]{justify-content:center;width:50%;align-self:stretch}#html-body [data-pb-style=FXISCU]{justify-content:flex-start}#html-body [data-pb-style=JA9D4Q3]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=LPFGEBP]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=HVICX46]{display:flex;width:100%}#html-body [data-pb-style=GRTXOKP]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=JA0DUPR]{border-style:none}#html-body [data-pb-

style=R367MI9],#html-body [data-pb-style=WN9CV27]{max-width:100%;height:auto}#html-body [data-pb-style=G2KSD29],#html-body [data-pb-style=QAG7MBH]{display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=QAG7MBH]{justify-content:center;width:50%;align-self:stretch}#html-body [data-pb-style=G2KSD29]{justify-content:flex-start}#html-body [data-pb-style=F9F9I6H]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=B2GUGX4]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=K93HF1A]{display:flex;width:100%}#html-body [data-pb-style=EMK2VQP]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=TABEHAK]{border-style:none}#html-body [data-pb-style=FYM0EY7],#html-body [data-pb-style=HT9NW8A]{max-width:100%;height:auto}#html-body [data-pb-style=FC7D090]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}@media only screen and (max-width: 384pt) { #html-body [data-pb-style=AU5XVTG],#html-body [data-pb-style=D2X2URQ],#html-body [data-pb-style=JA0DUPR],#html-body [data-pb-style=OAM4H9V],#html-body [data-pb-style=TABEHAK]{border-style:none} }

MONTREAL od Hardmaister to **funkcjonalny domek ogrodowy** o wymiarach 277x195 cm, który oferuje przestrzeń na wszelkie narzędzia i sprzęt. Ocynkowane **panele stalowe** o grubości 0,25 mm zapewniają trwałość, ochronę przed korozją oraz promieniowaniem UV. Domek jest **prosty w pielęgnacji**, a jego **dwuspadowy dach** efektywnie odprowadza deszcz i śnieg, co nie tylko chroni konstrukcję, ale także zapewnia bezpieczeństwo użytkowania przez cały rok. Elegancki design w odcieniu **Oak Brown** sprawia, że domek doskonale wpasuje się w każdą aranżację ogrodową.

Funkcjonalne drzwi przesuwne

Domek MONTREAL wyposażony jest w **przesuwane drzwi**, które zapewniają wygodę użytkowania w miejscach o ograniczonym metrażu. Ich konstrukcja eliminuje potrzebę dodatkowego miejsca, dzięki czemu domek idealnie **sprawdzi się w małych ogrodach**.

Domek z możliwością zamknięcia na kłódkę

MONTREAL posiada **drzwi z uchwytami**, które umożliwiają zabezpieczenie ich kłódką lub innym zamkiem. Jest to praktyczna opcja dla dodatkowej ochrony, ale należy pamiętać, że kłódka nie jest dołączona do produktu.

Wybór strony montażu okna - pełna swoboda adaptacji

Montreal to domek narzędziowy, który daje możliwość **instalacji okna na dowolnej ścianie**. Dzięki temu możesz z łatwością dopasować naturalne światło do własnych preferencji oraz dostosować domek do układu swojej działki.

Stabilna konstrukcja domku

Stalowe kątowniki w domku MONTREAL to elementy konstrukcyjne, które wzmacniają ściany i zwiększają ich sztywność. Powłoka antykorozyjna zapewnia dodatkową ochronę, co czyni domek **odpornym na deszcz** i inne trudne warunki pogodowe.

Cyrkulacja powietrza w domku narzędziowym

W domku MONTREAL zastosowano **cztery otwory wentylacyjne**, które skutecznie **regulują przepływ powietrza**. Dzięki nim wnętrze pozostaje suche, a ryzyko korozji, pleśni i wilgoci jest znacznie ograniczone.

Ergonomiczny, niski próg w domku

W domku MONTREAL zastosowano **niski próg**, który zapewnia łatwy dostęp do wnętrza. Jego **ergonomiczna konstrukcja** umożliwia wygodne wprowadzanie dużych sprzętów, takich jak kosiarki czy grille.

Dodatkowe informacje

```
#html-body [data-pb-style=CAALXNE],#html-body [data-pb-style=XG9DANG]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=XG9DANG]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=CAALXNE]{align-self:stretch}#html-body [data-pb-style=YWYI3XH]{display:flex;width:100%}#html-body [data-pb-style=CW8JFJV],#html-body [data-pb-style=R9BUWO1]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:66.6667%;align-self:stretch}#html-body [data-pb-style=CW8JFJV]{width:33.3333%}#html-body [data-pb-style=YRSPAWJ]{border-style:none}#html-body [data-pb-style=EH1YBYF],#html-body [data-pb-style=FRGIVOO]{max-width:100%;height:auto}#html-body [data-pb-style=EWPLOF7],#html-body [data-pb-style=MLJ3C2]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=MLJ3C2]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=EWPLOF7]{align-self:stretch}#html-body [data-pb-style=Y47DJGR]{display:flex;width:100%}#html-body [data-pb-style=JO32YEN],#html-body [data-pb-style=WD868IJ]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:8.3333%;align-self:stretch}#html-body [data-pb-style=WD868IJ]{text-align:center;width:83.3333%}#html-body [data-pb-style=JUVAHIU]{border-style:none}#html-body [data-pb-style=EK7FLEL],#html-body [data-pb-style=QUOYJ6S]{max-width:100%;height:auto}#html-body [data-pb-style=LSRYCQ6]{width:8.3333%;align-self:stretch}#html-body [data-pb-style=LSRYCQ6],#html-body [data-pb-style=QYN3LEN]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=RBR7B50]{width:100%;border-width:0pt;border-color:#878787;display:inline-block}#html-body [data-pb-style=Q5ATA7J]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=I7JMQ7X]{display:flex;width:100%}#html-body [data-pb-style=UQOFGR]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:16.6667%;align-self:stretch}#html-body [data-pb-style=RSCF33]{border-style:none}#html-body [data-pb-style=J5KLFJ0],#html-body [data-pb-style=LSNA85I]{max-width:100%;height:auto}#html-body [data-pb-style=UM5A79F]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:83.333%;align-self:stretch}@media only screen and (max-width: 384pt) { #html-body [data-pb-style=JUVAHIU],#html-body [data-pb-style=RSCF33],#html-body [data-pb-style=YRSPAWJ]{border-style:none} }
```

Rekomendacje montażowe:

Przygotowanie podłoża

Domek narzędziowy nie posiada własnej podłogi, dlatego zalecamy przygotowanie odpowiedniej powierzchni pod montaż. Najlepszą opcją jest

wykonanie **wylewki betonowej o grubości 15-20 cm**. Wylewka powinna być większa niż wymiary domku – powinna przekraczać obrys domku **o co najmniej 10 cm**. Taka nadwyżka powierzchni zapewni stabilność i ochronę przed wodą opadową, a także ułatwi montaż.

Montaż domku do podłoża

Przed rozpoczęciem montażu upewnij się, że wylewka betonowa jest odpowiednio wyrównana i całkowicie sucha. Montaż domku na nierównej powierzchni może prowadzić do niestabilności konstrukcji. **W zestawie nie znajdują się kotwy montażowe do podłoża.**

Wykonanie odpowiedniej wylewki betonowej i prawidłowy montaż domku zapewnią jego trwałość i bezpieczeństwo użytkowania przez wiele lat.

Warianty:

- Dostępne rozmiary domku: **277x323 cm** | **277x259 cm**
- Inne kolory modelu Montreal - domek narzędziowy:

Hardmaister to marka specjalizująca się w architekturze ogrodowej, oferująca szeroki wybór **domków narzędziowych, altan i obrzeży trawnikowych**. Nasze produkty wyróżniają się trwałością oraz nowoczesnym designem. Dbamy o to, by każdy element ogrodu łączył w sobie estetykę z funkcjonalnością, tworząc przestrzeń, która nie tylko cieszy oko, ale i ułatwia codzienne prace.