

Link do produktu: <https://www.lisprom.pl/domek-narzedziowy-montreal-277x195cm-walnut-hardmaister-p-20991.html>



Domek narzędziowy MONTREAL 277x195cm Walnut - Hardmaister

Cena brutto	1 814,87 zł
Cena netto	1 475,50 zł
Dostępność	Dostępny
Czas wysyłki	24 godziny
Numer katalogowy	003394
Kod producenta	003394

Opis produktu

Domek narzędziowy MONTREAL 277x195cm Walnut - Hardmaister - Opis

#html-body [data-pb-style=DVUD5UC],#html-body [data-pb-style=H9C12YH],#html-body [data-pb-style=J48O4Y4]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=DVUD5UC],#html-body [data-pb-style=H9C12YH]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=J48O4Y4]{align-self:stretch}#html-body [data-pb-style=XG589G8]{display:flex;width:100%}#html-body [data-pb-style=J0UCIBK],#html-body [data-pb-style=M1MOBSD]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}

Hardmaister MONTREAL to **praktyczny domek ogrodowy** z konstrukcją z ocynkowanej stali, która zapewnia odporność na korozję. **Stalowe panele** 0,25 mm oraz **dwuspadowy dach** to cechy gwarantujące skuteczną ochronę przed trudnymi i wymagającymi warunkami atmosferycznymi. Dodatkowo **przesuwne drzwi** sprawiają, że domek sprawdzi się nawet w niewielkich ogrodach. **Otworki wentylacyjne**, na przedniej i tylnej ścianie domku, zapewniają odpowiednią cyrkulację powietrza, niwelując pojawienie się wilgoci oraz pleśni.

Najważniejsze cechy:

- Wymiary z dachem 277x195 cm
- Wysokość drzwi 181 cm
- Możliwość zamontowania kłódki na drzwiach
- Podwójne drzwi przesuwne
- Dwuspadowy dach
- Nie wymaga konserwacji
- Łatwy montaż, bez specjalistycznej wiedzy technicznej

-
- Całoroczny
 - Okno z wyborem miejsca montażu
 - Otwory wentylacyjne
 - Cyrkulacja powietrza
 - Odporny na korozję
 - Nie zawiera podłogi
 - Kolor: Walnut

Dane techniczne

```
#html-body [data-pb-style=ATYP1L5],#html-body [data-pb-style=FXBDGPR],#html-body [data-pb-style=LE4C2GE]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=LE4C2GE]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=ATYP1L5],#html-body [data-pb-style=FXBDGPR]{align-self:stretch}#html-body [data-pb-style=MUIGU4X]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=I7B66WA],#html-body [data-pb-style=TXKPO64]{display:flex;width:100%}#html-body [data-pb-style=COEPNHE],#html-body [data-pb-style=IY7JVGf],#html-body [data-pb-style=XI4P9YB],#html-body [data-pb-style=XYF857N],#html-body [data-pb-style=XYPW6CV]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=IY7JVGf],#html-body [data-pb-style=XI4P9YB],#html-body [data-pb-style=XYF857N]{width:16.6667%}#html-body [data-pb-style=XI4P9YB],#html-body [data-pb-style=XYF857N]{justify-content:center;width:66.6667%}#html-body [data-pb-style=XYF857N]{justify-content:flex-start;width:16.6667%}#html-body [data-pb-style=RRILXBS]{border-style:none}#html-body [data-pb-style=SEPYL3Y],#html-body [data-pb-style=Y8X8VHM]{max-width:100%;height:auto}@media only screen and (max-width: 384pt) { #html-body [data-pb-style=RRILXBS]{border-style:none} }
```

Wymiary zewnętrzne z dachem:

- szerokość: **277 cm**
- głębokość: **195 cm**
- wysokość: **219 cm**

Wymiary drzwi:

- szerokość: **117 cm**
- wysokość: **181 cm**

Wymiary okna:

- szerokość: **46 cm**
- wysokość: **24,6 cm**

Powierzchnia: 4,83 m2

Waga (z opakowaniem): 75 kg

Wymiary domku u podstawy:

- szerokość: **267 cm**
- głębokość: **181 cm**
- wysokość: **219 cm**

Wymiary i waga opakowania:

- Karton: **192x71x15 cm ; 75 kg**

Materiał:

- Konstrukcja: **stal ocynkowana**
- Panele: **stalowe, ocynkowane ogniowo**
(grubość: 0,25 mm)

Wymiary całkowite:

Zalety

#html-body [data-pb-style=FK2HU5N],#html-body [data-pb-style=TW1RD33],#html-body [data-pb-style=XBEW4W5]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=FK2HU5N],#html-body [data-pb-style=XBEW4W5]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=TW1RD33]{align-self:stretch}#html-body [data-pb-style=GU2K8Q8]{display:flex;width:100%}#html-body [data-pb-style=DBHQCWA],#html-body [data-pb-style=VDKF1TL]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=DBHQCWA]{justify-content:flex-start}#html-body [data-pb-style=RSIV41S]{border-style:none}#html-body [data-pb-style=D9PWEO7],#html-body [data-pb-style=W80ITUW]{max-width:100%;height:auto}#html-body [data-pb-style=UKXCLLN]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=IGOMG7M]{text-align:center;border-style:none}#html-body [data-pb-style=DS7ADTS],#html-body [data-pb-style=QLJHVOP]{max-width:100%;height:auto}#html-body [data-pb-style=UI286P7]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=HOCWCCF]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=G5HTGTO]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=U2H6TIO]{display:flex;width:100%}#html-body [data-pb-style=KLIVAM1]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=G1FQ857]{border-style:none}#html-body [data-pb-style=UWV30P6],#html-body [data-pb-style=YTNBXS5]{max-width:100%;height:auto}#html-body [data-pb-style=A6JV0BS],#html-body [data-pb-style=ASOT2IF]{display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=ASOT2IF]{justify-content:center;width:50%;align-self:stretch}#html-body [data-pb-style=A6JV0BS]{justify-content:flex-start}#html-body [data-pb-style=EXXNVHA]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=L7GAAYQ]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=CGL3L16]{display:flex;width:100%}#html-body [data-pb-style=X36I206]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=H136QRP]{border-style:none}#html-body [data-pb-style=IC79XSP],#html-body [data-pb-style=K9UCXT9]{max-width:100%;height:auto}#html-body [data-pb-style=E68UI4I],#html-body [data-pb-style=EHA6EA]{display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-

```
style=E68UI4I){justify-content:flex-start} #html-body [data-pb-style=AMQ53AJ]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=J0RXJXS]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch} #html-body [data-pb-style=REUGU4D]{display:flex;width:100%} #html-body [data-pb-style=SVADEQX]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch} #html-body [data-pb-style=DN510GF]{border-style:none} #html-body [data-pb-style=DGR1PK6], #html-body [data-pb-style=NVDH90TK]{max-width:100%;height:auto} #html-body [data-pb-style=VXMQJTG]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch} @media only screen and (max-width: 384pt) { #html-body [data-pb-style=DN510GF], #html-body [data-pb-style=G1FQ857], #html-body [data-pb-style=H136QRP], #html-body [data-pb-style=IGOMG7M], #html-body [data-pb-style=RSIV41S]{border-style:none} }
```

MONTREAL od Hardmaister to przestronny domek narzędziowy o wymiarach **277x195 cm**, zaprojektowany z myślą o najwyższej funkcjonalności. Wykonany z **ocynkowanej stali** o grubości 0,25 mm, charakteryzuje się wytrzymałością i odpornością na pogodę. Prosty w konserwacji, domek posiada **dwuspadowy dach**, który skutecznie odprowadza wodę i śnieg.

Funkcjonalne drzwi przesuwne

Drzwi przesuwne w modelu MONTREAL oferują wyjątkową **wygodę użytkowania** w miejscach, gdzie przestrzeń jest ograniczona. Dzięki temu domek doskonale sprawdza się w małych ogrodach, eliminując potrzebę dodatkowego miejsca na otwieranie.

Domek z możliwością zamknięcia na kłódkę

MONTREAL oferuje drzwi z **uchwytami na kłódkę**, co pozwala na dodatkowe zabezpieczenie przechowywanych rzeczy. Kłódka nie jest dołączona do zestawu, dlatego należy ją nabyć osobno.

Wybór strony montażu okna - pełna swoboda adaptacji

Model Montreal został zaprojektowany z myślą o funkcjonalności - możliwość instalacji okna na dowolnej ścianie pozwala na lepsze **dostosowanie domku do ogrodu**. Dzięki temu można efektywnie poprawić i dopasować oświetlenie wnętrza, zwiększając komfort użytkowania.

Stabilna konstrukcja domku

Dzięki **stalowym kątownikom** domek MONTREAL zyskuje wyjątkową trwałość i stabilność. Te elementy wzmacniające są **odporne na obciążenia i wilgoć**, a ich powłoka antykorozyjna zapewnia ochronę przed rdzewieniem w każdych warunkach atmosferycznych.

Cyrkulacja powietrza w domku narzędziowym

Dzięki **czterem otworom wentylacyjnym** domek MONTREAL zapewnia odpowiednią wymianę powietrza. Stała wentylacja **zapobiega wilgoci i pleśni**, chroniąc konstrukcję przed rdzą i przedłużając jej żywotność.

Ergonomiczny, niski próg w domku

Próg w drzwiach modelu MONTREAL zaprojektowano tak, aby zwiększyć komfort użytkowania. Jego **niski profil** pozwala na wygodne wprowadzenie sprzętów takich jak kosiarki czy grille, eliminując trudności związane z transportem.

Dodatkowe informacje

```
#html-body [data-pb-style=IYA830Y],#html-body [data-pb-style=XEPRUSX]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=IYA830Y]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=XEPRUSX]{align-self:stretch}#html-body [data-pb-style=MSYMTXL]{display:flex;width:100%}#html-body [data-pb-style=LUYP61S],#html-body [data-pb-style=UWEVFDT]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:66.6667%;align-self:stretch}#html-body [data-pb-style=UWEVFDT]{width:33.3333%}#html-body [data-pb-style=X7WKKEY]{border-style:none}#html-body [data-pb-style=GTV2HEQ],#html-body [data-pb-style=I9DAQWO]{max-width:100%;height:auto}#html-body [data-pb-style=NK57M4L],#html-body [data-pb-style=QLV3JPY]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=NK57M4L]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=QLV3JPY]{align-self:stretch}#html-body [data-pb-style=QWQ1F01]{display:flex;width:100%}#html-body [data-pb-style=T9OY0L9],#html-body [data-pb-style=UA06RG9]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:8.3333%;align-self:stretch}#html-body [data-pb-style=T9OY0L9]{text-align:center;width:83.3333%}#html-body [data-pb-style=F7IMQEB]{border-style:none}#html-body [data-pb-style=LVJBRQE],#html-body [data-pb-style=X9NKU3X]{max-width:100%;height:auto}#html-body [data-pb-style=F00JEUN]{width:8.3333%;align-self:stretch}#html-body [data-pb-style=F00JEUN],#html-body [data-pb-style=I7IMUUT]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=WC6WQK]{width:100%;border-width:0pt;border-color:#878787;display:inline-block}#html-body [data-pb-style=GLESHG4]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=UGVDJX]{display:flex;width:100%}#html-body [data-pb-style=NYJO2IH]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:16.6667%;align-self:stretch}#html-body [data-pb-style=KTJR3QM]{border-style:none}#html-body [data-pb-style=FVDBY08],#html-body [data-pb-style=T9S4RXX]{max-width:100%;height:auto}#html-body [data-pb-style=PU79BBC]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:83.3333%;align-self:stretch}@media only screen and (max-width: 384pt) { #html-body [data-pb-style=F7IMQEB],#html-body [data-pb-style=KTJR3QM],#html-body [data-pb-style=X7WKKEY]{border-style:none} }
```

Rekomendacje montażowe:

Przygotowanie podłoża

Domek narzędziowy nie posiada własnej podłogi, dlatego zalecamy przygotowanie odpowiedniej powierzchni pod montaż. Najlepszą opcją jest wykonanie **wylewki betonowej o grubości 15-20 cm**. Wylewka powinna być większa niż wymiary domku – powinna przekraczać obrys domku **o co najmniej 10 cm**. Taka nadwyżka powierzchni zapewni stabilność i ochronę przed wodą opadową, a także ułatwi montaż.

Montaż domku do podłoża

Przed rozpoczęciem montażu upewnij się, że wylewka betonowa jest odpowiednio wyrównana i całkowicie sucha. Montaż domku na nierównej powierzchni może prowadzić do niestabilności konstrukcji. **W zestawie nie znajdują się kotwy montażowe do podłoża.**

Wykonanie odpowiedniej wylewki betonowej i prawidłowy montaż domku zapewnią jego trwałość i bezpieczeństwo użytkowania przez wiele lat.

Warianty:

- Dostępne rozmiary domku: **277x323 cm | 277x259 cm**
- Inne kolory modelu Montreal - domek narzędziowy:

Hardmaister to marka specjalizująca się w architekturze ogrodowej, oferująca szeroki wybór **domków narzędziowych, altan i obrzeży trawnikowych**. Nasze produkty wyróżniają się trwałością oraz nowoczesnym designem. Dbamy o to, by każdy element ogrodu łączył w sobie estetykę z funkcjonalnością, tworząc przestrzeń, która nie tylko cieszy oko, ale i ułatwia codzienne prace.