

Link do produktu: <https://www.lisprom.pl/domek-narzedziowy-montreal-277x259cm-cold-grey-hardmaister-p-20992.html>



Domek narzędziowy MONTREAL 277x259cm Cold Grey - Hardmaister

Cena brutto	1 772,14 zł
Cena netto	1 440,76 zł
Dostępność	Dostępny
Czas wysyłki	24 godziny
Numer katalogowy	003395
Kod producenta	003395

Opis produktu

Domek narzędziowy MONTREAL 277x259cm Cold Grey - Hardmaister - Opis

#html-body [data-pb-style=A1FX0GJ],#html-body [data-pb-style=ANPE9AJ],#html-body [data-pb-style=BNU31S4]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=A1FX0GJ],#html-body [data-pb-style=ANPE9AJ]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=BNU31S4]{align-self:stretch}#html-body [data-pb-style=WM0QAKY]{display:flex;width:100%}#html-body [data-pb-style=FQEWLBP],#html-body [data-pb-style=R40Q97L]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}

Dzięki domkowi MONTREAL od Hardmaister, o wymiarach **277x259 cm**, przechowywanie narzędzi staje się nie tylko praktyczne, ale również estetyczne. Wytrzymała konstrukcja z **ocynkowanej stali** oraz solidne panele o grubości 0,25 mm zapewniają doskonałą ochronę przed korozją, deszczem i promieniowaniem UV. **Dwuspadowy dach** skutecznie zapobiega zaleganiu wody i śniegu, zwiększając trwałość konstrukcji. **Otwory wentylacyjne** wspierają cyrkulację powietrza, co pomaga utrzymać wewnątrz w suchym i higienicznym stanie, chroniąc przechowywane przedmioty przed wilgocią. Praktyczne **okno** wprowadza do wnętrza naturalne światło.

Najważniejsze cechy:

- Okno z wyborem miejsca montażu
- Wymiary z dachem 277x259 cm
- Wysokość drzwi 181 cm
- Podwójne drzwi przesuwne
- Kolor: Cold Grey
- Nie wymaga konserwacji
- Możliwość zamontowania kłódki na drzwiach

-
- Całoroczny
 - Otwory wentylacyjne
 - Cyrkulacja powietrza
 - Dwuspadowy dach
 - Łatwy montaż, bez specjalistycznej wiedzy technicznej
 - Odporny na korozję
 - Nie zawiera podłogi

Dane techniczne

```
#html-body [data-pb-style=CUIXHP],#html-body [data-pb-style=DSCBOK5],#html-body [data-pb-  
style=VA6CIVP]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-  
attachment:scroll}#html-body [data-pb-style=VA6CIVP]{justify-content:flex-start;display:flex;flex-direction:column}#html-  
body [data-pb-style=CUIXHP],#html-body [data-pb-style=DSCBOK5]{align-self:stretch}#html-body [data-pb-  
style=YG88X2R]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-  
style=FP54T90],#html-body [data-pb-style=MRM3R1C]{display:flex;width:100%}#html-body [data-pb-  
style=EW2PG8Y],#html-body [data-pb-style=G1G410]],#html-body [data-pb-style=LVU33SA],#html-body [data-pb-  
style=M11XOVX],#html-body [data-pb-style=WMX8CV9]{justify-content:flex-start;display:flex;flex-  
direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-  
attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=G1G410]],#html-body [data-pb-  
style=LVU33SA],#html-body [data-pb-style=WMX8CV9]{width:16.6667%}#html-body [data-pb-style=LVU33SA],#html-body  
[data-pb-style=WMX8CV9]{justify-content:center;width:66.6667%}#html-body [data-pb-style=WMX8CV9]{justify-  
content:flex-start;width:16.6667%}#html-body [data-pb-style=GL2N9IA]{border-style:none}#html-body [data-pb-  
style=CKVHEJ7],#html-body [data-pb-style=RNNDU6W]{max-width:100%;height:auto}@media only screen and (max-width:  
384pt) { #html-body [data-pb-style=GL2N9IA]{border-style:none} }
```

Wymiary zewnętrzne z dachem:

- szerokość: **277 cm**
- głębokość: **259 cm**
- wysokość: **219 cm**

Wymiary drzwi:

- szerokość: **117 cm**
- wysokość: **181 cm**

Wymiary okna:

- szerokość: **46 cm**
- wysokość: **24,6 cm**

Powierzchnia: 6,54 m2

Waga (z opakowaniem): 90 kg

Wymiary domku u podstawy:

- szerokość: **267 cm**
- głębokość: **245 cm**
- wysokość: **219 cm**

Wymiary i waga opakowania:

- Karton 1: **192x71x12 cm ; 60 kg**
- Karton 2: **192x25x18 ; 30 kg**

Materiał:

- Konstrukcja: **stal ocynkowana**
- Panele: **stalowe, ocynkowane ogniowo**
(grubość: **0,25 mm**)

Wymiary całkowite:

Zalety

#html-body [data-pb-style=JTYXO0L],#html-body [data-pb-style=U5B6X52],#html-body [data-pb-style=V3PW9RL]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=U5B6X52],#html-body [data-pb-style=V3PW9RL]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=JTYXO0L]{align-self:stretch}#html-body [data-pb-style=X1N83PX]{display:flex;width:100%}#html-body [data-pb-style=LXARHLC],#html-body [data-pb-style=TRT33FX]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=TRT33FX]{justify-content:flex-start}#html-body [data-pb-style=RCJF2BH]{border-style:none}#html-body [data-pb-style=JNV1YP0],#html-body [data-pb-style=MYM08NQ]{max-width:100%;height:auto}#html-body [data-pb-style=KO9MCBE]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=OTWY3XJ]{text-align:center;border-style:none}#html-body [data-pb-style=EUE8EAT],#html-body [data-pb-style=MH5SIKN]{max-width:100%;height:auto}#html-body [data-pb-style=MYI3LHV]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=RIULQXA]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=BGHCJHX]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=DESCH9N]{display:flex;width:100%}#html-body [data-pb-style=D0UOFKH]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=HXIMVPX]{border-style:none}#html-body [data-pb-style=LJL6BM9],#html-body [data-pb-style=NPLE9BY]{max-width:100%;height:auto}#html-body [data-pb-style=FE017T3],#html-body [data-pb-style=TR2GTDB]{display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=TR2GTDB]{justify-content:flex-start}#html-body [data-pb-style=V1K9CPQ]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=EQ7RW76]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=DRRK12V]{display:flex;width:100%}#html-body [data-pb-style=SYSPN2X]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-

```
attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=NU1HHH6]{border-style:none}#html-body [data-
pb-style=PKLWDBS],#html-body [data-pb-style=QFFG7KM]{max-width:100%;height:auto}#html-body [data-pb-
style=CYYNGVP],#html-body [data-pb-style=TXCM6SG]{display:flex;flex-direction:column;background-position:left
top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-
style=TXCM6SG]{justify-content:center;width:50%;align-self:stretch}#html-body [data-pb-style=CYYNGVP]{justify-
content:flex-start}#html-body [data-pb-style=HQ8P4BR]{width:100%;border-width:0pt;border-color:#cecece;display:inline-
block}#html-body [data-pb-style=KPEOX3B]{background-position:left top;background-size:cover;background-repeat:no-
repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=EFFFGN5]{display:flex;width:100%}#html-
body [data-pb-style=SUR3NBC]{justify-content:center;display:flex;flex-direction:column;background-position:left top;backgro
und-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-
style=GMLNM6J]{border-style:none}#html-body [data-pb-style=IT50XRE],#html-body [data-pb-style=RK0VP79]{max-
width:100%;height:auto}#html-body [data-pb-style=DWS3VMW]{justify-content:center;display:flex;flex-
direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-
attachment:scroll;width:50%;align-self:stretch}@media only screen and (max-width: 384pt) { #html-body [data-pb-
style=GMLNM6J],#html-body [data-pb-style=HXIMVPX],#html-body [data-pb-style=NU1HHH6],#html-body [data-pb-
style=OTWY3XJ],#html-body [data-pb-style=RCJF2BH]{border-style:none} }
```

Przestronny domek MONTREAL od Hardmaister oferuje funkcjonalne rozwiązanie do przechowywania narzędzi ogrodowych. Wymiary **277x259 cm** oraz **stalowe panele** ocynkowane, o grubości 0,25 mm, gwarantują trwałość i odporność na deszcz i śnieg. Domek jest prosty w utrzymaniu, a jego **dwuspadowy dach** skutecznie odprowadza wodę i niweluje zaleganie śniegu.

Funkcjonalne drzwi przesuwne

Funkcjonalność **drzwi przesuwnych** w domku MONTREAL docenią właściciele małych ogrodów. To rozwiązanie, które pozwala na wygodne korzystanie z domku, eliminując konieczność pozostawiania wolnej przestrzeni na otwieranie drzwi.

Domek z możliwością zamknięcia na kłódkę

Domek MONTREAL posiada drzwi wyposażone w **uchwyty do zamocowania kłódki**, co zwiększa bezpieczeństwo przechowywanych przedmiotów. Kłódka nie jest częścią zestawu i trzeba ją dokupić samodzielnie.

Wybór strony montażu okna - pełna swoboda adaptacji

Dzięki możliwości **montażu okna na dowolnej ścianie** domek Montreal staje się jeszcze bardziej funkcjonalny. Takie rozwiązanie pozwala na **dopasowanie domku do przestrzeni ogrodu** i zapewnia optymalne warunki oświetleniowe wewnątrz.

Stabilna konstrukcja domku

Konstrukcja domku MONTREAL jest wzmocniona **stalowymi kątownikami**, które nadają jej stabilność i trwałość. Pokryte powłoką antykorozyjną kątowniki są **odporne na działanie wilgoci** i innych czynników atmosferycznych.

Cyrkulacja powietrza w domku narzędziowym

Domek MONTREAL posiada **cztery otwory wentylacyjne**, które zapewniają nieprzerwaną wymianę powietrza. Takie rozwiązanie **zmniejsza ryzyko wilgoci i pleśni**, szczególnie w miejscach o dużych wahanach temperatur.

Ergonomiczny, niski próg w domku

Funkcjonalny próg w domku MONTREAL został zaprojektowany tak, aby ułatwić użytkowanie domku. **Niska konstrukcja** umożliwia swobodne wprowadzenie dużych sprzętów, takich jak kosiarki ogrodowe czy grille.

Dodatkowe informacje

```
#html-body [data-pb-style=BD5H58T],#html-body [data-pb-style=KCQDWI3]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=BD5H58T]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=KCQDWI3]{align-self:stretch}#html-body [data-pb-style=AU5PV8V]{display:flex;width:100%}#html-body [data-pb-style=BL44H6F],#html-body [data-pb-style=JE3AMJC]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:66.6667%;align-self:stretch}#html-body [data-pb-style=BL44H6F]{width:33.3333%}#html-body [data-pb-style=YAWMB40]{border-style:none}#html-body [data-pb-style=NIPLNHN],#html-body [data-pb-style=S9N36UP]{max-width:100%;height:auto}#html-body [data-pb-style=F4NU98G],#html-body [data-pb-style=P39UVIU]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=P39UVIU]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=F4NU98G]{align-self:stretch}#html-body [data-pb-style=CQL9KQB]{display:flex;width:100%}#html-body [data-pb-style=DKUJKO6],#html-body [data-pb-style=LR1U3AT]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:8.3333%;align-self:stretch}#html-body [data-pb-style=LR1U3AT]{text-align:center;width:83.3333%}#html-body [data-pb-style=IYMF1L]{border-style:none}#html-body [data-pb-style=M2Q5WTQ],#html-body [data-pb-style=PDB25S2]{max-width:100%;height:auto}#html-body [data-pb-style=Q6FGPYP]{width:8.3333%;align-self:stretch}#html-body [data-pb-style=Q6FGPYP],#html-body [data-pb-style=TLJ109M]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=XE6QUWO]{width:100%;border-width:0pt;border-color:#878787;display:inline-block}#html-body [data-pb-style=W2IPJ2E]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=RQ3QQ43]{display:flex;width:100%}#html-body [data-pb-style=YMJK762]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:16.6667%;align-self:stretch}#html-body [data-pb-style=PYJ88WP]{border-style:none}#html-body [data-pb-style=O76C9H6],#html-body [data-pb-style=Y06QUVE]{max-width:100%;height:auto}#html-body [data-pb-style=WHB8GFU]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:83.333%;align-self:stretch}@media only screen and (max-width: 384pt) { #html-body [data-pb-style=IYMF1L],#html-body [data-pb-style=PYJ88WP],#html-body [data-pb-style=YAWMB40]{border-style:none} }
```

Rekomendacje montażowe:

Przygotowanie podłoża

Domek narzędziowy nie posiada własnej podłogi, dlatego zalecamy przygotowanie odpowiedniej powierzchni pod montaż. Najlepszą opcją jest

wykonanie **wylewki betonowej o grubości 15-20 cm**. Wylewka powinna być większa niż wymiary domku – powinna przekraczać obrys domku **o co najmniej 10 cm**. Taka nadwyżka powierzchni zapewni stabilność i ochronę przed wodą opadową, a także ułatwi montaż.

Montaż domku do podłoża

Przed rozpoczęciem montażu upewnij się, że wylewka betonowa jest odpowiednio wyrównana i całkowicie sucha. Montaż domku na nierównej powierzchni może prowadzić do niestabilności konstrukcji. **W zestawie nie znajdują się kotwy montażowe do podłoża.**

Wykonanie odpowiedniej wylewki betonowej i prawidłowy montaż domku zapewnią jego trwałość i bezpieczeństwo użytkowania przez wiele lat.

Warianty:

- Dostępne rozmiary domku: **277x195 cm | 277x323 cm**
- Inne kolory modelu Montreal - domek narzędziowy:

Hardmaister to marka specjalizująca się w architekturze ogrodowej, oferująca szeroki wybór **domków narzędziowych, altan i obrzeży trawnikowych**. Nasze produkty wyróżniają się trwałością oraz nowoczesnym designem. Dbamy o to, by każdy element ogrodu łączył w sobie estetykę z funkcjonalnością, tworząc przestrzeń, która nie tylko cieszy oko, ale i ułatwia codzienne prace.