

Link do produktu: <https://www.lisprom.pl/domek-narzedziowy-montreal-277x259cm-oak-brown-hardmaister-p-21028.html>



Domek narzędziowy MONTREAL 277x259cm Oak Brown - Hardmaister

Cena brutto	2 135,33 zł
Cena netto	1 736,04 zł
Dostępność	Dostępny
Czas wysyłki	24 godziny
Numer katalogowy	003820
Kod producenta	003820

Opis produktu

Domek narzędziowy MONTREAL 277x259cm Oak Brown - Hardmaister - Opis

#html-body [data-pb-style=AFH6X3I],#html-body [data-pb-style=GDK67GU],#html-body [data-pb-style=PM6MSMR]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=GDK67GU],#html-body [data-pb-style=PM6MSMR]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=AFH6X3I]{align-self:stretch}#html-body [data-pb-style=GK89Y2D]{display:flex;width:100%}#html-body[data-pb-style=D4RC53P],#html-body[data-pb-style=PHJB1KF]{justify-content:flex-start;display:flex;flex-direction:column;background-position:lefttop;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}

Domek MONTREAL marki Hardmaister to praktyczne rozwiązanie do ogrodu, które wyróżnia się estetyką i solidnością. Konstrukcja wykonana z ocynkowanej ogniowo stali gwarantuje odporność na rdzę i opady atmosferyczne. Panele o grubości 0,25 mm wzmacniają ochronę, a **dach dwuspadowy i otwory wentylacyjne zapewniają odpowiedni przepływ powietrza** wewnątrz.

Najważniejsze cechy:

- Nie wymaga konserwacji
- Wymiary z dachem 277x259 cm
- Wysokość drzwi 181 cm
- Podwójne drzwi przesuwne
- Kolor: Oak Brown
- Cyrkulacja powietrza
- Możliwość zamontowania kłódki na drzwiach

- Otwory wentylacyjne
- Odporny na korozję
- Całoroczny
- Okno z wyborem miejsca montażu
- Dwuspadowy dach
- Nie zawiera podłogi
- Łatwy montaż, bez specjalistycznej wiedzy technicznej

Dane techniczne

```
#html-body [data-pb-style=P7VX7EP],#html-body [data-pb-style=R3SBOVH]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=R3SBOVH]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=P7VX7EP]{align-self:stretch}#html-body [data-pb-style=LV8TA4K]{display:flex;width:100%}#html-body [data-pb-style=HJ4XRF4],#html-body [data-pb-style=O03EMJ8]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=IV35UU6]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=C53M11E]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=I1KSLJ]{display:flex;width:100%}#html-body [data-pb-style=NC1B9L7],#html-body [data-pb-style=OH0QMC0]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:8.33333%;align-self:stretch}#html-body [data-pb-style=NC1B9L7]{justify-content:center;width:83.3333%}#html-body [data-pb-style=H0PI3U2]{border-style:none}#html-body [data-pb-style=FHCACRG],#html-body [data-pb-style=WJ1TALA]{max-width:100%;height:auto}#html-body [data-pb-style=RBGK760]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:8.33333%;align-self:stretch}@media only screen and (max-width: 384pt) { #html-body [data-pb-style=H0PI3U2]{border-style:none} }
```

Wymiary zewnętrzne z dachem:

- szerokość: **277 cm**
- głębokość: **259 cm**
- wysokość: **219 cm**

Wymiary drzwi:

- szerokość: **117 cm**
- wysokość: **181 cm**

Wymiary okna:

- szerokość: **46 cm**
- wysokość: **24,6 cm**

Powierzchnia: 6,54 m2

Waga (z opakowaniem): 90 kg

Wymiary domku u podstawy:

- szerokość: **267 cm**
- głębokość: **245 cm**
- wysokość: **219 cm**

Wymiary i waga opakowania:

- Karton 1: **192x71x12 cm ; 60 kg**
- Karton 2: **192x25x18 ; 30 kg**

Materiał:

- Konstrukcja: **stal ocynkowana**
- Panele: **stalowe, ocynkowane ogniowo**
(grubość: **0,25 mm**)

Wymiary całkowite:

Zalety

#html-body [data-pb-style=BA5NIW1],#html-body [data-pb-style=IEUWKE6],#html-body [data-pb-style=Y0KMKYW]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=IEUWKE6],#html-body [data-pb-style=Y0KMKYW]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=BA5NIW1]{align-self:stretch}#html-body [data-pb-style=V0OXQMR]{display:flex;width:100%}#html-body [data-pb-style=CN9N8CT],#html-body [data-pb-style=KCIMFWI]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=KCIMFWI]{justify-content:flex-start}#html-body [data-pb-style=IJFED5B]{border-style:none}#html-body [data-pb-style=E3CSVG5],#html-body [data-pb-style=W4FQNAS]{max-width:100%;height:auto}#html-body [data-pb-style=FRF1PCM]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=KNSNQLQ]{text-align:center;border-style:none}#html-body [data-pb-style=MK3K6O3],#html-body [data-pb-style=Q3PX5JJ]{max-width:100%;height:auto}#html-body [data-pb-style=V6QTHA5]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=TBV6JX8]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=PIC01FD]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=DOHTA87]{display:flex;width:100%}#html-body [data-pb-style=XQFXUQ8]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=TWVWHN3]{border-style:none}#html-body [data-pb-style=SWEALH2],#html-body [data-pb-style=UC1LSQ5]{max-width:100%;height:auto}#html-body [data-pb-style=LMI19SP],#html-body [data-pb-style=YKNT7FJ]{display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=YKNT7FJ]{justify-content:center;width:50%;align-self:stretch}#html-body [data-pb-style=LMI19SP]{justify-content:flex-start}#html-body [data-pb-style=AHRUHXF]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=NBC66JC]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=OW4R27S]{display:flex;width:100%}#html-body [data-pb-style=PY495VA]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-

size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=KWQR44L]{border-style:none}#html-body [data-pb-style=HKKHVFUJ],#html-body [data-pb-style=TFD6Q6F]{max-width:100%;height:auto}#html-body [data-pb-style=HTK4WD5],#html-body [data-pb-style=SCDIQY4]{display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=HTK4WD5]{justify-content:center;width:50%;align-self:stretch}#html-body [data-pb-style=SCDIQY4]{justify-content:flex-start}#html-body [data-pb-style=WECV8XJ]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=NR40LOD]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=LFT4318]{display:flex;width:100%}#html-body [data-pb-style=G4P6416]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=JBT58H0]{border-style:none}#html-body [data-pb-style=ILR5ACU],#html-body [data-pb-style=YN0FPMM]{max-width:100%;height:auto}#html-body [data-pb-style=V1PIYGU]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}@media only screen and (max-width: 384pt) { #html-body [data-pb-style=IJFED5B],#html-body [data-pb-style=JBT58H0],#html-body [data-pb-style=KNSNQLO],#html-body [data-pb-style=KWQR44L],#html-body [data-pb-style=TWVWHN3]{border-style:none} }

Stylowy **domек narzędziowy MONTREAL od Hardmaister** to połączenie funkcjonalności i trwałości, idealne do przechowywania sprzętu ogrodowego. Jego wymiary 277x259 cm pozwalają na wygodne przechowywanie narzędzi i akcesoriów. Wykonany z ocynkowanej stali o grubości 0,25 mm, **charakteryzuje się odpornością na warunki atmosferyczne oraz promieniowanie UV**. Łatwość konserwacji dzięki myciu wodą sprawia, że domek pozostaje estetyczny na długo. Dwuspadowy dach zapobiega zbieraniu się wody.

Funkcjonalne drzwi przesuwne

Przesuwne drzwi w domku MONTREAL oferują wygodę i oszczędność miejsca, co czyni je **świetnym wyborem do wąskich przejść**. Dzięki tej konstrukcji użytkowanie domku jest łatwe nawet w małych ogrodach.

Domek z możliwością zamknięcia na kłódkę

MONTREAL oferuje drzwi z możliwością zamontowania kłódki lub innego zabezpieczenia dzięki specjalnym uchwyтом. To dodatkowe zabezpieczenie chroni wnętrze domku, ale **kłódka nie jest dołączona do zestawu** i należy ją dokupić.

Wybór strony montażu okna - pełna swoboda adaptacji

Model Montreal daje możliwość zamontowania okna w wybranym miejscu, co zapewnia optymalne oświetlenie wnętrza **lepszе dostosowanie domku do przestrzeni ogrodowej**. To rozwiązanie gwarantuje praktyczność i wygodę użytkowania.

Stabilna konstrukcja domku

Model MONTREAL wyposażono w stalowe kątowniki, które **zwiększają wytrzymałość na obciążenia i stabilizują konstrukcję**. Ich antykorozyjna powłoka chroni przed rdzą, co sprawia, że domek jest trwały i odporny na zmienne warunki pogodowe.

Cyrkulacja powietrza w domku narzędziowym

Cztery otwory wentylacyjne w modelu MONTREAL **skutecznie poprawiają przepływ powietrza**, co pozwala uniknąć problemów związanych z wilgocią, pleśnią i rdzą. Rozwiązanie to jest idealne na zmienne warunki pogodowe.

Ergonomiczny, niski próg w domku

Próg w domku MONTREAL charakteryzuje się ergonomiczną konstrukcją, która **znacząco ułatwia przenoszenie większych przedmiotów**. Dzięki niskiemu poziomowi transport kosiarki, grilla czy innych ciężkich sprzętów jest wygodniejszy.

Dodatkowe informacje

```
#html-body [data-pb-style=BXNIM4I],#html-body [data-pb-style=HVUGW26]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=HVUGW26]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=BXNIM4I]{align-self:stretch}#html-body [data-pb-style=HXGEYVV]{display:flex;width:100%}#html-body [data-pb-style=EE1QFM5],#html-body [data-pb-style=NMDTULD]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:66.6667%;align-self:stretch}#html-body [data-pb-style=NMDTULD]{width:33.3333%}#html-body [data-pb-style=S1L0RQ3]{border-style:none}#html-body [data-pb-style=O6EDG3X],#html-body [data-pb-style=XLOUKIV]{max-width:100%;height:auto}#html-body [data-pb-style=I68OR27],#html-body [data-pb-style=K9NWA8X]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=I68OR27]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=K9NWA8X]{align-self:stretch}#html-body [data-pb-style=AMKP34N]{display:flex;width:100%}#html-body [data-pb-style=MYF1C5S],#html-body [data-pb-style=Q7RPSE2]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:8.3333%;align-self:stretch}#html-body [data-pb-style=MYF1C5S]{text-align:center;width:83.3333%}#html-body [data-pb-style=P7QXW6I]{border-style:none}#html-body [data-pb-style=FNLGSYM],#html-body [data-pb-style=K8GDN6Y]{max-width:100%;height:auto}#html-body [data-pb-style=NURVPE2]{width:8.3333%;align-self:stretch}#html-body [data-pb-style=N2CMNKB],#html-body [data-pb-style=NURVPE2]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=U8Y0IOG]{width:100%;border-width:0pt;border-color:#878787;display:inline-block}#html-body [data-pb-style=IRTK75L]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=RP381IX]{display:flex;width:100%}#html-body [data-pb-style=B7FKQB3]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:16.6667%;align-self:stretch}#html-body [data-pb-style=L89C8RI]{border-style:none}#html-body [data-pb-style=OVN51IV],#html-body [data-pb-style=T87D4TC]{max-width:100%;height:auto}#html-body [data-pb-style=DCA0TU7]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:83.333%;align-self:stretch}@media only screen and (max-width: 384pt) { #html-body [data-pb-style=L89C8RI],#html-body [data-pb-style=P7QXW6I],#html-body [data-pb-style=S1L0RQ3]{border-style:none} }
```

Rekomendacje montażowe:

Przygotowanie podłoża

Domek narzędziowy nie posiada własnej podłogi, dlatego zalecamy przygotowanie odpowiedniej powierzchni pod montaż. Najlepszą opcją jest

wykonanie **wylewki betonowej o grubości 15-20 cm**. Wylewka powinna być większa niż wymiary domku – powinna przekraczać obrys domku **o co najmniej 10 cm**. Taka nadwyżka powierzchni zapewni stabilność i ochronę przed wodą opadową, a także ułatwi montaż.

Montaż domku do podłoża

Przed rozpoczęciem montażu upewnij się, że wylewka betonowa jest odpowiednio wyrównana i całkowicie sucha. Montaż domku na nierównej powierzchni może prowadzić do niestabilności konstrukcji. **W zestawie nie znajdują się kotwy montażowe do podłoża.**

Wykonanie odpowiedniej wylewki betonowej i prawidłowy montaż domku zapewnią jego trwałość i bezpieczeństwo użytkowania przez wiele lat.

Warianty:

- Dostępne rozmiary domku: **277x195 cm | 277x323 cm**
- Inne kolory modelu Montreal - domek narzędziowy:

Hardmaister to marka specjalizująca się w architekturze ogrodowej, oferująca szeroki wybór **domków narzędziowych, altan i obrzeży trawnikowych**. Nasze produkty wyróżniają się trwałością oraz nowoczesnym designem. Dbamy o to, by każdy element ogrodu łączył w sobie estetykę z funkcjonalnością, tworząc przestrzeń, która nie tylko cieszy oko, ale i ułatwia codzienne prace.