

Link do produktu: <https://www.lisprom.pl/domek-narzedziowy-montreal-277x259cm-oak-grey-hardmaister-p-21090.html>



Domek narzędziowy MONTREAL 277x259cm Oak Grey - Hardmaister

Cena brutto	2 242,15 zł
Cena netto	1 822,89 zł
Dostępność	Dostępny
Czas wysyłki	24 godziny
Numer katalogowy	004100
Kod producenta	004100

Opis produktu

Domek narzędziowy MONTREAL 277x259cm Oak Grey - Hardmaister - Opis

#html-body [data-pb-style=Ij1E316],#html-body [data-pb-style=LCFDGML],#html-body [data-pb-style=XHMC8NS]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=Ij1E316],#html-body [data-pb-style=LCFDGML]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=XHMC8NS]{align-self:stretch}#html-body [data-pb-style=A4DQXEF]{display:flex;width:100%}#html-body{data-pb-style=UPITSAS},#html-body{data-pb-style=XTCU22V}{justify-content:flex-start;display:flex;flex-direction:column;background-position:lefttop;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}

Domek narzędziowy MONTREAL firmy Hardmaister oferuje idealną przestrzeń do przechowywania narzędzi ogrodowych. Solidna **konstrukcja z ocynkowanej stali** oraz stalowe panele 0,25 mm gwarantują odporność na rdzę i deszcz. Dzięki dwuspadowemu dachowi woda szybko spływa, a **wentylacja zapobiega gromadzeniu się wilgoci** wewnątrz.

Najważniejsze cechy:

- Nie wymaga konserwacji
- Wymiary z dachem 277x259 cm
- Wysokość drzwi 181 cm
- Cyrkulacja powietrza
- Podwójne drzwi przesuwne
- Kolor: Oak Grey
- Możliwość zamontowania kłódki na drzwiach

-
- Otwory wentylacyjne
 - Całoroczny
 - Okno z wyborem miejsca montażu
 - Dwuspadowy dach
 - Łatwy montaż, bez specjalistycznej wiedzy technicznej
 - Nie zawiera podłogi
 - Odporny na korozję

Dane techniczne

```
#html-body [data-pb-style=R7QDDC0],#html-body [data-pb-style=UA6RUPQ],#html-body [data-pb-style=VE3GNT0]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=VE3GNT0]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=R7QDDC0],#html-body [data-pb-style=UA6RUPQ]{align-self:stretch}#html-body [data-pb-style=ATG4B13]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=AX6QS7N],#html-body [data-pb-style=NU74OW4]{display:flex;width:100%}#html-body [data-pb-style=AQ7VXW4],#html-body [data-pb-style=EFEGRCQ],#html-body [data-pb-style=KGC2820],#html-body [data-pb-style=KL46K6V],#html-body [data-pb-style=O5A6IHW]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=AQ7VXW4],#html-body [data-pb-style=EFEGRCQ],#html-body [data-pb-style=O5A6IHW]{width:16.6667%}#html-body [data-pb-style=EFEGRCQ],#html-body [data-pb-style=O5A6IHW]{justify-content:center;width:66.6667%}#html-body [data-pb-style=O5A6IHW]{justify-content:flex-start;width:16.6667%}#html-body [data-pb-style=F5KJPI6]{border-style:none}#html-body [data-pb-style=BGHV37],#html-body [data-pb-style=OI2AGGW]{max-width:100%;height:auto}@media only screen and (max-width: 384pt) { #html-body [data-pb-style=F5KJPI6]{border-style:none} }
```

Wymiary zewnętrzne z dachem:

- szerokość: **277 cm**
- głębokość: **259 cm**
- wysokość: **219 cm**

Wymiary drzwi:

- szerokość: **117 cm**
- wysokość: **181 cm**

Wymiary okna:

- szerokość: **46 cm**
- wysokość: **24,6 cm**

Powierzchnia: 6,54 m²

Waga (z opakowaniem): 90 kg

Wymiary domku u podstawy:

- szerokość: **267 cm**
- głębokość: **245 cm**
- wysokość: **219 cm**

Wymiary i waga opakowania:

- Karton 1: **192x71x12 cm ; 60 kg**
- Karton 2: **192x25x18 ; 30 kg**

Materiał:

- Konstrukcja: **stal ocynkowana**
- Panele: **stalowe, ocynkowane ogniowo**
(grubość: **0,25 mm**)

Wymiary całkowite:

Zalety

#html-body [data-pb-style=FQRATW6],#html-body [data-pb-style=NIWN45X],#html-body [data-pb-style=V5FTXUN]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=FQRATW6],#html-body [data-pb-style=NIWN45X]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=V5FTXUN]{align-self:stretch}#html-body [data-pb-style=VTBHFVN]{display:flex;width:100%}#html-body [data-pb-style=SOVM0W8],#html-body [data-pb-style=VYT562U]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=VYT562U]{justify-content:flex-start}#html-body [data-pb-style=HXEDTRL]{border-style:none}#html-body [data-pb-style=SP12VFD],#html-body [data-pb-style=UBVY6WG]{max-width:100%;height:auto}#html-body [data-pb-style=AGMVV3E]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=W0VTU1W]{text-align:center;border-style:none}#html-body [data-pb-style=CL5AHNR],#html-body [data-pb-style=VESHV3R]{max-width:100%;height:auto}#html-body [data-pb-style=QBLI5S0]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=RUKSVF5]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=SWF2QQG]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=AT1XYCU]{display:flex;width:100%}#html-body [data-pb-style=RDO2EE5]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=EW1PQP8]{border-style:none}#html-body [data-pb-style=EVN7F5W],#html-body [data-pb-style=IP89PMV]{max-width:100%;height:auto}#html-body [data-pb-style=P0AILMH],#html-body [data-pb-style=R98LAHA]{display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=P0AILMH]{justify-content:center;width:50%;align-self:stretch}#html-body [data-pb-style=R98LAHA]{justify-content:flex-start}#html-body [data-pb-style=UPLF2WU]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=GN2H25I]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=DUUTI7X]{display:flex;width:100%}#html-body [data-pb-style=DBYNOBV]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=BKGGV40]{border-style:none}#html-body [data-pb-style=RLCNCYT],#html-body [data-pb-style=TUQ2E12]{max-

width:100%;height:auto}#html-body [data-pb-style=CQ6231D],#html-body [data-pb-style=OVXAR58]{display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=OVXAR58]{justify-content:center;width:50%;align-self:stretch}#html-body [data-pb-style=CQ6231D]{justify-content:flex-start}#html-body [data-pb-style=MSK4MPH]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=E2XDEXR]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=F20BAXS]{display:flex;width:100%}#html-body [data-pb-style=WJMAAP9]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=MVXJMO1]{border-style:none}#html-body [data-pb-style=A4SALC9],#html-body [data-pb-style=LGAVB4G]{max-width:100%;height:auto}#html-body [data-pb-style=IJ5SMHE]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}@media only screen and (max-width: 384pt) { #html-body [data-pb-style=BKGGV40],#html-body [data-pb-style=EW1QP8],#html-body [data-pb-style=HXEDTRL],#html-body [data-pb-style=MVXJMO1],#html-body [data-pb-style=W0VTU1W]{border-style:none} }

Przestronny domek MONTREAL od Hardmaister, o wymiarach 277x259 cm, to rozwiązanie idealne dla ogrodników i majsterkowiczów. Konstrukcja z ocynkowanych paneli stalowych o grubości 0,25 mm jest **odporna na deszcz, śnieg i promieniowanie UV**. Domek łatwo utrzymać w czystości dzięki możliwości mycia wodą. Dwuspadowy dach to dodatkowy atut, **eliminujący ryzyko zalegania wody**.

Funkcjonalne drzwi przesuwne

W domku MONTREAL zastosowano **przesuwne drzwi, które pozwalają zaoszczędzić przestrzeń**. Ich praktyczne otwieranie sprawdza się w miejscach o ograniczonych możliwościach, takich jak wąskie alejki i małe podwórka.

Domek z możliwością zamknięcia na kłódkę

Model MONTREAL wyposażono w drzwi z uchwytami, umożliwiającymi zastosowanie kłódki lub innego zamka. Takie rozwiązanie skutecznie zabezpiecza przechowywane przedmioty, jednak **kłódka nie jest zawarta w komplecie**.

Wybór strony montażu okna - pełna swoboda adaptacji

Montreal to wszechstronny domek narzędziowy z **możliwością instalacji okna w dowolnym miejscu**. Taka funkcja pozwala na lepsze doświetlenie wnętrza i dostosowanie domku do potrzeb Twojej przestrzeni ogrodowej.

Stabilna konstrukcja domku

W konstrukcji domku MONTREAL zastosowano kątowniki stalowe, które **zapewniają jego stabilność i wytrzymałość**. Te wzmocnienia chronią przed skutkami obciążeń i trudnych warunków pogodowych, a antykorozyjna powłoka zapobiega rdzewieniu.

Cyrkulacja powietrza w domku narzędziowym

Otwory wentylacyjne w liczbie czterech w domku MONTREAL gwarantują ciągłą cyrkulację powietrza. To funkcjonalne rozwiązanie **redukuje kondensację, chroniąc przed wilgocią, rdzą i pleśnią** w zmieniających się warunkach pogodowych.

Ergonomiczny, niski próg w domku

Domek MONTREAL został wyposażony w próg o **ergonomicznej konstrukcji**, która ułatwia transport dużych urządzeń. Jego **niski profil** jest idealny dla użytkowników, którzy często wprowadzają sprzęty takie jak kosiarki czy grille.

Dodatkowe informacje

```
#html-body [data-pb-style=RGYCG3L],#html-body [data-pb-style=XPBGX2H]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=RGYCG3L]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=XPBGX2H]{align-self:stretch}#html-body [data-pb-style=M7KBADE]{display:flex;width:100%}#html-body [data-pb-style=ANQQ00Q],#html-body [data-pb-style=WCI0TPX]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:66.6667%;align-self:stretch}#html-body [data-pb-style=ANQQ00Q]{width:33.3333%}#html-body [data-pb-style=SMVVUPP]{border-style:none}#html-body [data-pb-style=CO9FGQ2],#html-body [data-pb-style=HAYFG3U]{max-width:100%;height:auto}#html-body [data-pb-style=MKQ3H60],#html-body [data-pb-style=MO1I6U3]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=MO1I6U3]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=MKQ3H60]{align-self:stretch}#html-body [data-pb-style=PD1CA1F]{display:flex;width:100%}#html-body [data-pb-style=MHVUV1Y],#html-body [data-pb-style=S4TJKN2]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:8.3333%;align-self:stretch}#html-body [data-pb-style=MHVUV1Y]{text-align:center;width:83.3333%}#html-body [data-pb-style=R3FVHNB]{border-style:none}#html-body [data-pb-style=K29JK38],#html-body [data-pb-style=LNROH5N]{max-width:100%;height:auto}#html-body [data-pb-style=X1DPGRE]{width:8.3333%;align-self:stretch}#html-body [data-pb-style=WALPNHF],#html-body [data-pb-style=X1DPGRE]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=PMO5SKE]{width:100%;border-width:0pt;border-color:#878787;display:inline-block}#html-body [data-pb-style=CFFS1Y3]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=X0L5S0R]{display:flex;width:100%}#html-body [data-pb-style=V19AI50]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:16.6667%;align-self:stretch}#html-body [data-pb-style=V0M6I4T]{border-style:none}#html-body [data-pb-style=JNA4KCL],#html-body [data-pb-style=T5VQYLA]{max-width:100%;height:auto}#html-body [data-pb-style=DENF5JU]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:83.3333%;align-self:stretch}@media only screen and (max-width: 384pt) { #html-body [data-pb-style=R3FVHNB],#html-body [data-pb-style=SMVVUPP],#html-body [data-pb-style=V0M6I4T]{border-style:none} }
```

Rekomendacje montażowe:

Przygotowanie podłoża

Domek narzędziowy nie posiada własnej podłogi, dlatego zalecamy przygotowanie odpowiedniej powierzchni pod montaż. Najlepszą opcją jest wykonanie **wylewki betonowej o grubości 15-20 cm**. Wylewka powinna być większa niż wymiary domku - powinna przekraczać obrys domku **o co najmniej 10 cm**. Taka nadwyżka powierzchni zapewni stabilność i ochronę przed wodą opadową, a także ułatwi montaż.

Montaż domku do podłoża

Przed rozpoczęciem montażu upewnij się, że wylewka betonowa jest odpowiednio wyrównana i całkowicie sucha. Montaż domku na nierównej powierzchni może prowadzić do niestabilności konstrukcji. **W zestawie nie znajdują się kotwy montażowe do podłoża.**

Wykonanie odpowiedniej wylewki betonowej i prawidłowy montaż domku zapewnią jego trwałość i bezpieczeństwo użytkowania przez wiele lat.

Warianty:

- Dostępne rozmiary domku: **277x195 cm | 277x323 cm**
- Inne kolory modelu Montreal - domek narzędziowy:

Hardmaister to marka specjalizująca się w architekturze ogrodowej, oferująca szeroki wybór **domków narzędziowych, altan i obrzeży trawnikowych**. Nasze produkty wyróżniają się trwałością oraz nowoczesnym designem. Dbamy o to, by każdy element ogrodu łączył w sobie estetykę z funkcjonalnością, tworząc przestrzeń, która nie tylko cieszy oko, ale i ułatwia codzienne prace.