

Link do produktu: <https://www.lisprom.pl/domek-narzedziowy-montreal-277x259cm-walnut-hardmaister-p-20994.html>



Domek narzędziowy MONTREAL 277x259cm Walnut - Hardmaister

Cena brutto	2 348,97 zł
Cena netto	1 909,73 zł
Dostępność	Dostępny
Czas wysyłki	24 godziny
Numer katalogowy	003397
Kod producenta	003397

Opis produktu

Domek narzędziowy MONTREAL 277x259cm Walnut - Hardmaister - Opis

#html-body [data-pb-style=IDSJMNO], #html-body [data-pb-style=KQM7BVR], #html-body [data-pb-style=Y0NOQ93]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll} #html-body [data-pb-style=KQM7BVR], #html-body [data-pb-style=Y0NOQ93]{justify-content:flex-start;display:flex;flex-direction:column} #html-body [data-pb-style=IDSJMNO]{align-self:stretch} #html-body [data-pb-style=EYGYNT]{display:flex;width:100%} #html-body[data-pb-style=I0N7HS9], #html-body[data-pb-style=WTFTT2T]{justify-content:flex-start;display:flex;flex-direction:column;background-position:lefttop;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}

Hardmaister MONTREAL to domek narzędziowy, który wyróżnia się elegancją i trwałością. Konstrukcja z ocynkowanej stali o grubości 0,25 mm chroni przed korozją i trudnymi warunkami pogodowymi. Specjalnie zaprojektowany dwuspadowy **dach minimalizuje zaleganie wody**, a system wentylacji zapobiega zawilgoceniu wnętrza, zapewniając optymalne warunki przechowywania.

Najważniejsze cechy:

- Nie wymaga konserwacji
- Wymiary z dachem 277x259 cm
- Wysokość drzwi 181 cm
- Podwójne drzwi przesuwne
- Kolor: Walnut
- Cyrkulacja powietrza
- Możliwość zamontowania kłódki na drzwiach

-
- Całoroczny
 - Okno z wyborem miejsca montażu
 - Otwory wentylacyjne
 - Łatwy montaż, bez specjalistycznej wiedzy technicznej
 - Dwuspadowy dach
 - Odporny na korozję
 - Nie zawiera podłogi

Dane techniczne

```
#html-body [data-pb-style=DXCGX6C],#html-body [data-pb-style=N0DKC0U]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=DXCGX6C]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=N0DKC0U]{align-self:stretch}#html-body [data-pb-style=GIEXJTX]{display:flex;width:100%}#html-body [data-pb-style=QNG9TSL],#html-body [data-pb-style=XW617CY]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=S2TWM67]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=JQSC9N]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=S9KP7QS]{display:flex;width:100%}#html-body [data-pb-style=HDM6MCC],#html-body [data-pb-style=XXRT3UF]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:16.6667%;align-self:stretch}#html-body [data-pb-style=HDM6MCC]{justify-content:center;width:66.6667%}#html-body [data-pb-style=A8UHOXG]{border-style:none}#html-body [data-pb-style=FJF331A],#html-body [data-pb-style=H4WCSIP]{max-width:100%;height:auto}#html-body [data-pb-style=O4120RO]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:16.6667%;align-self:stretch}@media only screen and (max-width: 384pt) { #html-body [data-pb-style=A8UHOXG]{border-style:none} }
```

Wymiary zewnętrzne z dachem:

- szerokość: **277 cm**
- głębokość: **259 cm**
- wysokość: **219 cm**

Wymiary drzwi:

- szerokość: **117 cm**
- wysokość: **181 cm**

Wymiary okna:

- szerokość: **46 cm**
- wysokość: **24,6 cm**

Powierzchnia: 6,54 m²

Waga (z opakowaniem): 90 kg

Wymiary domku u podstawy:

- szerokość: **267 cm**
- głębokość: **245 cm**
- wysokość: **219 cm**

Wymiary i waga opakowania:

- Karton 1: **192x71x12 cm ; 60 kg**
- Karton 2: **192x25x18 ; 30 kg**

Materiał:

- Konstrukcja: **stal ocynkowana**
- Panele: **stalowe, ocynkowane ogniowo**
(grubość: 0,25 mm)

Wymiary całkowite:

Zalety

#html-body [data-pb-style=PKH23X3],#html-body [data-pb-style=VL9ROI0],#html-body [data-pb-style=YTMHJWR]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=VL9ROI0],#html-body [data-pb-style=YTMHJWR]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=PKH23X3]{align-self:stretch}#html-body [data-pb-style=L4NX7EH]{display:flex;width:100%}#html-body [data-pb-style=DNJELKF],#html-body [data-pb-style=GOUY94W]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=DNJELKF]{justify-content:flex-start}#html-body [data-pb-style=T804FFN]{border-style:none}#html-body [data-pb-style=EIGATG4],#html-body [data-pb-style=H6EWVPF]{max-width:100%;height:auto}#html-body [data-pb-style=VMW37A4]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=Y22BA1R]{text-align:center;border-style:none}#html-body [data-pb-style=ILGKN41],#html-body [data-pb-style=RQCTLTO]{max-width:100%;height:auto}#html-body [data-pb-style=LC9XUEA]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=IN410Y8]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=FWWO677]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=OF2NMRM]{display:flex;width:100%}#html-body [data-pb-style=XU5WES7]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=M7DXLD9]{border-style:none}#html-body [data-pb-style=ED7PXKG],#html-body [data-pb-style=OYIH8I]{max-width:100%;height:auto}#html-body [data-pb-style=J31WGXX],#html-body [data-pb-style=UC6YHPC]{display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=J31WGXX]{justify-content:center;width:50%;align-self:stretch}#html-body [data-pb-style=UC6YHPC]{justify-content:flex-start}#html-body [data-pb-style=CT6EMR5]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=KCYVPSM]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=RTWAIJK]{display:flex;width:100%}#html-body [data-pb-style=TYMDBAI]{justify-content:center;display:flex;flex-direction:column;background-position:left top;backgrou

nd-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch} #html-body [data-pb-style=LDK79UW]{border-style:none} #html-body [data-pb-style=AEVM4HD], #html-body [data-pb-style=BWQ4LMI]{max-width:100%;height:auto} #html-body [data-pb-style=TKPU6MP], #html-body [data-pb-style=YXQQ04V]{display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll} #html-body [data-pb-style=TKPU6MP]{justify-content:center;width:50%;align-self:stretch} #html-body [data-pb-style=YXQQ04V]{justify-content:flex-start} #html-body [data-pb-style=XED2OMV]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=VTWQ2NS]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch} #html-body [data-pb-style=M6YIKJV]{display:flex;width:100%} #html-body [data-pb-style=MDMV01C]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch} #html-body [data-pb-style=JMSO0HP]{border-style:none} #html-body [data-pb-style=NSITEPM], #html-body [data-pb-style=R7MLPYI]{max-width:100%;height:auto} #html-body [data-pb-style=QVSPXBN]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch} @media only screen and (max-width: 384pt) { #html-body [data-pb-style=JMSO0HP], #html-body [data-pb-style=LDK79UW], #html-body [data-pb-style=M7DXLD9], #html-body [data-pb-style=T804FFN], #html-body [data-pb-style=Y22BA1R]{border-style:none} }

MONTREAL od Hardmaister to nowoczesny domek narzędziowy, który wyróżnia się **przestronnością i wytrzymałością**. Wymiary 277x259 cm zapewniają miejsce na przechowywanie różnego rodzaju narzędzi ogrodowych. Stalowe panele ocynkowane ogniowo o grubości 0,25 mm gwarantują trwałość i odporność na warunki pogodowe. Dzięki **możliwości łatwego mycia wodą** pielęgnacja domku jest prosta i szybka. Dach w formie dwuspadu skutecznie odprowadza wodę, zwiększając bezpieczeństwo.

Funkcjonalne drzwi przesuwne

Drzwi przesuwne w modelu MONTREAL to rozwiązanie przemyślane z myślą o miejscach, gdzie liczy się każdy centymetr. Brak potrzeby dodatkowego miejsca na otwieranie sprawia, że **idealnie sprawdzają się na małych podjazdach i w kompaktowych ogrodach**.

Domek z możliwością zamknięcia na kłódkę

Drzwi w domku narzędziowym MONTREAL posiadają uchwyty umożliwiające założenie kłódki, co zapewnia większe bezpieczeństwo przechowywanych rzeczy. **Kłódka nie jest jednak dostarczana w zestawie** i trzeba ją zakupić osobno.

Wybór strony montażu okna - pełna swoboda adaptacji

Domek narzędziowy Montreal oferuje opcję **instalacji okna na dowolnej ścianie**, co pozwala na maksymalną elastyczność w dopasowaniu do ogrodu. Dzięki temu możesz swobodnie kontrolować ilość światła wpadającego do wnętrza.

Stabilna konstrukcja domku

Kątowniki stalowe w modelu MONTREAL zostały **zaprojektowane, aby zwiększyć trwałość i stabilność konstrukcji**. Wzmacniają one ściany, poprawiają sztywność i odporność na warunki atmosferyczne, a powłoka antykorozyjna zapewnia ochronę przed rdzą.

Cyrkulacja powietrza w domu narzędziowym

W domu MONTREAL zastosowano cztery otwory wentylacyjne, które gwarantują **odpowiednią cyrkulację powietrza**. Ich obecność **pozwala zredukować wilgoć** oraz ryzyko pojawienia się pleśni i korozji, szczególnie w trudnych warunkach atmosferycznych.

Ergonomiczny, niski próg w domu

Domek narzędziowy MONTREAL został wyposażony w nisko osadzony próg, który **umożliwia łatwe wprowadzanie większych urządzeń**. Rozwiązanie to jest idealne dla sprzętów takich jak kosiarki czy grille, wymagających stabilnego przejścia.

Dodatkowe informacje

```
#html-body [data-pb-style=AMNY8YD],#html-body [data-pb-style=TOKCIKG]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=TOKCIKG]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=AMNY8YD]{align-self:stretch}#html-body [data-pb-style=TKTR3BN]{display:flex;width:100%}#html-body [data-pb-style=D9MDIE3],#html-body [data-pb-style=OVL8LT]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:66.6667%;align-self:stretch}#html-body [data-pb-style=D9MDIE3]{width:33.3333%}#html-body [data-pb-style=VFTI7B4]{border-style:none}#html-body [data-pb-style=AOA0BIY],#html-body [data-pb-style=NNQ5A1H]{max-width:100%;height:auto}#html-body [data-pb-style=ENNC035],#html-body [data-pb-style=TY1IPRA]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=ENNC035]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=TY1IPRA]{align-self:stretch}#html-body [data-pb-style=F5X9YKU]{display:flex;width:100%}#html-body [data-pb-style=CDWDPMG],#html-body [data-pb-style=SR4FALH]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:8.3333%;align-self:stretch}#html-body [data-pb-style=SR4FALH]{text-align:center;width:83.3333%}#html-body [data-pb-style=GENVETV]{border-style:none}#html-body [data-pb-style=AL30Y4E],#html-body [data-pb-style=X64TPHH]{max-width:100%;height:auto}#html-body [data-pb-style=C1646WE]{width:8.3333%;align-self:stretch}#html-body [data-pb-style=C1646WE],#html-body [data-pb-style=CRUU1NR]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=VV5BPRH]{width:100%;border-width:0pt;border-color:#878787;display:inline-block}#html-body [data-pb-style=BI0BRL8]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=OKI2RVD]{display:flex;width:100%}#html-body [data-pb-style=IH89ID2]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:16.6667%;align-self:stretch}#html-body [data-pb-style=NMJXALU]{border-style:none}#html-body [data-pb-style=UYF5EBI],#html-body [data-pb-style=XCVFQ6X]{max-width:100%;height:auto}#html-body [data-pb-style=EGYEIAM]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:83.3333%;align-self:stretch}@media only screen and (max-width: 384pt) { #html-body [data-pb-style=GENVETV],#html-body [data-pb-style=NMJXALU],#html-body [data-pb-style=VFTI7B4]{border-style:none} }
```

Rekomendacje montażowe:

Przygotowanie podłoża

Domek narzędziowy nie posiada własnej podłogi, dlatego zalecamy przygotowanie odpowiedniej powierzchni pod montaż. Najlepszą opcją jest

wykonanie **wylewki betonowej o grubości 15-20 cm**. Wylewka powinna być większa niż wymiary domku – powinna przekraczać obrys domku **o co najmniej 10 cm**. Taka nadwyżka powierzchni zapewni stabilność i ochronę przed wodą opadową, a także ułatwi montaż.

Montaż domku do podłoża

Przed rozpoczęciem montażu upewnij się, że wylewka betonowa jest odpowiednio wyrównana i całkowicie sucha. Montaż domku na nierównej powierzchni może prowadzić do niestabilności konstrukcji. **W zestawie nie znajdują się kotwy montażowe do podłoża.**

Wykonanie odpowiedniej wylewki betonowej i prawidłowy montaż domku zapewnią jego trwałość i bezpieczeństwo użytkowania przez wiele lat.

Warianty:

- Dostępne rozmiary domku: **277x323 cm** | **277x195 cm**
- Inne kolory modelu Montreal - domek narzędziowy:

Hardmaister to marka specjalizująca się w architekturze ogrodowej, oferująca szeroki wybór **domków narzędziowych, altan i obrzeży trawnikowych**. Nasze produkty wyróżniają się trwałością oraz nowoczesnym designem. Dbamy o to, by każdy element ogrodu łączył w sobie estetykę z funkcjonalnością, tworząc przestrzeń, która nie tylko cieszy oko, ale i ułatwia codzienne prace.