

Link do produktu: <https://www.lisprom.pl/domek-narzedziowy-montreal-277x323cm-cold-grey-hardmaister-p-20965.html>



Domek narzędziowy MONTREAL 277x323cm Cold Grey - Hardmaister

Cena brutto	2 092,60 zł
Cena netto	1 701,30 zł
Dostępność	Dostępny
Czas wysyłki	24 godziny
Numer katalogowy	003105
Kod producenta	003105

Opis produktu

Domek narzędziowy MONTREAL 277x323cm Cold Grey - Hardmaister - Opis

#html-body [data-pb-style=GHJW7OX], #html-body [data-pb-style=PKNP89I], #html-body [data-pb-style=X2VYHH6]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll} #html-body [data-pb-style=GHJW7OX], #html-body [data-pb-style=X2VYHH6]{justify-content:flex-start;display:flex;flex-direction:column} #html-body [data-pb-style=PKNP89I]{align-self:stretch} #html-body [data-pb-style=VLM2T6K]{display:flex;width:100%} #html-body [data-pb-style=UBET6YG], #html-body [data-pb-style=VLFDGVX]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}

Hardmaister MONTREAL to praktyczny domek narzędziowy zaprojektowany z myślą o funkcjonalności i stylu. Stal ocynkowana ogniowo zapewnia doskonałą **odporność na korozję**, a panele 0,25 mm dodatkowo chronią wnętrze przed opadami. **Dwuspadowy dach** i odpowiednia **wentylacja** to cechy, które czynią to rozwiązanie idealnym do ogrodu.

Najważniejsze cechy:

- Cyrkulacja powietrza
- Nie wymaga konserwacji
- Wymiary z dachem 277x323 cm
- Wysokość drzwi 181 cm
- Podwójne drzwi przesuwne
- Kolor: Cold Grey
- Możliwość zamontowania kłódki na drzwiach

-
- Otwory wentylacyjne
 - Odporny na korozję
 - Całoroczny
 - Nie zawiera podłogi
 - Okno z wyborem miejsca montażu
 - Dwuspadowy dach
 - Łatwy montaż, bez specjalistycznej wiedzy technicznej

Dane techniczne

```
#html-body [data-pb-style=AV7CEA1],#html-body [data-pb-style=PNIISR1],#html-body [data-pb-style=VQVN6R5]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=VQVN6R5]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=AV7CEA1],#html-body [data-pb-style=PNIISR1]{align-self:stretch}#html-body [data-pb-style=I9EI6WV]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=D3FXR6T],#html-body [data-pb-style=K1FYBUB]{display:flex;width:100%}#html-body [data-pb-style=HX43SV6],#html-body [data-pb-style=J2E06JA],#html-body [data-pb-style=P9QRBPK],#html-body [data-pb-style=PORELCY],#html-body [data-pb-style=WE7BGH4]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=HX43SV6],#html-body [data-pb-style=P9QRBPK],#html-body [data-pb-style=WE7BGH4]{width:16.6667%}#html-body [data-pb-style=HX43SV6],#html-body [data-pb-style=WE7BGH4]{justify-content:center;width:66.6667%}#html-body [data-pb-style=HX43SV6]{justify-content:flex-start;width:16.6667%}#html-body [data-pb-style=FMSC1O3]{border-style:none}#html-body [data-pb-style=ENQJVA3],#html-body [data-pb-style=MH45Q8I]{max-width:100%;height:auto}@media only screen and (max-width: 384pt) { #html-body [data-pb-style=FMSC1O3]{border-style:none} }
```

Wymiary zewnętrzne z dachem:

- szerokość: **277 cm**
- głębokość: **323 cm**
- wysokość: **219 cm**

Wymiary drzwi:

- szerokość: **117 cm**
- wysokość: **181 cm**

Wymiary okna:

- szerokość: **46 cm**
- wysokość: **24,6 cm**

Powierzchnia: 8,25 m2

Waga (z opakowaniem): 101 kg

Wymiary domku u podstawy:

- szerokość: **267 cm**
- głębokość: **309 cm**
- wysokość: **219 cm**

Wymiary i waga opakowania:

- Karton 1: **189x72x12 cm ; 67 kg**
- Karton 2: **192x27x20 ; 34 kg**

Materiał:

- Konstrukcja: **stal ocynkowana**
- Panele: **stalowe, ocynkowane ogniowo**
(grubość: **0,25 mm**)

Wymiary całkowite:

Zalety

#html-body [data-pb-style=GF7U5PC],#html-body [data-pb-style=J223PEF],#html-body [data-pb-style=X8CXUC6]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=J223PEF],#html-body [data-pb-style=X8CXUC6]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=GF7U5PC]{align-self:stretch}#html-body [data-pb-style=K1EHPQX]{display:flex;width:100%}#html-body [data-pb-style=JGLSUP1],#html-body [data-pb-style=WVIGY3Q]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=WVIGY3Q]{justify-content:flex-start}#html-body [data-pb-style=KFV6BWW]{border-style:none}#html-body [data-pb-style=EXUKRON],#html-body [data-pb-style=U2WW2Y6]{max-width:100%;height:auto}#html-body [data-pb-style=IEE3AU7]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=H1ARKTQ]{text-align:center;border-style:none}#html-body [data-pb-style=MJKMUUU],#html-body [data-pb-style=Q82MGS8]{max-width:100%;height:auto}#html-body [data-pb-style=NPSJ6N6]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=FGR3JXB]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=QN0NJAD]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=GFNK091]{display:flex;width:100%}#html-body [data-pb-style=R1JBEG9]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=RTE1871]{border-style:none}#html-body [data-pb-style=DTC5ULJ],#html-body [data-pb-style=X8G4SNT]{max-width:100%;height:auto}#html-body [data-pb-style=MY9XPM3],#html-body [data-pb-style=QW083WW]{display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=QW083WW]{justify-content:center;width:50%;align-self:stretch}#html-body [data-pb-style=MY9XPM3]{justify-content:flex-start}#html-body [data-pb-style=UI6H58F]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=FFFH6VV]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=SC0HTI5]{display:flex;width:100%}#html-body [data-pb-style=WC1T7DG]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=EH0B3JQ]{border-style:none}#html-body [data-pb-style=L318SMI],#html-body [data-pb-style=MJB5MB8]{max-width:100%;height:auto}#html-body [data-pb-

```
style=J53U5U7],#html-body [data-pb-style=QPX38F7]){display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=J53U5U7]){justify-content:center;width:50%;align-self:stretch}#html-body [data-pb-style=QPX38F7){justify-content:flex-start}#html-body [data-pb-style=SJ7CO5O){width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=EA0BT8Y){background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=YJG20L9){display:flex;width:100%}#html-body [data-pb-style=QMDAX8B){justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=D7GJJE9){border-style:none}#html-body [data-pb-style=GWPAGAQ],#html-body [data-pb-style=ISGKU79){max-width:100%;height:auto}#html-body [data-pb-style=D8F9F9N){justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}@media only screen and (max-width: 384pt) { #html-body [data-pb-style=D7GJJE9],#html-body [data-pb-style=EH0B3JQ],#html-body [data-pb-style=H1ARKTQ],#html-body [data-pb-style=KFV6BWW],#html-body [data-pb-style=RTE1871){border-style:none} }
```

Domek narzędziowy **MONTREAL** marki **Hardmaister** to doskonałe rozwiązanie dla osób poszukujących trwałej przestrzeni do przechowywania. Jego wymiary 277x323 cm zapewniają dużo miejsca na narzędzia i akcesoria ogrodowe. Konstrukcja z paneli stalowych ocynkowanych ogniowo **gwarantuje odporność na trudne warunki pogodowe**. Prosta konserwacja wodą oraz dach w formie dwuspadu zapewniają wygodę użytkowania i bezpieczeństwo.

Funkcjonalne drzwi przesuwne

Przesuwane drzwi w modelu MONTREAL to funkcjonalność i wygoda w jednym. Dzięki nim **dostęp do wnętrza domku jest możliwy nawet w ciasnych przestrzeniach**, co sprawia, że to rozwiązanie świetnie sprawdza się w małych ogrodach.

Domek z możliwością zamknięcia na kłódkę

Domek MONTREAL posiada drzwi z uchwyty, które pozwalają na zamontowanie kłódki lub innego zamka. To praktyczne rozwiązanie dla osób szukających dodatkowej ochrony, ale należy pamiętać, że **kłódka nie jest dostarczana razem z domkiem**.

Wybór strony montażu okna - pełna swoboda adaptacji

Domek narzędziowy Montreal umożliwia montaż okna w dowolnym punkcie konstrukcji, co daje **pełną swobodę aranżacji**. To funkcjonalne rozwiązanie pozwala na dopasowanie ilości światła i dostosowanie do specyfiki ogrodu.

Stabilna konstrukcja domku

Stalowe kątowniki użyte w modelu MONTREAL zapewniają solidność i trwałość całej konstrukcji. Są odporne na obciążenia i działanie warunków atmosferycznych, a ich **powłoka antykorozyjna skutecznie zabezpiecza przed rdzą**.

Cyrkulacja powietrza w domku narzędziowym

Domek narzędziowy MONTREAL wyposażono w cztery otwory wentylacyjne, które **zapobiegają gromadzeniu się wilgoci i zapewniają odpowiednią cyrkulację**. Minimalizują one ryzyko korozji oraz rozwijania się pleśni wewnątrz konstrukcji.

Ergonomiczny, niski próg w domu

Praktyczny próg w domu MONTREAL sprawia, że wprowadzanie ciężkich urządzeń jest niezwykle proste. **Niska konstrukcja umożliwia swobodne przemieszczanie takich przedmiotów jak kosiarki czy grille, bez zbędnego wysiłku.**

Dodatkowe informacje

```
#html-body [data-pb-style=P26T7B]],#html-body [data-pb-style=SX3GNS2]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=SX3GNS2]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=P26T7B]]{align-self:stretch}#html-body [data-pb-style=WTQGYON]{display:flex;width:100%}#html-body [data-pb-style=HCRPGK2],#html-body [data-pb-style=JEXAIRO]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:66.6667%;align-self:stretch}#html-body [data-pb-style=JEXAIRO]{width:33.3333%}#html-body [data-pb-style=HHUEPGM]{border-style:none}#html-body [data-pb-style=ED4K241],#html-body [data-pb-style=Q2OMJU5]{max-width:100%;height:auto}#html-body [data-pb-style=HMR0OA6],#html-body [data-pb-style=P51IUBH]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=HMR0OA6]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=P51IUBH]{align-self:stretch}#html-body [data-pb-style=DY8LEMC]{display:flex;width:100%}#html-body [data-pb-style=KICKYSW],#html-body [data-pb-style=PO73J3O]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:8.3333%;align-self:stretch}#html-body [data-pb-style=KICKYSW]{text-align:center;width:83.3333%}#html-body [data-pb-style=TCFSL1]]{border-style:none}#html-body [data-pb-style=GLIRD8E],#html-body [data-pb-style=Y31391T]{max-width:100%;height:auto}#html-body [data-pb-style=D40KSD6]{width:8.3333%;align-self:stretch}#html-body [data-pb-style=D40KSD6],#html-body [data-pb-style=U8A4KQ8]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=V1TG027]{width:100%;border-width:0pt;border-color:#878787;display:inline-block}#html-body [data-pb-style=VE2BHRO]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=CV9JHDO]{display:flex;width:100%}#html-body [data-pb-style=CQL13CT]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:16.6667%;align-self:stretch}#html-body [data-pb-style=YH54PQC]{border-style:none}#html-body [data-pb-style=MCAE2PQ],#html-body [data-pb-style=WJP8OY7]{max-width:100%;height:auto}#html-body [data-pb-style=BFWT78E]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:83.3333%;align-self:stretch}@media only screen and (max-width: 384pt) { #html-body [data-pb-style=HHUEPGM],#html-body [data-pb-style=TCFSL1]],#html-body [data-pb-style=YH54PQC]{border-style:none} }
```

Rekomendacje montażowe:

Przygotowanie podłoża

Domek narzędziowy nie posiada własnej podłogi, dlatego zalecamy przygotowanie odpowiedniej powierzchni pod montaż. Najlepszą opcją jest wykonanie **wylewki betonowej o grubości 15-20 cm**. Wylewka powinna być większa niż wymiary domku - powinna przekraczać obrys domku **o co najmniej 10 cm**. Taka nadwyżka powierzchni zapewni stabilność i ochronę przed wodą opadową, a także ułatwi montaż.

Montaż domku do podłoża

Przed rozpoczęciem montażu upewnij się, że wylewka betonowa jest odpowiednio wyrównana i całkowicie sucha. Montaż domku na nierównej powierzchni może prowadzić do niestabilności konstrukcji. **W zestawie nie znajdują się kotwy montażowe do podłoża.**

Wykonanie odpowiedniej wylewki betonowej i prawidłowy montaż domku zapewnią jego trwałość i bezpieczeństwo użytkowania przez wiele lat.

Warianty:

- Dostępne rozmiary domku: **277x195 cm | 277x259 cm**
- Inne kolory modelu Montreal - domek narzędziowy:

Hardmaister to marka specjalizująca się w architekturze ogrodowej, oferująca szeroki wybór **domków narzędziowych, altan i obrzeży trawnikowych**. Nasze produkty wyróżniają się trwałością oraz nowoczesnym designem. Dbamy o to, by każdy element ogrodu łączył w sobie estetykę z funkcjonalnością, tworząc przestrzeń, która nie tylko cieszy oko, ale i ułatwia codzienne prace.