

Link do produktu: <https://www.lisprom.pl/domek-narzedziowy-oregon-201x121cm-warm-grey-hardmaister-p-21070.html>



Domek narzędziowy OREGON 201x121cm Warm Grey - Hardmaister

Cena brutto	960,31 zł
Cena netto	780,74 zł
Dostępność	Dostępny
Czas wysyłki	24 godziny
Numer katalogowy	004031
Kod producenta	004031

Opis produktu

#html-body [data-pb-style=GPTD1F0],#html-body [data-pb-style=S0YGSXU]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=S0YGSXU]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=GPTD1F0]{align-self:stretch}#html-body [data-pb-style=CRVTSWN]{display:flex;width:100%}#html-body [data-pb-style=JFOV0GX],#html-body [data-pb-style=LKEANTX]{justify-content:flex-start;display:flex;flex-direction:column;width:50%;align-self:stretch}#html-body [data-pb-style=EY691CS],#html-body [data-pb-style=JFOV0GX],#html-body [data-pb-style=LKEANTX],#html-body [data-pb-style=QGGYQRQ]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=QGGYQRQ]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=EY691CS]{align-self:stretch}#html-body [data-pb-style=CIIKKQ]{display:flex;width:100%}#html-body [data-pb-style=BE188N8],#html-body [data-pb-style=KUIE6LY]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=GC1FNA1]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=YEQXBO6]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=IE8WT90]{display:flex;width:100%}#html-body [data-pb-style=U8118R7],#html-body [data-pb-style=WEGXGCD]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:16.6667%;align-self:stretch}#html-body [data-pb-style=WEGXGCD]{width:66.6667%}#html-body [data-pb-style=HRSE79C]{border-style:none}#html-body [data-pb-style=G51GW29],#html-body [data-pb-style=X7PX1QJ]{max-width:100%;height:auto}#html-body [data-pb-style=YJ9HRUY]{justify-content:flex-start;display:flex;flex-direction:column;width:16.6667%;align-self:stretch}#html-body [data-pb-style=MFQ1U28],#html-body [data-pb-style=P8CW2V2],#html-body [data-pb-style=YJ9HRUY]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=P8CW2V2]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=MFQ1U28]{align-self:stretch}#html-body [data-pb-style=CMN6OLD]{display:flex;width:100%}#html-body [data-pb-style=EIJ23R],#html-body [data-pb-style=H25YXNN]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=H25YXNN]{justify-content:flex-start}#html-body [data-pb-style=V4NHLHF]{border-style:none}#html-body [data-pb-style=D7SEXV4],#html-body [data-pb-style=XV6PV8N]{max-width:100%;height:auto}#html-body [data-pb-style=CF6YWHQ]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=XV4I1UR]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=SHT2FMG]{display:flex;width:100%}#html-body [data-pb-style=KDR1XC9]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=W3376CU]{border-style:none}#html-body [data-pb-style=Q52XTFA],#html-body [data-pb-style=QTOXVOH]{max-width:100%;height:auto}#html-body [data-pb-style=FAUWCYH]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=L3Y7T5X]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=TGVR5IG]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=J0SAIBB]{display:flex;width:100%}#html-body [data-pb-style=DDS2YT9]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=AKIA1SM]{border-style:none}#html-body [data-pb-style=RMHUHM0],#html-body [data-pb-style=U8VSKJM]{max-width:100%;height:auto}#html-body [data-pb-

style=PCYE6G2]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch} #html-body [data-pb-style=WNDAEOL]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=EU6QC5Q]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch} #html-body [data-pb-style=HPDQAM8]{display:flex;width:100%} #html-body [data-pb-style=VKBEDPQ]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch} #html-body [data-pb-style=PMPX3JS]{border-style:none} #html-body [data-pb-style=BPQVE6S], #html-body [data-pb-style=SR3QK70]{max-width:100%;height:auto} #html-body [data-pb-style=BX7K7X8]{justify-content:center;display:flex;flex-direction:column;width:50%;align-self:stretch} #html-body [data-pb-style=BX7K7X8], #html-body [data-pb-style=FI4IRR0], #html-body [data-pb-style=RICDS8W]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll} #html-body [data-pb-style=FI4IRR0]{justify-content:flex-start;display:flex;flex-direction:column} #html-body [data-pb-style=RICDS8W]{align-self:stretch} #html-body [data-pb-style=WF615L]{display:flex;width:100%} #html-body [data-pb-style=T1S3EE1], #html-body [data-pb-style=Y00X0K7]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:66.6667%;align-self:stretch} #html-body [data-pb-style=Y00X0K7]{width:33.3333%} #html-body [data-pb-style=JHX3KDB]{border-style:none} #html-body [data-pb-style=L7DB21E], #html-body [data-pb-style=QEB7WSS]{max-width:100%;height:auto} #html-body [data-pb-style=MN69BA5]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch} #html-body [data-pb-style=FWWM2X]{display:flex;width:100%} #html-body [data-pb-style=BIIF5F], #html-body [data-pb-style=VQRNW7O]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:8.3333%;align-self:stretch} #html-body [data-pb-style=VQRNW7O]{width:83.3333%} #html-body [data-pb-style=OV080PE]{border-style:none} #html-body [data-pb-style=OTL9MHF], #html-body [data-pb-style=OWOFKSN]{max-width:100%;height:auto} #html-body [data-pb-style=X6JK6FP]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:8.3333%;align-self:stretch} #html-body [data-pb-style=XB4OK3A]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=S7E15T0]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch} #html-body [data-pb-style=ARK44PB]{display:flex;width:100%} #html-body [data-pb-style=KP7P2WV]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:16.6667%;align-self:stretch} #html-body [data-pb-style=CQUE56Q]{border-style:none} #html-body [data-pb-style=Q99T7AF], #html-body [data-pb-style=Y1WU699]{max-width:100%;height:auto} #html-body [data-pb-style=IX9WEUT]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:83.3333%;align-self:stretch} @media only screen and (max-width: 384pt) { #html-body [data-pb-style=AKIA1SM], #html-body [data-pb-style=CQUE56Q], #html-body [data-pb-style=HRSE79C], #html-body [data-pb-style=JHX3KDB], #html-body [data-pb-style=OV080PE], #html-body [data-pb-style=PMPX3JS], #html-body [data-pb-style=V4NHLHF], #html-body [data-pb-style=W3376CU]{border-style:none} }

Opis

Hardmaister OREGON 201x121 cm to domek narzędziowy zaprojektowany z myślą o trwałości i funkcjonalności, idealny do ogrodów. Konstrukcja z **ocynkowanej stali** zapewnia ochronę przed korozją, gwarantując długie użytkowanie. **Podwójne drzwi przesuwne** pozwalają na łatwy dostęp do wnętrza, a **otwory wentylacyjne** skutecznie zapobiegają wilgoci i pleśni. Możliwość **zabezpieczenia drzwi kłódką** zwiększa bezpieczeństwo przechowywanych narzędzi (kłódka nie znajduje się w zestawie). **Prosty montaż** oraz brak konieczności konserwacji sprawiają, że jest to praktyczne rozwiązanie dla każdego ogrodu.

Najważniejsze cechy:

- Wymiary z dachem 201x121 cm
- Wysokość drzwi 157 cm
- Podwójne drzwi przesuwne
- Otwory wentylacyjne
- Kolor: Warm Grey
- Łatwy montaż, bez specjalistycznej wiedzy technicznej

-
- Możliwość zamontowania kłódki na drzwiach

- Całoroczny
- Nie wymaga konserwacji
- Spadzisty dach

- Odporny na korozję
- Stalowa konstrukcja
- Nie zawiera podłogi
- Cyrkulacja powietrza

Dane techniczne

Wymiary domku u podstawy:

- szerokość: **191 cm**
- głębokość: **111 cm**

Wymiary i waga opakowania:

- Karton: **172,5x69x12 cm ; 46 kg**

Materiał:

- Konstrukcja: **stal ocynkowana**
- Panele: **stalowe, ocynkowane ogniowo (grubość: 0,25 mm)**

Wymiary zewnętrzne z dachem:

- szerokość: **201 cm**
- głębokość: **121 cm**
- wysokość: **176 cm**

Wymiary drzwi:

- szerokość: **90 cm**
- wysokość: **157 cm**

Waga (z opakowaniem): 46 kg

Powierzchnia: 2,12 m²

Wymiary całkowite:

Zalety

Hardmaister prezentuje **domek narzędziowy OREGON** – nowoczesne i trwałe rozwiązanie do przechowywania sprzętu ogrodowego. Model o wymiarach **201x121 cm** łączy styl z funkcjonalnością, idealny dla pasjonatów ogrodnictwa i majsterkowania. Wykonany z ogniowo ocynkowanych **stalowych paneli o grubości 0,25 mm**, zapewnia odporność na trudne warunki atmosferyczne i promieniowanie UV. Utrzymanie czystości jest proste – wystarczy mycie wodą. **Spadzisty dach** minimalizuje ryzyko zalegania wody i śniegu, gwarantując bezpieczeństwo i długą żywotność.

Funkcjonalne drzwi przesuwne

Podwójne, przesuwne drzwi w domku OREGON to rozwiązanie, które umożliwia wygodny dostęp do wnętrza, nawet na niewielkiej przestrzeni. Dzięki temu domek idealnie pasuje do małych ogrodów i miejsc o ograniczonym metrażu.

Cyrkulacja powietrza w domku narzędziowym

Dwa otwory wentylacyjne w domku OREGON pozwalają na stałą cyrkulację powietrza, co **zabezpiecza wnętrze przed wilgocią**. To skuteczne rozwiązanie ogranicza ryzyko pleśni i korozji w trudnych warunkach pogodowych.

Stabilna konstrukcja domku

Domek OREGON wykorzystuje **stalowe kątowniki** jako elementy wzmacniające, które nadają konstrukcji sztywność i trwałość. Pokryte antykorozyjną powłoką, są **odporne na działanie wilgoci** i zachowują swoje właściwości przez wiele lat.

Zabezpieczenie wnętrza domku narzędziowego

Drzwi w domku OREGON mają **uchwyty umożliwiające montaż kłódki**, co zwiększa bezpieczeństwo przechowywanych narzędzi. Należy pamiętać, że kłódka nie wchodzi w skład zestawu.

Ergonomiczny, niski próg w domku

Próg w domku OREGON został wykonany z myślą o **maksymalnej wygodzie użytkownika**. Dzięki **niskiemu profilowi** wprowadzenie większych sprzętów, takich jak grille i kosiarki, staje się wyjątkowo proste.

Dodatkowe informacje

Rekomendacje montażowe:

Przygotowanie podłoża

Domek narzędziowy nie posiada własnej podłogi, dlatego zalecamy przygotowanie odpowiedniej powierzchni pod montaż. Najlepszą opcją jest wykonanie **wylewki betonowej o grubości 15-20 cm**. Wylewka powinna być większa niż wymiary domku – powinna przekraczać obrys domku **o co najmniej 10 cm**. Taka nadwyżka powierzchni zapewni stabilność i ochronę przed wodą opadową, a także ułatwi montaż.

Montaż domku do podłoża

Przed rozpoczęciem montażu upewnij się, że wylewka betonowa jest odpowiednio wyrównana i całkowicie sucha. Montaż domku na nierównej powierzchni może prowadzić do niestabilności konstrukcji. **W zestawie nie znajdują się kotwy montażowe do podłoża.**

Wykonanie odpowiedniej wylewki betonowej i prawidłowy montaż domku zapewnią jego trwałość i bezpieczeństwo użytkowania przez wiele lat.

Warianty:

- Dostępne rozmiary domku: **261x121 cm** | **261x241 cm** | **261x171cm**
- Inne kolory modelu Oregon - domek narzędziowy:

Hardmaister to marka specjalizująca się w architekturze ogrodowej, oferująca szeroki wybór **domków narzędziowych, altan i obrzeży trawnikowych**. Nasze produkty wyróżniają się trwałością oraz nowoczesnym designem. Dbamy o to, by każdy element ogrodu łączył w sobie estetykę z funkcjonalnością, tworząc przestrzeń, która nie tylko cieszy oko, ale i ułatwia codzienne prace.