

Link do produktu: <https://www.lisprom.pl/domek-ogrodowy-oregon-261x121cm-cold-grey-hardmaister-p-21072.html>



Domek ogrodowy OREGON 261x121cm Cold Grey - Hardmaister

Cena brutto	1 173,95 zł
Cena netto	954,43 zł
Dostępność	Dostępny
Czas wysyłki	24 godziny
Numer katalogowy	004033
Kod producenta	004033

Opis produktu

#html-body [data-pb-style=KGAVRHB],#html-body [data-pb-style=WLCNE0]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=WLCNE0]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=KGAVRHB]{align-self:stretch}#html-body [data-pb-style=CBOWY5C]{display:flex;width:100%}#html-body [data-pb-style=SJ1XH61],#html-body [data-pb-style=TNDACFD]{justify-content:flex-start;display:flex;flex-direction:column;width:50%;align-self:stretch}#html-body [data-pb-style=DMU5FKH],#html-body [data-pb-style=SJ1XH61],#html-body [data-pb-style=TNDACFD],#html-body [data-pb-style=YVFUH43]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=DMU5FKH]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=YVFUH43]{align-self:stretch}#html-body [data-pb-style=HUT05GU]{display:flex;width:100%}#html-body [data-pb-style=F02J8M6],#html-body [data-pb-style=XBOFHQK]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=Q6P3FUT]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=TTY8750]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=SEK65UB]{display:flex;width:100%}#html-body [data-pb-style=GBBQ3S1],#html-body [data-pb-style=GHQ1I5B]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:16.6667%;align-self:stretch}#html-body [data-pb-style=GBBQ3S1]{width:66.6667%}#html-body [data-pb-style=YMOB7TU]{border-style:none}#html-body [data-pb-style=CDC1P2],#html-body [data-pb-style=V99MFEP]{max-width:100%;height:auto}#html-body [data-pb-style=ONXDS6R]{justify-content:flex-start;display:flex;flex-direction:column;width:16.6667%;align-self:stretch}#html-body [data-pb-style=HK1VHL4],#html-body [data-pb-style=ONXDS6R],#html-body [data-pb-style=OXGCL5X]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=HK1VHL4]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=OXGCL5X]{align-self:stretch}#html-body [data-pb-style=KTA44DV]{display:flex;width:100%}#html-body [data-pb-style=L6D1NXN],#html-body [data-pb-style=PENL6DA]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=PENL6DA]{justify-content:flex-start}#html-body [data-pb-style=DRJ5DEV]{border-style:none}#html-body [data-pb-style=HRDJ4II],#html-body [data-pb-style=PKUV4RF]{max-width:100%;height:auto}#html-body [data-pb-style=OLGQJMA]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=VSFPP6B]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=JQ04H9]{display:flex;width:100%}#html-body [data-pb-style=O0X7GI7]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=EFNFCMU]{border-style:none}#html-body [data-pb-style=A4FKDD4],#html-body [data-pb-style=UYEWFIC]{max-width:100%;height:auto}#html-body [data-pb-style=GGDDK3P]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=FK713E7]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=E44KTPP]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=IXGEIUR]{display:flex;width:100%}#html-body [data-pb-style=KIY7HD3]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=NYP0V7R]{border-style:none}#html-body [data-pb-style=MLMKH6D],#html-body [data-pb-style=S8MTV0R]{max-width:100%;height:auto}#html-body [data-pb-

```
style=PAT0EMH){justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch} #html-body [data-pb-style=B0KH18A]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=H74A1FG]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch} #html-body [data-pb-style=VF7RG3S]{display:flex;width:100%} #html-body [data-pb-style=VTAIIJX]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch} #html-body [data-pb-style=PMD8K4R]{border-style:none} #html-body [data-pb-style=VJ4YPCW], #html-body [data-pb-style=X49QYR8]{max-width:100%;height:auto} #html-body [data-pb-style=JXXMPOA]{justify-content:center;display:flex;flex-direction:column;width:50%;align-self:stretch} #html-body [data-pb-style=F3AN4UL], #html-body [data-pb-style=GCX3F68], #html-body [data-pb-style=JXXMPOA]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll} #html-body [data-pb-style=F3AN4UL]{justify-content:flex-start;display:flex;flex-direction:column} #html-body [data-pb-style=GCX3F68]{align-self:stretch} #html-body [data-pb-style=M1WP8KC]{display:flex;width:100%} #html-body [data-pb-style=T1HNDTN], #html-body [data-pb-style=TCRKBU8]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:66.6667%;align-self:stretch} #html-body [data-pb-style=T1HNDTN]{width:33.3333%} #html-body [data-pb-style=CBMD5CQ]{border-style:none} #html-body [data-pb-style=JDB1S2E], #html-body [data-pb-style=XULRK8O]{max-width:100%;height:auto} #html-body [data-pb-style=E4BOGJC]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch} #html-body [data-pb-style=GAWNPBM]{display:flex;width:100%} #html-body [data-pb-style=P8H9JBI], #html-body [data-pb-style=VLRXR1I]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:8.33333%;align-self:stretch} #html-body [data-pb-style=VLRXR1I]{width:83.3333%} #html-body [data-pb-style=G608AFB]{border-style:none} #html-body [data-pb-style=KLGT08K], #html-body [data-pb-style=OFNNTQY]{max-width:100%;height:auto} #html-body [data-pb-style=O6UQF57]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:8.33333%;align-self:stretch} #html-body [data-pb-style=II7B7WL]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=WX37ICN]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch} #html-body [data-pb-style=OE5HJPM]{display:flex;width:100%} #html-body [data-pb-style=X0G0X77]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:16.6667%;align-self:stretch} #html-body [data-pb-style=XKHLWQP]{border-style:none} #html-body [data-pb-style=ER2X1LJ], #html-body [data-pb-style=S55XMSB]{max-width:100%;height:auto} #html-body [data-pb-style=VHUPGLK]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:83.3333%;align-self:stretch} @media only screen and (max-width: 384pt) { #html-body [data-pb-style=CBMD5CQ], #html-body [data-pb-style=DRJ5DEV], #html-body [data-pb-style=EFNFCMU], #html-body [data-pb-style=G608AFB], #html-body [data-pb-style=NYP0V7R], #html-body [data-pb-style=PMD8K4R], #html-body [data-pb-style=XKHLWQP], #html-body [data-pb-style=YMOB7TU]{border-style:none} }
```

Opis

Domek narzędziowy OREGON Hardmaister o wymiarach 201x121 cm łączy trwałość i funkcjonalność. **Wykonany z ocynkowanej stali, jest odporny na rdzę**, a przesuwne drzwi i wentylacja ułatwiają korzystanie z domku. Możliwość zamknięcia drzwi kłódką zapewnia większe bezpieczeństwo.

Najważniejsze cechy:

- Nie wymaga konserwacji
- Wymiary z dachem 261x121 cm
- Wysokość drzwi 157 cm
- Podwójne drzwi przesuwne
- Kolor: Cold Grey
- Cyrkulacja powietrza
- Możliwość zamontowania kłódki na drzwiach

-
- Całoroczny
 - Otwory wentylacyjne
 - Nie zawiera podłogi
 - Spadzisty dach
 - Łatwy montaż, bez specjalistycznej wiedzy technicznej
 - Odporny na korozję
 - Stalowa konstrukcja

Dane techniczne

Wymiary domku u podstawy:

- szerokość: **251 cm**
- głębokość: **111 cm**

Wymiary i waga opakowania:

- Karton: **172,5x69x12 cm ; 46 kg**

Materiał:

- Konstrukcja: **stal ocynkowana**
- Panele: **stalowe, ocynkowane ogniowo (grubość: 0,25 mm)**

Wymiary zewnętrzne z dachem:

- szerokość: **261 cm**
- głębokość: **121 cm**
- wysokość: **176 cm**

Wymiary drzwi:

- szerokość: **109 cm**
- wysokość: **157 cm**

Waga (z opakowaniem): 46 kg

Powierzchnia: 2,79 m2

Wymiary całkowite:

Zalety

Domek narzędziowy OREGON Hardmaister o wymiarach 201x121 cm to trwały i stylowy wybór. Ocynkowana stal o grubości 0,25 mm chroni przed korozją, a **spadzisty dach zapobiega gromadzeniu się wody. Domek jest łatwy w utrzymaniu - wystarczy regularne mycie wodą.**

Funkcjonalne drzwi przesuwne

Domek OREGON z **przesuwanymi drzwiami to praktyczne i oszczędne rozwiązanie przestrzeni.** Mechanizm drzwi pozwala na wygodne korzystanie z domku, eliminując potrzebę miejsca na ich szerokie otwieranie.

Cyrkulacja powietrza w domku narzędziowym

Domek OREGON wyposażony jest w **dwa otwory wentylacyjne, które dbają o regularny przepływ powietrza**. Dzięki nim minimalizowane jest ryzyko wilgoci oraz pleśni, co chroni wnętrze i przechowywany sprzęt. To rozwiązanie skutecznie redukuje ryzyko pleśni i korozji, utrzymując wnętrze w odpowiednim stanie.

Stabilna konstrukcja domku

Kątowniki stalowe w modelu OREGON **wzmacniają konstrukcję, nadając jej większą stabilność i odporność na obciążenia.** Dzięki powłoce antykorozyjnej są one zabezpieczone przed rdzą, co wydłuża żywotność domku.

Zabezpieczenie wnętrza domku narzędziowego

Domek OREGON został **wyposażony w drzwi z uchwytami na kłódkę**, co zapewnia możliwość dodatkowego zabezpieczenia. Warto jednak mieć na uwadze, że **kłódka nie jest dołączona do produktu.**

Ergonomiczny, niski próg w domku

Model OREGON wyróżnia się **niskim progiem, który ułatwia korzystanie z domku**. Ergonomiczna konstrukcja zapewnia łatwy transport dużych urządzeń, takich jak kosiarki czy grille, bez dodatkowego wysiłku.

Dodatkowe informacje

Rekomendacje montażowe:

Przygotowanie podłoża

Domek narzędziowy nie posiada własnej podłogi, dlatego zalecamy przygotowanie odpowiedniej powierzchni pod montaż. Najlepszą opcją jest wykonanie **wylewki betonowej o grubości 15-20 cm**. Wylewka powinna być większa niż wymiary domku – powinna przekraczać obrys domku **o co najmniej 10 cm**. Taka nadwyżka powierzchni zapewni stabilność i ochronę przed wodą opadową, a także ułatwi montaż.

Montaż domku do podłoża

Przed rozpoczęciem montażu upewnij się, że wylewka betonowa jest odpowiednio wyrównana i całkowicie sucha. Montaż domku na nierównej powierzchni może prowadzić do niestabilności konstrukcji. **W zestawie nie znajdują się kotwy montażowe do podłoża.**

Wykonanie odpowiedniej wylewki betonowej i prawidłowy montaż domku zapewnią jego trwałość i bezpieczeństwo użytkowania przez wiele lat.

Warianty:

- Dostępne rozmiary domku: **201x121 cm | 261x241 cm | 261x171cm**
- Inne kolory modelu Oregon - domek narzędziowy:

Hardmaister to marka specjalizująca się w architekturze ogrodowej, oferująca szeroki wybór **domków narzędziowych, altan i obrzeży trawnikowych**. Nasze produkty wyróżniają się trwałością oraz nowoczesnym designem. Dbamy o to, by każdy element ogrodu łączył w sobie estetykę z funkcjonalnością, tworząc przestrzeń, która nie tylko cieszy oko, ale i ułatwia codzienne prace.