

Link do produktu: <https://www.lisprom.pl/domek-ogrodowy-oregon-261x121cm-light-wood-hardmaister-p-21073.html>



Domek ogrodowy OREGON 261x121cm Light Wood - Hardmaister

Cena brutto	1 280,77 zł
Cena netto	1 041,28 zł
Dostępność	Dostępny
Czas wysyłki	24 godziny
Numer katalogowy	004034
Kod producenta	004034

Opis produktu

#html-body [data-pb-style=CJFN1JW],#html-body [data-pb-style=NRUROO7]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=NRUROO7]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=CJFN1JW]{align-self:stretch}#html-body [data-pb-style=YU3HKSU]{display:flex;width:100%}#html-body [data-pb-style=DWCUQ9C],#html-body [data-pb-style=K0BVAB8]{justify-content:flex-start;display:flex;flex-direction:column;width:50%;align-self:stretch}#html-body [data-pb-style=DWCUQ9C],#html-body [data-pb-style=K0BVAB8],#html-body [data-pb-style=KA27QYH],#html-body [data-pb-style=MB7OA90]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=KA27QYH]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=MB7OA90]{align-self:stretch}#html-body [data-pb-style=QEG32CU]{display:flex;width:100%}#html-body [data-pb-style=E584BO4],#html-body [data-pb-style=UEBVUUA]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=MBGORID]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=NYQ9R5Q]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=Y5DIWG4]{display:flex;width:100%}#html-body [data-pb-style=PI7E0OB],#html-body [data-pb-style=YQU75X9]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:16.6667%;align-self:stretch}#html-body [data-pb-style=YQU75X9]{width:66.6667%}#html-body [data-pb-style=DEOB5AM]{border-style:none}#html-body [data-pb-style=E7SQEJ9],#html-body [data-pb-style=GPB4JO3]{max-width:100%;height:auto}#html-body [data-pb-style=X86YAN7]{justify-content:flex-start;display:flex;flex-direction:column;width:16.6667%;align-self:stretch}#html-body [data-pb-style=BJKDO0C],#html-body [data-pb-style=LNE5U2X],#html-body [data-pb-style=X86YAN7]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=BJKDO0C]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=LNE5U2X]{align-self:stretch}#html-body [data-pb-style=DDD42YG]{display:flex;width:100%}#html-body [data-pb-style=HHI46HB],#html-body [data-pb-style=TD3C2T4]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=TD3C2T4]{justify-content:flex-start}#html-body [data-pb-style=OBD8L47]{border-style:none}#html-body [data-pb-style=DMBIWLE],#html-body [data-pb-style=NJD43UE]{max-width:100%;height:auto}#html-body [data-pb-style=CLAKDLB]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=B29R3E3]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=KCG54H6]{display:flex;width:100%}#html-body [data-pb-style=BBMDRMK]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=GQTKUJJ]{border-style:none}#html-body [data-pb-style=ILWSUS4],#html-body [data-pb-style=MXIY8C]{max-width:100%;height:auto}#html-body [data-pb-style=KE59UET]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=MFLVRG8]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=N6HDJT9]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=SOJCIE]{display:flex;width:100%}#html-body [data-pb-style=AFN1RB7]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=KM9I7UQ]{border-style:none}#html-body [data-pb-style=U9EJECB],#html-body [data-pb-style=UE8BWEK]{max-width:100%;height:auto}#html-body [data-pb-

style=RWHM0PM]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch} #html-body [data-pb-style=JXIWUCL]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=YN9X6YN]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch} #html-body [data-pb-style=BPO8ME6]{display:flex;width:100%} #html-body [data-pb-style=PG4QRPA]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch} #html-body [data-pb-style=XFCJYTC]{border-style:none} #html-body [data-pb-style=IWP4UII], #html-body [data-pb-style=J7HI9JF]{max-width:100%;height:auto} #html-body [data-pb-style=OUYSWUT]{justify-content:center;display:flex;flex-direction:column;width:50%;align-self:stretch} #html-body [data-pb-style=JQTBD0Q], #html-body [data-pb-style=OUYSWUT], #html-body [data-pb-style=QO6QH6Q]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll} #html-body [data-pb-style=QO6QH6Q]{justify-content:flex-start;display:flex;flex-direction:column} #html-body [data-pb-style=JQTBD0Q]{align-self:stretch} #html-body [data-pb-style=ILC28CS]{display:flex;width:100%} #html-body [data-pb-style=DTQ5OJ0], #html-body [data-pb-style=ROW933M]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:66.6667%;align-self:stretch} #html-body [data-pb-style=ROW933M]{width:33.3333%} #html-body [data-pb-style=PK2YU3N]{border-style:none} #html-body [data-pb-style=AF6YP9O], #html-body [data-pb-style=LU23UU3]{max-width:100%;height:auto} #html-body [data-pb-style=OGU8663]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch} #html-body [data-pb-style=DEK0VLT]{display:flex;width:100%} #html-body [data-pb-style=KLWJFVU], #html-body [data-pb-style=XOOPHEP]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:8.3333%;align-self:stretch} #html-body [data-pb-style=XOOPHEP]{width:83.3333%} #html-body [data-pb-style=SI7VKA1]{border-style:none} #html-body [data-pb-style=J9FW00], #html-body [data-pb-style=N6LOB9T]{max-width:100%;height:auto} #html-body [data-pb-style=CXS3K2L]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:8.3333%;align-self:stretch} #html-body [data-pb-style=XQWX521]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=M70W7XH]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch} #html-body [data-pb-style=UH92A0A]{display:flex;width:100%} #html-body [data-pb-style=W2W9D68]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:16.6667%;align-self:stretch} #html-body [data-pb-style=P33T2HI]{border-style:none} #html-body [data-pb-style=GUMRPAT], #html-body [data-pb-style=SBD55W5]{max-width:100%;height:auto} #html-body [data-pb-style=BELCC8A]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:83.3333%;align-self:stretch}@media only screen and (max-width: 384pt) { #html-body [data-pb-style=DEOB5AM], #html-body [data-pb-style=GQTKUJJ], #html-body [data-pb-style=KM9I7UQ], #html-body [data-pb-style=OBD8L47], #html-body [data-pb-style=P33T2HI], #html-body [data-pb-style=PK2YU3N], #html-body [data-pb-style=SI7VKA1], #html-body [data-pb-style=XFCJYTC]{border-style:none} }

Opis

Domek narzędziowy OREGON 201x121 cm to funkcjonalna konstrukcja marki Hardmaister, **wykonana z ocynkowanej stali, odpornej na rdzę**. Podwójne drzwi przesuwne gwarantują wygodę użytkowania, a **wentylacja dba o suchość wnętrza**. Opcja zamknięcia drzwi na kłódkę podnosi poziom bezpieczeństwa.

Najważniejsze cechy:

- Nie wymaga konserwacji
- Wymiary z dachem 261x121 cm
- Wysokość drzwi 157 cm
- Podwójne drzwi przesuwne
- Kolor: Light Wood
- Cyrkulacja powietrza
- Możliwość zamontowania kłódki na drzwiach

-
- Całoroczny
 - Otwory wentylacyjne
 - Nie zawiera podłogi
 - Spadzisty dach
 - Łatwy montaż, bez specjalistycznej wiedzy technicznej
 - Odporny na korozję
 - Stalowa konstrukcja

Dane techniczne

Wymiary domku u podstawy:

- szerokość: **251 cm**
- głębokość: **111 cm**

Wymiary i waga opakowania:

- Karton: **172,5x69x12 cm ; 46 kg**

Materiał:

- Konstrukcja: **stal ocynkowana**
- Panele: **stalowe, ocynkowane ogniowo (grubość: 0,25 mm)**

Wymiary zewnętrzne z dachem:

- szerokość: **261 cm**
- głębokość: **121 cm**
- wysokość: **176 cm**

Wymiary drzwi:

- szerokość: **109 cm**
- wysokość: **157 cm**

Waga (z opakowaniem): 46 kg

Powierzchnia: 2,79 m2

Wymiary całkowite:

Zalety

Domek narzędziowy OREGON 201x121 cm Hardmaister to idealny wybór dla osób szukających solidnego rozwiązania do przechowywania narzędzi. **Wykonany z ocynkowanej stali, jest odporny na trudne warunki atmosferyczne**, a spadzisty dach chroni przed wodą i śniegiem. Czyszczenie ogranicza się do regularnego mycia.

Funkcjonalne drzwi przesuwne

Przesuwane drzwi w domku OREGON to idealne rozwiązanie dla osób, które potrzebują funkcjonalności w ograniczonej przestrzeni. **Mechanizm drzwi zapewnia wygodne użytkowanie** bez konieczności dodatkowego miejsca na ich otwieranie.

Cyrkulacja powietrza w domku narzędziowym

Dwa otwory wentylacyjne w domku OREGON zapewniają prawidłową cyrkulację powietrza, zapobiegając wilgoci i pleśni. **Rozwiązanie to minimalizuje ryzyko korozji** i dba o odpowiednie warunki wewnątrz konstrukcji.

Stabilna konstrukcja domku

Stalowe kątowniki w domku OREGON zapewniają **solidność i trwałość konstrukcji**. Nadają jej sztywność, **zwiększając odporność na trudne warunki atmosferyczne**, a antykorozyjna powłoka zapobiega rdzewieniu w wilgotnym środowisku.

Zabezpieczenie wnętrza domku narzędziowego

Domek narzędziowy **OREGON** oferuje uchwyty w drzwiach, które **umożliwiają zamocowanie kłódki lub zamka**. Dzięki temu można zabezpieczyć przechowywany sprzęt, lecz należy pamiętać, że kłódka nie jest dołączona.

Ergonomiczny, niski próg w domku

Domek OREGON został wyposażony w **funkcjonalny próg, który umożliwia wygodne wprowadzanie sprzętu ogrodowego**. Niska konstrukcja jest idealna do transportu ciężkich urządzeń, takich jak kosiarki lub grille.

Dodatkowe informacje

Rekomendacje montażowe:

Przygotowanie podłoża

Domek narzędziowy nie posiada własnej podłogi, dlatego zalecamy przygotowanie odpowiedniej powierzchni pod montaż. Najlepszą opcją jest wykonanie **wylewki betonowej o grubości 15-20 cm**. Wylewka powinna być większa niż wymiary domku – powinna przekraczać obrys domku **o co najmniej 10 cm**. Taka nadwyżka powierzchni zapewni stabilność i ochronę przed wodą opadową, a także ułatwi montaż.

Montaż domku do podłoża

Przed rozpoczęciem montażu upewnij się, że wylewka betonowa jest odpowiednio wyrównana i całkowicie sucha. Montaż domku na nierównej powierzchni może prowadzić do niestabilności konstrukcji. **W zestawie nie znajdują się kotwy montażowe do podłoża.**

Wykonanie odpowiedniej wylewki betonowej i prawidłowy montaż domku zapewnią jego trwałość i bezpieczeństwo użytkowania przez wiele lat.

Warianty:

- Dostępne rozmiary domku: **201x121 cm | 261x241 cm | 261x171cm**
- Inne kolory modelu Oregon - domek narzędziowy:

Hardmaister to marka specjalizująca się w architekturze ogrodowej, oferująca szeroki wybór **domków narzędziowych, altan i obrzeży trawnikowych**. Nasze produkty wyróżniają się trwałością oraz nowoczesnym designem. Dbamy o to, by każdy element ogrodu łączył w sobie estetykę z funkcjonalnością, tworząc przestrzeń, która nie tylko cieszy oko, ale i ułatwia codzienne prace.