

Link do produktu: <https://www.lisprom.pl/domek-ogrodowy-oregon-261x181cm-cold-grey-hardmaister-p-21077.html>



Domek ogrodowy OREGON 261x181cm Cold Grey - Hardmaister

Cena brutto	1 376,91 zł
Cena netto	1 119,44 zł
Dostępność	Dostępny
Czas wysyłki	24 godziny
Numer katalogowy	004038
Kod producenta	004038

Opis produktu

#html-body [data-pb-style=JTV5MXP],#html-body [data-pb-style=QP74NW4]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=QP74NW4]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=JTV5MXP]{align-self:stretch}#html-body [data-pb-style=UNBQHS5]{display:flex;width:100%}#html-body [data-pb-style=DYT8V3B],#html-body [data-pb-style=R059HIR]{justify-content:flex-start;display:flex;flex-direction:column;width:50%;align-self:stretch}#html-body [data-pb-style=DYT8V3B],#html-body [data-pb-style=Q0VQDJ]{align-self:stretch}#html-body [data-pb-style=R059HIR],#html-body [data-pb-style=XPB1ELI]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=XPB1ELI]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=Q0VQDJ]{align-self:stretch}#html-body [data-pb-style=TRF0IO]{display:flex;width:100%}#html-body [data-pb-style=IW5YRIU],#html-body [data-pb-style=K482PFB]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=WHPLQQ7]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=MMGK3N2]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=V7QI35T]{display:flex;width:100%}#html-body [data-pb-style=KAQ4Q8L],#html-body [data-pb-style=YNVDFG8]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:16.6667%;align-self:stretch}#html-body [data-pb-style=KAQ4Q8L]{width:66.6667%}#html-body [data-pb-style=G7JR3LS]{border-style:none}#html-body [data-pb-style=K5Q1SSC],#html-body [data-pb-style=KQYVO9O]{max-width:100%;height:auto}#html-body [data-pb-style=QKY5TFS]{justify-content:flex-start;display:flex;flex-direction:column;width:16.6667%;align-self:stretch}#html-body [data-pb-style=BQTDY08],#html-body [data-pb-style=HG17NIY],#html-body [data-pb-style=QKY5TFS]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=BQTDY08]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=HG17NIY]{align-self:stretch}#html-body [data-pb-style=C74R3Q0]{display:flex;width:100%}#html-body [data-pb-style=IUOSC8D],#html-body [data-pb-style=RRD3BHG]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=IUOSC8D]{justify-content:flex-start}#html-body [data-pb-style=F5PJVW5]{border-style:none}#html-body [data-pb-style=JUE3EKY],#html-body [data-pb-style=XHLHN0M]{max-width:100%;height:auto}#html-body [data-pb-style=H716R9K]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=O3N45SE]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=DP70XAC]{display:flex;width:100%}#html-body [data-pb-style=U6HVOWI]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=VMC4HDL]{border-style:none}#html-body [data-pb-style=AKKMJVQ],#html-body [data-pb-style=OKRGA0C]{max-width:100%;height:auto}#html-body [data-pb-style=G2QCOWQ]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=WSDGVF6]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=NW3BCER]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=DL0FNUI]{display:flex;width:100%}#html-body [data-pb-style=H4SKDWE]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=GAP0B62]{border-style:none}#html-body [data-pb-style=EP4B655],#html-body [data-pb-style=NDVE93H]{max-width:100%;height:auto}#html-body [data-pb-

style=QTC2VE5}{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch} #html-body [data-pb-style=NKBS11I]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=V0IQCO6]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch} #html-body [data-pb-style=AXMCCVP]{display:flex;width:100%} #html-body [data-pb-style=WAL14OR]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch} #html-body [data-pb-style=TUP3XWB]{border-style:none} #html-body [data-pb-style=BWUUV2C], #html-body [data-pb-style=O2EHKH5]{max-width:100%;height:auto} #html-body [data-pb-style=CC75FKY]{justify-content:center;display:flex;flex-direction:column;width:50%;align-self:stretch} #html-body [data-pb-style=CC75FKY], #html-body [data-pb-style=LGMTU6O], #html-body [data-pb-style=PGS4S40]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll} #html-body [data-pb-style=PGS4S40]{justify-content:flex-start;display:flex;flex-direction:column} #html-body [data-pb-style=LGMTU6O]{align-self:stretch} #html-body [data-pb-style=TUVLNP9]{display:flex;width:100%} #html-body [data-pb-style=B9WNXL7], #html-body [data-pb-style=TYFCH8O]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:66.6667%;align-self:stretch} #html-body [data-pb-style=B9WNXL7]{width:33.3333%} #html-body [data-pb-style=V4G1N5X]{border-style:none} #html-body [data-pb-style=DUNTMJE], #html-body [data-pb-style=YM1B4C7]{max-width:100%;height:auto} #html-body [data-pb-style=FGWLJGQ]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch} #html-body [data-pb-style=KIAH3JH]{display:flex;width:100%} #html-body [data-pb-style=GRAVA3O], #html-body [data-pb-style=KH4QRMV]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:8.3333%;align-self:stretch} #html-body [data-pb-style=GRAVA3O]{width:83.3333%} #html-body [data-pb-style=IUJQWRB]{border-style:none} #html-body [data-pb-style=E1GGLXU], #html-body [data-pb-style=VW2OOCR]{max-width:100%;height:auto} #html-body [data-pb-style=B3S0BPE]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:8.3333%;align-self:stretch} #html-body [data-pb-style=D9TPCFC]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=C86Q8P8]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch} #html-body [data-pb-style=CCHLCNB]{display:flex;width:100%} #html-body [data-pb-style=YYI1TWJ]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:16.6667%;align-self:stretch} #html-body [data-pb-style=UF1XLCY]{border-style:none} #html-body [data-pb-style=F8AGVO], #html-body [data-pb-style=IUSJ820]{max-width:100%;height:auto} #html-body [data-pb-style=OHSBUK9]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:83.333%;align-self:stretch}@media only screen and (max-width: 384pt) { #html-body [data-pb-style=F5PJVV5], #html-body [data-pb-style=G7JR3LS], #html-body [data-pb-style=GAP0B62], #html-body [data-pb-style=IUJQWRB], #html-body [data-pb-style=TUP3XWB], #html-body [data-pb-style=UF1XLCY], #html-body [data-pb-style=V4G1N5X], #html-body [data-pb-style=VMC4HDL]{border-style:none} }

Opis

Hardmaister OREGON **261x181 cm** to funkcjonalny domek narzędziowy o nowoczesnym designie i trwałej konstrukcji. Wykonany z **ocynkowanej stali**, wyróżnia się wysoką **odpornością na rdzę** i solidnością. **Przesuwne drzwi** ułatwiają dostęp, a **otwory wentylacyjne** dbają o przepływ powietrza, chroniąc przed wilgocią. Możliwość **zamknięcia drzwi na kłódkę** podnosi poziom bezpieczeństwa. Panele o strukturze przypominającej drewniane deski w eleganckim odcieniu idealnie wpasowują się w każde otoczenie. **Spadzisty dach z blachy** skutecznie odprowadza wodę, chroniąc domek przed uszkodzeniami i przeciążeniem.

Najważniejsze cechy:

- Wymiary z dachem 261x181 cm
- Wysokość drzwi 157 cm
- Kolor: Cold Grey
- Podwójne drzwi przesuwne
- Cyrkulacja powietrza

-
- Nie wymaga konserwacji
 - Możliwość zamontowania kłódki na drzwiach
 - Całoroczny
 - Otwory wentylacyjne
 - Spadzisty dach
 - Łatwy montaż, bez specjalistycznej wiedzy technicznej
 - Odporny na korozję
 - Nie zawiera podłogi
 - Stalowa konstrukcja

Dane techniczne

Wymiary domku u podstawy:

- szerokość: **251 cm**
- głębokość: **171 cm**

Wymiary i waga opakowania:

- Karton: **177x71x13 cm ; 56 kg**

Materiał:

- Konstrukcja: **stal ocynkowana**
- Panele: **stalowe, ocynkowane ogniowo (grubość: 0,25 mm)**

Wymiary zewnętrzne z dachem:

- szerokość: **261 cm**
- głębokość: **181 cm**
- wysokość: **176 cm**

Wymiary drzwi:

- szerokość: **109 cm**
- wysokość: **157 cm**

Waga (z opakowaniem): 56 kg

Powierzchnia: 4,29 m2

Wymiary całkowite:

Zalety

Hardmaister OREGON to nowoczesny domek narzędziowy o wymiarach **261x181 cm**, wykonany z odpornej na warunki atmosferyczne **ocynkowanej stali**. **Spadzisty dach** odprowadza wodę, a konstrukcja nie wymaga skomplikowanej konserwacji – wystarczy regularne czyszczenie wodą.

Funkcjonalne drzwi przesuwne

Drzwi przesuwne zastosowane w domku OREGON ułatwiają dostęp do wnętrza bez potrzeby dodatkowej przestrzeni na ich otwieranie. Dzięki temu domek świetnie sprawdza się w ciasnych miejscach, takich jak małe ogrody.

Cyrkulacja powietrza w domku narzędziowym

Dwa otwory wentylacyjne w modelu OREGON dbają o **stały przepływ powietrza**, eliminując ryzyko gromadzenia się wilgoci. Rozwiązanie to skutecznie **chroni konstrukcję przed pleśnią** i korozją, zapewniając jej dłuższą żywotność.

Stabilna konstrukcja domku

Stalowe kątowniki w domku OREGON pełnią funkcję wzmacniającą, zapewniając stabilność ścian i **odporność na obciążenia**. Ich powierzchnia została pokryta warstwą antykorozyjną, co zabezpiecza je przed rdzewieniem.

Zabezpieczenie wnętrza domku narzędziowego

Model OREGON został wyposażony w uchwyty na kłódkę, które zapewniają możliwość **dodatkowego zabezpieczenia drzwi**. Warto jednak zauważyć, że kłódka nie jest dostarczana z produktem i należy ją zakupić oddzielnie.

Ergonomiczny, niski próg w domku

Próg w modelu OREGON został zaprojektowany z myślą o łatwości użytkowania. Dzięki **niskiej konstrukcji** można bez wysiłku przetransportować większe urządzenia, takie jak kosiarki czy grille, do wnętrza domku.

Dodatkowe informacje

Rekomendacje montażowe:

Przygotowanie podłoża

Domek narzędziowy nie posiada własnej podłogi, dlatego zalecamy przygotowanie odpowiedniej powierzchni pod montaż. Najlepszą opcją jest wykonanie **wylewki betonowej o grubości 15-20 cm**. Wylewka powinna być większa niż wymiary domku – powinna przekraczać obrys domku **o co najmniej 10 cm**. Taka nadwyżka powierzchni zapewni stabilność i ochronę przed wodą opadową, a także ułatwi montaż.

Montaż domku do podłoża

Przed rozpoczęciem montażu upewnij się, że wylewka betonowa jest odpowiednio wyrównana i całkowicie sucha. Montaż domku na nierównej powierzchni może prowadzić do niestabilności konstrukcji. **W zestawie nie znajdują się kotwy montażowe do podłoża.**

Wykonanie odpowiedniej wylewki betonowej i prawidłowy montaż domku zapewnią jego trwałość i bezpieczeństwo użytkowania przez wiele lat.

Warianty:

- Dostępne rozmiary domku: **261x121 cm** | **201x121 cm** | **261x241 cm**
- Inne kolory modelu Oregon - domek narzędziowy:

Hardmaister to marka specjalizująca się w architekturze ogrodowej, oferująca szeroki wybór **domków narzędziowych**, **altan** i **obrzeży trawnikowych**. Nasze produkty wyróżniają się trwałością oraz nowoczesnym designem. Dbamy o to, by każdy element ogrodu łączył w sobie estetykę z funkcjonalnością, tworząc przestrzeń, która nie tylko cieszy oko, ale i ułatwia codzienne prace.