

Link do produktu: <https://www.lisprom.pl/ogrodzenie-brazowe-18m-do-mocowania-w-betonie-keter-p-25271.html>

Ogrodzenie brązowe 18m do mocowania w betonie– Keter

Cena brutto	9 933,19 zł
Cena netto	8 075,76 zł
Dostępność	Dostępny
Czas wysyłki	24 godziny
Numer katalogowy	007953
Kod producenta	007953

Opis produktu

#html-body [data-pb-style=KSPEA8H],#html-body [data-pb-style=PINLTYU]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=PINLTYU]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=KSPEA8H]{align-self:stretch}#html-body [data-pb-style=VQR9QP3]{display:flex;width:100%}#html-body [data-pb-style=I6XP7P9],#html-body [data-pb-style=VCEQGWH]{justify-content:flex-start;display:flex;flex-direction:column;width:50%}#html-body [data-pb-style=I6XP7P9],#html-body [data-pb-style=QWDQJIM],#html-body [data-pb-style=VCEQGWH]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=Y9AN5YC]{display:flex;width:100%}#html-body [data-pb-style=EYWE9YH]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:100%;align-self:stretch}#html-body [data-pb-style=Y6AY4CF]{border-style:none}#html-body [data-pb-style=AHOUY3],#html-body [data-pb-style=VWL5Q28]{max-width:100%;height:auto}#html-body [data-pb-style=CLNHV1G]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=YN238C9]{border-style:none}#html-body [data-pb-style=DUUW13G],#html-body [data-pb-style=GUHX64X]{max-width:100%;height:auto}#html-body [data-pb-style=E7Y40DF]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=XPVG6BC]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=XDDY179]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=PQ3UXM7]{display:flex;width:100%}#html-body [data-pb-style=IOA9E4D],#html-body [data-pb-style=RX6YMP2]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:83.3333%;align-self:stretch}#html-body [data-pb-style=IOA9E4D]{width:16.6667%}#html-body [data-pb-style=HBO5UYH]{border-style:none}#html-body [data-pb-style=I519J3G],#html-body [data-pb-style=JR7OFIK]{max-width:100%;height:auto}#html-body [data-pb-style=B8WJEOI]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=H484M7F]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=FFGC18]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=LWCX9TC]{display:flex;width:100%}#html-body [data-pb-style=SHREOXS]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:25%;align-self:stretch}#html-body [data-pb-style=ODBHYRR]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=YDM4T53]{border-style:none}#html-body [data-pb-style=QOR6XNU],#html-body [data-pb-style=UV8CR92]{max-width:100%;height:auto}#html-body [data-pb-style=R5VQUNM]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:75%;align-self:stretch}#html-body [data-pb-style=WS1T2DO]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=GSILW7Q]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=F40I8CE]{display:flex;width:100%}#html-body [data-pb-style=C3KMH4N]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:25%;align-self:stretch}#html-body [data-pb-style=PGE72W5]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=XAKMQQ]{border-style:none}#html-body [data-pb-style=FHCXJ4C],#html-body [data-pb-style=K4601KB]{max-width:100%;height:auto}#html-body [data-pb-style=KKRPN6K]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-

size:cover;background-repeat:no-repeat;background-attachment:scroll;width:75%;align-self:stretch}#html-body [data-pb-style=KFJ14E9]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=WCMTXW5]{display:flex;width:100%}#html-body [data-pb-style=EI16EQW]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:25%;align-self:stretch}#html-body [data-pb-style=HEJ6OOY]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=L6AH0R3]{border-style:none}#html-body [data-pb-style=IUDK98I],#html-body [data-pb-style=V1E5N83]{max-width:100%;height:auto}#html-body [data-pb-style=X8H9J4C]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:75%;align-self:stretch}#html-body [data-pb-style=T9QHL8T]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=BMJQXRB]{display:flex;width:100%}#html-body [data-pb-style=LWFNFNG]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:25%;align-self:stretch}#html-body [data-pb-style=KNINBOI]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=JO9M28L]{border-style:none}#html-body [data-pb-style=Q49TG5F],#html-body [data-pb-style=UO39JKS]{max-width:100%;height:auto}#html-body [data-pb-style=F911RY3]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:75%;align-self:stretch}#html-body [data-pb-style=IQSUR4O]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=OCGO6Q4]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=DM91PU9]{display:flex;width:100%}#html-body [data-pb-style=RD1KWWP]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:25%;align-self:stretch}#html-body [data-pb-style=U203HWY]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=MH4VIHU]{border-style:none}#html-body [data-pb-style=BN42TSU],#html-body [data-pb-style=R5E4M6E]{max-width:100%;height:auto}#html-body [data-pb-style=PVO6GI8]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:75%;align-self:stretch}#html-body [data-pb-style=P1MOTLC]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=I2EXGD6]{display:flex;width:100%}#html-body [data-pb-style=WUXIS91]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:25%;align-self:stretch}#html-body [data-pb-style=T2TA847]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=CN79JCW]{border-style:none}#html-body [data-pb-style=I51ET3E],#html-body [data-pb-style=PVQ19BI]{max-width:100%;height:auto}#html-body [data-pb-style=YMXD0RQ]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:75%;align-self:stretch}#html-body [data-pb-style=ESFQM77]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=F87Y8F]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=QUBOS5Y]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=VB7G3X7]{border-style:none}#html-body [data-pb-style=NAB3QKJ],#html-body [data-pb-style=TGVK5YE]{max-width:100%;height:auto}#html-body [data-pb-style=BC5TF2F],#html-body [data-pb-style=GSLC8PP]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=V2QQA87],#html-body [data-pb-style=WIQIROA]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=SX0GYDX]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=V7HM3FH]{display:flex;width:100%}#html-body [data-pb-style=Q6WEODX]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:16.6667%;align-self:stretch}#html-body [data-pb-style=U23IW7W]{border-style:none}#html-body [data-pb-style=QT3QJ5E],#html-body [data-pb-style=SQJF4X7]{max-width:100%;height:auto}#html-body [data-pb-style=J6RVUV]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:83.3333%;align-self:stretch}@media only screen and (max-width: 384pt) { #html-body [data-pb-style=CN79JCW],#html-body [data-pb-style=HBO5UYH],#html-body [data-pb-style=JO9M28L],#html-body [data-pb-style=L6AH0R3],#html-body [data-pb-style=MH4VIHU],#html-body [data-pb-style=U23IW7W],#html-body [data-pb-style=VB7G3X7],#html-body [data-pb-style=XAQKMQQ],#html-body [data-pb-style=Y6AY4CF],#html-body [data-pb-style=YDM4T53],#html-body [data-pb-style=YN238C9]{border-style:none} }

Opis

Ogrodzenie brązowe 18 m do mocowania w betonie od Keter to coś więcej niż zwykły płot ogrodowy – to nowoczesny system modułowy, który łączy elegancki wygląd z niezrównaną trwałością i **brakiem konieczności konserwacji**. Stworzony z myślą o użytkownikach, którzy oczekują czegoś więcej niż tylko przegrody między posesjami, staje się istotnym elementem architektury zewnętrznej – funkcjonalnym, stylowym i odpornym na upływ czasu. Ogrodzenie **posiada identyczne wykończenie po obu stronach**, dzięki temu prezentuje się estetycznie z każdej perspektywy. Dzięki **innowacyjnej technologii Evotech™**, ogrodzenie Keter naśladuje fakturę i kolorystykę naturalnego drewna, zachowując przy tym wszystkie zalety nowoczesnych materiałów kompozytowych. **Montaż na pióro-wpust jest prosty, bez użycia specjalistycznych narzędzi**. Ogrodzenie można w łatwy sposób dociąć do potrzebnej długości, dostosowując je do indywidualnych wymiarów przestrzeni. Płot od Keter oferuje łatwy montaż, modułowość oraz dopasowanie do różnych typów

terenu – od przydomowych ogródków po duże przestrzenie rekreacyjne. Jeśli szukasz płotu ogrodowego, który łączy estetykę z funkcjonalnością i sprawdzi się w każdych warunkach atmosferycznych – ogrodzenie Keter to wybór, który spełni wszystkie Twoje oczekiwania.

Najważniejsze cechy

- Łączna długość przęsła ogrodzeniowego: 18 m
 - Panele o podwójnych ściankach (21 mm)
 - Identyczna struktura z obu stron
 - Technologia Evotech™
 - Nie wymaga konserwacji
 - Łatwy w montażu i czyszczeniu
 - Montaż oparty na łączeniu pióro-wpust
 - Odpowiedni do uporządkowanej powierzchni
 - Niezwykle solidny i wytrzymały
-
- Możliwość docięcia do wymaganej długości
 - Nie łuszczy się, nie rdzewieje i nie butwieje
 - Zapewnia prywatność i bezpieczeństwo
 - Łatwy do transportu
 - Panele o podwójnych ściankach (21 mm)
 - Odporny na niekorzystne warunki pogodowe oraz promienie UV
 - 10-letnia gwarancja producenta firmy Keter
 - Kolor: brązowy

Wymiary

Wymiary dla pojedynczego modułu:

Oferta obejmuje zestaw składający się z dziesięciu modułów:

Zalety

Ogrodzenia marki Keter to solidne i długowieczne rozwiązanie, idealne zarówno do ogrodów przydomowych, jak i przestrzeni użytkowych. Zbudowane z wytrzymałych paneli o podwójnych ściankach (21 mm), **skutecznie opierają się uszkodzeniom mechanicznym oraz wpływowi niekorzystnych warunków pogodowych**. Dzięki mocnej konstrukcji **zachowują atrakcyjny wygląd na wiele lat** – niezależnie od sezonu. To doskonała opcja dla tych, którzy poszukują estetycznego, nowoczesnego ogrodzenia bez konieczności konserwacji.

Nie wymaga konserwacji

Ogrodzenie Keter **różni się od tradycyjnych płotów drewnianych i metalowych** tym, że nie potrzebuje konserwacji.

Ogrodzeniowe panele to praktyczne rozwiązanie do wyraźnego oddzielenia posesji, które skutecznie **chroni przed niechcianymi spojrzzeniami sąsiadów i przechodniów**. Zapewniają prywatność oraz wpływają na większe poczucie bezpieczeństwa mieszkańców. To świetna propozycja dla osób poszukujących wytrzymałego, estetycznego i bezobsługowego ogrodzenia. Doskonale sprawdzą się zarówno w nowoczesnych ogrodach, jak i na terenach użytkowych.

Nowoczesne wykończenie

Dzięki zastosowaniu wysokiej jakości tworzywa sztucznego oraz innowacyjnej technologii Evotech™, która nadaje panelom realistyczny wygląd drewna bez jego typowych wad, **płot nie łuszczy się, nie butwieje i nie rdzewieje**.

Odporność na niekorzystne warunki pogodowe

Płot jest odporny na niekorzystne warunki atmosferyczne oraz promieniowanie UV, co zapewnia jego **trwałość i estetyczny wygląd przez długie lata**.

Wytrzymały płot

Płot charakteryzuje się **solidną konstrukcją wzmocnioną metalowymi elementami**, co zapewnia wyjątkową trwałość i stabilność.

Łatwy do transportu

Płot **ma modułową budowę, co ułatwia jego transport i montaż**. Tworzą go takie elementy jak: słupki, panele i relingi, które można łatwo przewozić i łączyć na miejscu.

10-letnia gwarancja

Płot objęty jest 10-letnią gwarancją, która daje **pewność długotrwałej ochrony i jakości**. Dzięki temu możesz być spokojny o jego trwałość przez wiele lat.

Możliwość montażu pod kątem 90° i 180°

Płot Keter można montować zarówno w linii prostej, jak i pod kątem 90 stopni, co **pozwała na tworzenie narożników**. Montaż pod kątem 180 stopni pozwala na ustawienie przęseł w jednej linii, natomiast kąt 90 stopni **idealnie sprawdzi się przy zakrętach i narożnikach** ogrodzenia.

Łatwy montaż

System składa się ze słupków, paneli i relingów, które można łatwo dopasować do wymiarów Twojej posesji, co pozwala na elastyczne kształtowanie ogrodzenia. To praktyczne rozwiązanie sprawia, że instalacja **nie wymaga specjalistycznych narzędzi ani dużego nakładu pracy**. Dzięki temu zyskujesz wygodę i oszczędność czasu podczas zakładania ogrodzenia.

Dodatkowe informacje

Przygotowanie do montażu płotu Keter:

- Przed rozpoczęciem montażu należy dokładnie sprawdzić, czy wszystkie elementy są kompletne i nieuszkodzone.
 - Części należy wyjąć z opakowania i rozłożyć na czystej, płaskiej powierzchni roboczej.
 - Zaleca się uważne zapoznanie się z instrukcją montażu i postępowanie zgodnie z jej krokami – nie należy pomijać żadnych etapów.
-

Wskazówki bezpieczeństwa i użytkowania:

-
- Ze względu na obecność metalowych krawędzi niektórych komponentów, konieczne jest zachowanie ostrożności i używanie rękawic ochronnych.
 - Wszystkie elementy produktu należy montować na płaskiej powierzchni.
-

Keter Group to globalny lider w tworzeniu innowacyjnych i trwałych rozwiązań dla domu i ogrodu. Jako wynalazcy i twórcy, pasjonujemy się projektowaniem produktów, które doskonale odpowiadają na potrzeby użytkowników.