

Link do produktu: <https://www.lisprom.pl/ogrodzenie-brazowe-3-6m-do-mocowania-w-betonie-keter-p-25263.html>



Ogrodzenie brązowe 3,6m do mocowania w betonie– Keter

Cena brutto	2 402,38 zł
Cena netto	1 953,15 zł
Dostępność	Dostępny
Czas wysyłki	24 godziny
Numer katalogowy	007945
Kod producenta	007945

Opis produktu

#html-body [data-pb-style=F0A2777],#html-body [data-pb-style=M5TMIDQ]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=F0A2777]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=M5TMIDQ]{align-self:stretch}#html-body [data-pb-style=LGYUCDG]{display:flex;width:100%}#html-body [data-pb-style=K6S2YB6],#html-body [data-pb-style=MEF075F]{justify-content:flex-start;display:flex;flex-direction:column;width:50%}#html-body [data-pb-style=K6S2YB6],#html-body [data-pb-style=MEF075F],#html-body [data-pb-style=MEF075F],#html-body [data-pb-style=QES5J4W]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=HVLWMTQ]{display:flex;width:100%}#html-body [data-pb-style=T3BU2C3]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:100%;align-self:stretch}#html-body [data-pb-style=CVMYU6P]{border-style:none}#html-body [data-pb-style=I6MJWKC],#html-body [data-pb-style=P4HGFVF]{max-width:100%;height:auto}#html-body [data-pb-style=H7OVJXL]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=QCB76R9]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=HYJKOVE]{border-style:none}#html-body [data-pb-style=AXI3T4G],#html-body [data-pb-style=U4PFKW6]{max-width:100%;height:auto}#html-body [data-pb-style=HE2SVRA]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=ERLIKJG]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=EOAHC3U]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=I5V12GN]{display:flex;width:100%}#html-body [data-pb-style=AONRNI4],#html-body [data-pb-style=IOWCVPO]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:83.3333%;align-self:stretch}#html-body [data-pb-style=IOWCVPO]{width:16.6667%}#html-body [data-pb-style=YU1MPLN]{border-style:none}#html-body [data-pb-style=RVCVPFT],#html-body [data-pb-style=VFS5SBK]{max-width:100%;height:auto}#html-body [data-pb-style=BOECAN4]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=V5FTLW8]{display:flex;width:100%}#html-body [data-pb-style=UJLAWNO]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:100%;align-self:stretch}#html-body [data-pb-style=KSL401H],#html-body [data-pb-style=RFMQK6P]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=VXU8EKJ]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=XDH1P9K]{display:flex;width:100%}#html-body [data-pb-style=LAE7Y8O]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:25%;align-self:stretch}#html-body [data-pb-style=YHALWH4]{border-style:none}#html-body [data-pb-style=HI97XVD],#html-body [data-pb-style=YVOM3Q5]{max-width:100%;height:auto}#html-body [data-pb-style=L8GO7UH]{justify-content:flex-start;display:flex;flex-direction:column;width:75%}#html-body [data-pb-style=I95ERKD],#html-body [data-pb-style=L8GO7UH]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=KPW5SUE]{display:flex;width:100%}#html-body [data-pb-style=A9LQDXT]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:25%;align-self:stretch}#html-body [data-pb-style=UMREIVE]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=LYW2AY7]{border-style:none}#html-body [data-pb-style=V6AN93L],#html-body [data-pb-style=XGSIWGS]{max-width:100%;height:auto}#html-body [data-pb-

style=EVO839B){justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:75%;align-self:stretch} #html-body [data-pb-style=PYHMLEA]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=O7ET74F]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch} #html-body [data-pb-style=SMY7VFQ]{display:flex;width:100%} #html-body [data-pb-style=GHUMK0A]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:25%;align-self:stretch} #html-body [data-pb-style=EKXMXV2]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=DPNXI36]{border-style:none} #html-body [data-pb-style=BBDBD0I],#html-body [data-pb-style=VM78WM2]{max-width:100%;height:auto} #html-body [data-pb-style=HGKMUFS]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:75%;align-self:stretch} #html-body [data-pb-style=UPVJ016]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=YORI44X]{display:flex;width:100%} #html-body [data-pb-style=TGLL8IT]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:25%;align-self:stretch} #html-body [data-pb-style=FT3QQHA]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=W7HWHFK]{border-style:none} #html-body [data-pb-style=BQOQ6AP],#html-body [data-pb-style=IVRV2KH]{max-width:100%;height:auto} #html-body [data-pb-style=YXOC4W9]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:75%;align-self:stretch} #html-body [data-pb-style=ONHXVL9]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=A25M5T9]{display:flex;width:100%} #html-body [data-pb-style=C02O319]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:25%;align-self:stretch} #html-body [data-pb-style=CB6FWR2]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=I196IGM]{border-style:none} #html-body [data-pb-style=BF8HDF8],#html-body [data-pb-style=MUMT2CO]{max-width:100%;height:auto} #html-body [data-pb-style=YCUT1S9]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:75%;align-self:stretch} #html-body [data-pb-style=SU7NHUA]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=AWYHL3R]{display:flex;width:100%} #html-body [data-pb-style=O09H5OC]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:25%;align-self:stretch} #html-body [data-pb-style=I0TVWE7]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=RY4OO19]{border-style:none} #html-body [data-pb-style=AMAMT48],#html-body [data-pb-style=FG79BU1]{max-width:100%;height:auto} #html-body [data-pb-style=O4TCH1P]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:75%;align-self:stretch} #html-body [data-pb-style=IFUYXJC]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=RITLY54]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll} #html-body [data-pb-style=SIBH521]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=A3EX8J1]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll} #html-body [data-pb-style=ERM44MU]{border-style:none} #html-body [data-pb-style=E0G17HK],#html-body [data-pb-style=K3F7J07]{max-width:100%;height:auto} #html-body [data-pb-style=GDR7G9F],#html-body [data-pb-style=Wl6TBR6]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll} #html-body [data-pb-style=LQSBXBDX],#html-body [data-pb-style=VR8296F]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=Q85DNIF]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch} #html-body [data-pb-style=W8N6LKU]{display:flex;width:100%} #html-body [data-pb-style=F4NSIFO]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:16.6667%;align-self:stretch} #html-body [data-pb-style=N1QW5NV]{border-style:none} #html-body [data-pb-style=H2Y2JR2],#html-body [data-pb-style=LY3EUEE]{max-width:100%;height:auto} #html-body [data-pb-style=G4BDXKX]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:83.3333%;align-self:stretch}@media only screen and (max-width: 384pt) { #html-body [data-pb-style=CVMYU6P],#html-body [data-pb-style=DPNXI36],#html-body [data-pb-style=ERM44MU],#html-body [data-pb-style=HYJKOVE],#html-body [data-pb-style=I196IGM],#html-body [data-pb-style=LYW2AY7],#html-body [data-pb-style=N1QW5NV],#html-body [data-pb-style=RY4OO19],#html-body [data-pb-style=W7HWHFK],#html-body [data-pb-style=YHALWH4],#html-body [data-pb-style=YU1MPLN]{border-style:none} }

Opis

Ogrodzenie brązowe 3,6 m do mocowania w betonie od Keter to coś więcej niż zwykły płot ogrodowy – to nowoczesny system modułowy, który łączy elegancki wygląd z niezrównaną trwałością i **brakiem konieczności konserwacji**. Stworzony z myślą o użytkownikach, którzy oczekują czegoś więcej niż tylko przegrody między posesjami, staje się istotnym elementem architektury zewnętrznej – funkcjonalnym, stylowym i odpornym na wpływ czasu. Ogrodzenie **posiada identyczne wykończenie po obu stronach**, dzięki temu prezentuje się estetycznie z każdej perspektywy. Dzięki **innowacyjnej technologii Evotech™**, ogrodzenie Keter naśladuje fakturę i kolorystykę naturalnego drewna, zachowując przy tym

wszystkie zalety nowoczesnych materiałów kompozytowych. **Montaż na pióro-wpust jest prosty, bez użycia specjalistycznych narzędzi.** Ogrodzenie można w łatwy sposób dociąć do potrzebnej długości, dostosowując je do indywidualnych wymiarów przestrzeni. Płot od Keter oferuje łatwy montaż, modułowość oraz dopasowanie do różnych typów terenu – od przydomowych ogródków po duże przestrzenie rekreacyjne. Jeśli szukasz płotu ogrodowego, który łączy estetykę z funkcjonalnością i sprawdzi się w każdych warunkach atmosferycznych – ogrodzenie Keter to wybór, który spełni wszystkie Twoje oczekiwania.

Najważniejsze cechy

- Łączna długość przęsła ogrodzeniowego: 3,6 m
 - Panele o podwójnych ściankach (21 mm)
 - Technologia Evotech™
 - Nie wymaga konserwacji
 - Identyczna struktura z obu stron
 - Łatwy w montażu i czyszczeniu
 - Montaż oparty na łączeniu pióro-wpust
 - Odpowiedni do uporządkowanej powierzchni
 - Niezwykle solidny i wytrzymały
-
- Możliwość docięcia do wymaganej długości
 - Nie łuszczy się, nie rdzewieje i nie butwieje
 - Zapewnia prywatność i bezpieczeństwo
 - Łatwy do transportu
 - Panele o podwójnych ściankach (21 mm)
 - Odporny na niekorzystne warunki pogodowe oraz promienie UV
 - 10-letnia gwarancja producenta firmy Keter
 - Kolor: brązowy

Wymiary

Wymiary dla pojedynczego modułu:

Oferta obejmuje zestaw składający się z dwóch modułów:

Zalety

Ogrodzenia marki Keter to solidne i długowieczne rozwiązanie, idealne zarówno do ogrodów przydomowych, jak i przestrzeni użytkowych. Zbudowane z wytrzymałych paneli o podwójnych ściankach (21 mm), **skutecznie opierają się uszkodzeniom mechanicznym oraz wpływowi niekorzystnych warunków pogodowych**. Dzięki mocnej konstrukcji **zachowują atrakcyjny wygląd na wiele lat** – niezależnie od sezonu. To doskonała opcja dla tych, którzy poszukują estetycznego, nowoczesnego ogrodzenia bez konieczności konserwacji.

Nie wymaga konserwacji

Ogrodzenie Keter **różni się od tradycyjnych płotów drewnianych i metalowych** tym, że nie potrzebuje konserwacji.

Ogrodzeniowe panele to praktyczne rozwiązanie do wyraźnego oddzielenia posesji, które skutecznie **chroni przed niechcianymi spojrzeniami sąsiadów i przechodniów**. Zapewniają prywatność oraz wpływają na większe poczucie bezpieczeństwa mieszkańców. To świetna propozycja dla osób poszukujących wytrzymałego, estetycznego i bezobsługowego ogrodzenia. Doskonale sprawdzą się zarówno w nowoczesnych ogrodach, jak i na terenach użytkowych.

Nowoczesne wykończenie

Dzięki zastosowaniu wysokiej jakości tworzywa sztucznego oraz innowacyjnej technologii Evotech™, która nadaje panelom realistyczny wygląd drewna bez jego typowych wad, **płot nie łuszczy się, nie butwieje i nie rdzewieje**.

Odporność na niekorzystne warunki pogodowe

Płot jest odporny na niekorzystne warunki atmosferyczne oraz promieniowanie UV, co zapewnia jego **trwałość i estetyczny wygląd przez długie lata**.

Wytrzymały płot

Płot charakteryzuje się **solidną konstrukcją wzmocnioną metalowymi elementami**, co zapewnia wyjątkową trwałość i stabilność.

Łatwy do transportu

Płot **ma modułową budowę, co ułatwia jego transport i montaż**. Tworzą go takie elementy jak: słupki, panele i relingi, które można łatwo przewozić i łączyć na miejscu.

10-letnia gwarancja

Płot objęty jest 10-letnią gwarancją, która daje **pewność długotrwałej ochrony i jakości**. Dzięki temu możesz być spokojny o jego trwałość przez wiele lat.

Możliwość montażu pod kątem 90° i 180°

Płot Keter można montować zarówno w linii prostej, jak i pod kątem 90 stopni, co **pozwała na tworzenie narożników**. Montaż pod kątem 180 stopni pozwala na ustawienie przęseł w jednej linii, natomiast kąt 90 stopni **idealnie sprawdzi się przy zakrętach i narożnikach** ogrodzenia.

Łatwy montaż

System składa się ze słupków, paneli i relingów, które można łatwo dopasować do wymiarów Twojej posesji, co pozwala na elastyczne kształtowanie ogrodzenia. To praktyczne rozwiązanie sprawia, że instalacja **nie wymaga specjalistycznych narzędzi ani dużego nakładu pracy**. Dzięki temu zyskujesz wygodę i oszczędność czasu podczas zakładania ogrodzenia.

Dodatkowe informacje

Przygotowanie do montażu płotu Keter:

- Przed rozpoczęciem montażu należy dokładnie sprawdzić, czy wszystkie elementy są kompletne i nieuszkodzone.
- Części należy wyjąć z opakowania i rozłożyć na czystej, płaskiej powierzchni roboczej.
- Zaleca się uważne zapoznanie się z instrukcją montażu i postępowanie zgodnie z jej krokami – nie należy pomijać żadnych etapów.

Wskazówki bezpieczeństwa i użytkowania:

- Ze względu na obecność metalowych krawędzi niektórych komponentów, konieczne jest zachowanie ostrożności i używanie rękawic ochronnych.
- Wszystkie elementy produktu należy montować na płaskiej powierzchni.

Keter Group to globalny lider w tworzeniu innowacyjnych i trwałych rozwiązań dla domu i ogrodu. Jako wynalazcy i twórcy, pasjonujemy się projektowaniem produktów, które doskonale odpowiadają na potrzeby użytkowników.