

Link do produktu: <https://www.lisprom.pl/ogrodzenie-kompozytowe-brazowe-18m-do-mocowania-w-ziemi-keter-p-25270.html>



Ogrodzenie kompozytowe brązowe 18m do mocowania w ziemi – Keter

Cena brutto	10 146,83 zł
Cena netto	8 249,46 zł
Dostępność	Dostępny
Czas wysyłki	24 godziny
Numer katalogowy	007952
Kod producenta	007952

Opis produktu

#html-body [data-pb-style=CN66FPC],#html-body [data-pb-style=D5IRPTM]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=D5IRPTM]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=CN66FPC]{align-self:stretch}#html-body [data-pb-style=NWTYXMX]{display:flex;width:100%}#html-body [data-pb-style=YK7NT21],#html-body [data-pb-style=YX9IPFM]{justify-content:flex-start;display:flex;flex-direction:column;width:50%}#html-body [data-pb-style=V0HHT9V],#html-body [data-pb-style=YK7NT21],#html-body [data-pb-style=YX9IPFM]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=LNBI1ML]{display:flex;width:100%}#html-body [data-pb-style=YIX1LAH]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:100%;align-self:stretch}#html-body [data-pb-style=GLWQ2NI]{border-style:none}#html-body [data-pb-style=UUXKNDH],#html-body [data-pb-style=WK1HTCF]{max-width:100%;height:auto}#html-body [data-pb-style=T0JCUCP]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=X7A6KXH]{border-style:none}#html-body [data-pb-style=CRMO10],#html-body [data-pb-style=G18GN1T]{max-width:100%;height:auto}#html-body [data-pb-style=BLPL3DI]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=INEVM5I]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=VLGSA1R]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=FFFREVX]{display:flex;width:100%}#html-body [data-pb-style=G15HXNO],#html-body [data-pb-style=UIDKE2N]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:75%;align-self:stretch}#html-body [data-pb-style=UIDKE2N]{width:25%}#html-body [data-pb-style=TD77MCX]{border-style:none}#html-body [data-pb-style=FJCSKJ8],#html-body [data-pb-style=QAG6AXT]{max-width:100%;height:auto}#html-body [data-pb-style=WERKKHH]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=IE0B29R]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=FJYLVUG]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=NTCK17R]{display:flex;width:100%}#html-body [data-pb-style=XJV8EYG]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:25%;align-self:stretch}#html-body [data-pb-style=SR646EM]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=O5NGSJO]{border-style:none}#html-body [data-pb-style=OIR4PH1],#html-body [data-pb-style=RSKCT2]{max-width:100%;height:auto}#html-body [data-pb-style=TFBA2JY]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:75%;align-self:stretch}#html-body [data-pb-style=JUF4VGJ]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=HWY49XY]{display:flex;width:100%}#html-body [data-pb-style=XLQSFOI]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:25%;align-self:stretch}#html-body [data-pb-style=LHGUCDB]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=SF6PUP2]{border-style:none}#html-body [data-pb-style=A87VWI9],#html-body [data-pb-style=S3KOUMT]{max-width:100%;height:auto}#html-body [data-pb-style=VF0GKE1]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:75%;align-self:stretch}#html-body [data-pb-style=VXMPCJ4]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=JOW0YPE]{background-position:left top;background-

size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch} #html-body [data-pb-style=AWWHJ0G]{display:flex;width:100%} #html-body [data-pb-style=OR9U71N]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:25%;align-self:stretch} #html-body [data-pb-style=N752KR8]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=KWJ054V]{border-style:none} #html-body [data-pb-style=FRB8S2P], #html-body [data-pb-style=SKLY4GB]{max-width:100%;height:auto} #html-body [data-pb-style=VXNG4T2]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:75%;align-self:stretch} #html-body [data-pb-style=KXC7EP0]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=RRJ3EMY]{display:flex;width:100%} #html-body [data-pb-style=VJUUA15]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:25%;align-self:stretch} #html-body [data-pb-style=S75JXMS]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=MIOECHS]{border-style:none} #html-body [data-pb-style=K4UWSH8], #html-body [data-pb-style=Y2DQD1I]{max-width:100%;height:auto} #html-body [data-pb-style=YGSGEH1]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:75%;align-self:stretch} #html-body [data-pb-style=C2X4UB6]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=F8DT3LG]{display:flex;width:100%} #html-body [data-pb-style=IOBNC3O]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:25%;align-self:stretch} #html-body [data-pb-style=S0149IO]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=PAMLPFQ]{border-style:none} #html-body [data-pb-style=G3K499R], #html-body [data-pb-style=TUCHO4N]{max-width:100%;height:auto} #html-body [data-pb-style=T4CMKEY]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:75%;align-self:stretch} #html-body [data-pb-style=FF1DY64]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=CCF84F7]{display:flex;width:100%} #html-body [data-pb-style=AEW1T90]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:25%;align-self:stretch} #html-body [data-pb-style=Q9S7HF1]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=X03RX5W]{border-style:none} #html-body [data-pb-style=JHWOLSH], #html-body [data-pb-style=RKERHIT]{max-width:100%;height:auto} #html-body [data-pb-style=D0TX0PY]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:75%;align-self:stretch} #html-body [data-pb-style=G8EU5CD]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=U8CBI58]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll} #html-body [data-pb-style=U3XQ86P]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=SL3T7D2]{border-style:none} #html-body [data-pb-style=BV079P4], #html-body [data-pb-style=FMY1MF8]{max-width:100%;height:auto} #html-body [data-pb-style=E199RQB]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll} #html-body [data-pb-style=W6Y3LGL]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=NQQYOOC]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll} #html-body [data-pb-style=PRE6D4N]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=PP90U1N]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch} #html-body [data-pb-style=F2RAM0A]{display:flex;width:100%} #html-body [data-pb-style=T5AW7PV]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:16.6667%;align-self:stretch} #html-body [data-pb-style=M9G73LI]{border-style:none} #html-body [data-pb-style=L8GMOSY], #html-body [data-pb-style=MFGYV28]{max-width:100%;height:auto} #html-body [data-pb-style=IOWSITI]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:83.3333%;align-self:stretch}@media only screen and (max-width: 384pt) { #html-body [data-pb-style=GLWQ2NI], #html-body [data-pb-style=KWJ054V], #html-body [data-pb-style=M9G73LI], #html-body [data-pb-style=MIOECHS], #html-body [data-pb-style=O5NGSJO], #html-body [data-pb-style=PAMLPFQ], #html-body [data-pb-style=SF6PUP2], #html-body [data-pb-style=SL3T7D2], #html-body [data-pb-style=TD77MCX], #html-body [data-pb-style=X03RX5W], #html-body [data-pb-style=X7A6KXH]{border-style:none} }

Opis

Ogrodzenie kompozytowe brązowe 18 m do mocowania w ziemi od Keter to nowoczesny, modułowy system ogrodzeniowy, który doskonale łączy nowoczesny design z wyjątkową trwałością i brakiem potrzeby konserwacji. Zaprojektowane z myślą o użytkownikach ceniących funkcjonalność i estetykę, ogrodzenie Keter stanowi elegancki element przestrzeni zewnętrznej. Ogrodzenie **posiada identyczne wykończenie po obu stronach**, dzięki temu prezentuje się estetycznie z każdej perspektywy. Dzięki zastosowaniu **innowacyjnej technologii Evotech™**, ogrodzenie Keter **wiernie odwzorowuje wygląd i strukturę naturalnego drewna**, oferując jednocześnie wszystkie korzyści materiałów kompozytowych: odporność na zmienne warunki atmosferyczne oraz promieniowanie UV. Co więcej, nie wymaga konserwacji, zachowując świetny wygląd przez wiele lat bez żadnego wysiłku z Twojej strony. System montażu oparty na intuicyjnym łączeniu typu pióro-wpust pozwala na **łatwy montaż bez konieczności używania specjalistycznych narzędzi**. Każdy

zestaw zawiera trzy podstawowe komponenty: słupki, relingi oraz panele. Ogrodzenie można w łatwy sposób dociąć do potrzebnej długości, dostosowując je do indywidualnych wymiarów przestrzeni. Jeśli zależy Ci na trwałym, estetycznym płocie, który nie wymaga konserwacji i łatwo się montuje – wybierz płot od Keter.

Najważniejsze cechy

- Łączna długość przęsła ogrodzeniowego: 18 m
 - Panele o podwójnych ściankach (21 mm)
 - Nie wymaga konserwacji
 - Nie łuszczy się, nie rdzewieje i nie butwieje
 - Niezwykle solidny i wytrzymały
 - Odporny na niekorzystne warunki pogodowe oraz promienie UV
 - Montaż na system pióro-wpust
 - Możliwość docięcia do wymaganej długości
-
- Identyczna struktura z obu stron
 - Łatwy do transportu
 - Technologia Evotech™
 - Łatwy w montażu i czyszczeniu
 - Zapewnia bezpieczeństwo i prywatność
 - Odpowiedni do mocowania w ziemi
 - 10-letnia gwarancja producenta firmy Keter
 - Kolor: brązowy

Wymiary

Wymiary dla pojedynczego modułu:

Oferta obejmuje zestaw składający się z dziesięciu modułów:

Zalety

Ogrodzenia marki Keter to solidne i trwałe rozwiązanie, które doskonale sprawdzi się zarówno w otoczeniu domów

prywatnych, jak i na terenach użytkowych. Panele zbudowane z podwójnych ścianek o grubości 21 mm **cechują się wyjątkową odpornością na uszkodzenia oraz wpływ czynników atmosferycznych**. Taka konstrukcja gwarantuje stabilność i estetyczny wygląd ogrodzenia, niezależnie od warunków pogodowych i upływu czasu.

Brak konserwacji

Ogrodzenie Keter nie wymaga konserwacji, co **odróżnia je od tradycyjnych płotów drewnianych i metalowych**.

Panele ogrodzeniowe doskonale zabezpieczają teren, osłaniając go przed niepożądanym wzrokiem sąsiadów i przechodniów, co **gwarantuje pełną prywatność oraz poczucie bezpieczeństwa** dla domowników. To idealne rozwiązanie dla tych, którzy szukają trwałego, praktycznego i stylowego ogrodzenia, które nie wymaga konserwacji i na długo zachowuje swój estetyczny wygląd.

Styl i trwałość w nowoczesnym wydaniu

Zastosowanie innowacyjnej technologii Evotech™ sprawia, że płot wygląda jak drewno, ale jest odporny na łuszczenie, butwienie i rdzę – idealne połączenie stylu i funkcjonalności.

Odporność na niekorzystne warunki pogodowe

Niezależnie od pory roku czy warunków atmosferycznych, płot pozostaje estetyczny, dzięki odporności na czynniki zewnętrzne i promieniowanie UV.

Mocna konstrukcja w nowoczesnym wydaniu

Płot został zaprojektowany z myślą o trwałości – metalowe wzmocnienia zwiększają jego stabilność i wytrzymałość.

Wygodny w transporcie

Dzięki podziałowi na kilka części transport ogrodzenia jest wyjątkowo prosty i wygodny.

Inwestycja na lata

Z 10-letnią gwarancją masz pewność, że płot zachowa swoje właściwości i estetykę przez długi okres użytkowania.

Możliwość montażu pod kątem 90° i 180°

Montaż pod kątem 90° pozwala na wygodne tworzenie narożników, dopasowując ogrodzenie do kształtu działki. Z kolei ustawienie pod kątem 180° umożliwia zbudowanie prostego i równomiernego odcinka płotu.

Łatwy montaż

Wybierz modułowy płot, który dzięki prostym, gotowym elementom pozwala na bezproblemowy montaż. Składające się ze słupków, paneli i relingów moduły można łatwo łączyć i dostosowywać do indywidualnych potrzeb, co umożliwia idealne dopasowanie ogrodzenia do każdej przestrzeni. To praktyczne rozwiązanie sprawia, że **instalacja jest szybka i nie wymaga specjalistycznych narzędzi**. Dzięki temu zyskujesz wygodę i oszczędność czasu podczas zakładania płotu.

Dodatkowe informacje

Przygotowanie do montażu płotu Keter:

- Przed rozpoczęciem montażu należy dokładnie sprawdzić, czy wszystkie elementy są kompletne i nieuszkodzone.
 - Części należy wyjąć z opakowania i rozłożyć na czystej, płaskiej powierzchni roboczej.
 - Zaleca się uważne zapoznanie się z instrukcją montażu i postępowanie zgodnie z jej krokami – nie należy pomijać żadnych etapów.
 - Kotwy do ogrodzeń wymagają wcześniejszego zabetonowania w podłożu. Jest to istotne, aby zapewnić stabilność i trwałość płotu.
-

Wskazówki bezpieczeństwa i użytkowania:

- Ze względu na obecność metalowych krawędzi niektórych komponentów, konieczne jest zachowanie ostrożności i używanie rękawic ochronnych.
-

-
- Wszystkie elementy produktu należy montować na płaskiej powierzchni.
-

Keter Group to globalny lider w tworzeniu innowacyjnych i trwałych rozwiązań dla domu i ogrodu. Jako wynalazcy i twórcy, pasjonujemy się projektowaniem produktów, które doskonale odpowiadają na potrzeby użytkowników.