

Link do produktu: <https://www.lisprom.pl/pergola-aluminiowa-na-taras-36x6-deluxe-anthracyte-gutroof-p-23965.html>



Pergola aluminiowa na taras 3.6x6 DELUXE Anthracite - Gutroof

Cena brutto	21 362,93 zł
Cena netto	17 368,24 zł
Dostępność	Dostępny
Czas wysyłki	24 godziny
Numer katalogowy	005889
Kod producenta	005889

Opis produktu

#html-body [data-pb-style=TIFYNVC],#html-body [data-pb-style=XBI23JQ]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=XBI23JQ]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=TIFYNVC]{align-self:stretch}#html-body [data-pb-style=NQRWAUD]{display:flex;width:100%}#html-body [data-pb-style=BKNQKS3],#html-body [data-pb-style=EHQ654C]{justify-content:flex-start;display:flex;flex-direction:column;width:50%;align-self:stretch}#html-body [data-pb-style=BKNQKS3],#html-body [data-pb-style=EHQ654C],#html-body [data-pb-style=EYH99BG],#html-body [data-pb-style=XR8P4J]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=EYH99BG]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=XR8P4J]{align-self:stretch}#html-body [data-pb-style=E6RQDW1]{display:flex;width:100%}#html-body [data-pb-style=IKLUL7K],#html-body [data-pb-style=Y4Y6KFF]{justify-content:flex-start;display:flex;flex-direction:column;width:50%}#html-body [data-pb-style=C2CSIXR],#html-body [data-pb-style=IKLUL7K],#html-body [data-pb-style=Y4Y6KFF]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=LHX163A]{display:flex;width:100%}#html-body [data-pb-style=QVIVVYI]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:66.6667%;align-self:stretch}#html-body [data-pb-style=Y2MW0QQ]{border-style:none}#html-body [data-pb-style=CQXY6X0],#html-body [data-pb-style=JID5K36]{max-width:100%;height:auto}#html-body [data-pb-style=SCX81RG]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:33.3333%;align-self:stretch}#html-body [data-pb-style=BA66JL1]{border-style:none}#html-body [data-pb-style=CQ8UCQW],#html-body [data-pb-style=I6T4A6G]{max-width:100%;height:auto}#html-body [data-pb-style=HIVHV3B]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=MAKN6OP]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=FGEXEIF]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=CKE3Y6P]{display:flex;width:100%}#html-body [data-pb-style=FWUEL5L],#html-body [data-pb-style=VJ2E2GS]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=VJ2E2GS]{justify-content:flex-start}#html-body [data-pb-style=G51FG20]{border-style:none}#html-body [data-pb-style=KMYCJYE],#html-body [data-pb-style=SIUPFER]{max-width:100%;height:auto}#html-body [data-pb-style=RHFKGWI]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=K96Q0WY]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=OJXY2UF]{display:flex;width:100%}#html-body [data-pb-style=OEGCQAA]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=OW55UJL]{border-style:none}#html-body [data-pb-style=X86V1QY],#html-body [data-pb-style=YLYHCWU]{max-width:100%;height:auto}#html-body [data-pb-style=YH8L2RG]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=EFEAE26]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=BRF2LMJ]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=BYONEUI]{display:flex;width:100%}#html-body [data-pb-style=XHC7FDY]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:100%;align-self:stretch}#html-body [data-pb-style=IBPQGL2]{display:flex;width:100%}#html-body

[data-pb-style=YUDVP39]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:100%;align-self:stretch}#html-body [data-pb-style=WK7B7W3]{border-style:none}#html-body [data-pb-style=OJE4HB3],#html-body [data-pb-style=VAWTRQ3]{max-width:100%;height:auto}#html-body [data-pb-style=M6NWKML]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=M0MC66B]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=G5PJAB]{display:flex;width:100%}#html-body [data-pb-style=G1RBHHS],#html-body [data-pb-style=ITB9RGN]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:58.3333%;align-self:stretch}#html-body [data-pb-style=G1RBHHS]{width:41.6667%}#html-body [data-pb-style=BTYRET4]{border-style:none}#html-body [data-pb-style=AQWTJ9U],#html-body [data-pb-style=K6CE4CJ]{max-width:100%;height:auto}#html-body [data-pb-style=ALVBL3I],#html-body [data-pb-style=T6H8190]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=T6H8190]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=ALVBL3I]{align-self:stretch}#html-body [data-pb-style=PAR8JTJ]{display:flex;width:100%}#html-body [data-pb-style=GGQCBOA],#html-body [data-pb-style=SFGLNWY]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:66.6667%;align-self:stretch}#html-body [data-pb-style=GGQCBOA]{width:33.3333%}#html-body [data-pb-style=URIVXRJ]{border-style:none}#html-body [data-pb-style=PJ4HISN],#html-body [data-pb-style=VWY0SLV]{max-width:100%;height:auto}#html-body [data-pb-style=FPERWXS],#html-body [data-pb-style=Q9UKCD6]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=VBXJ3OG]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=AU6PNSI]{display:flex;width:100%}#html-body [data-pb-style=VTEJ3XX]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:16.6667%;align-self:stretch}#html-body [data-pb-style=QEX0HGN]{border-style:none}#html-body [data-pb-style=GCVHJD4],#html-body [data-pb-style=LKP96O6]{max-width:100%;height:auto}#html-body [data-pb-style=VDBFKFO]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:83.3333%;align-self:stretch}@media only screen and (max-width: 384pt) { #html-body [data-pb-style=BA66JL1],#html-body [data-pb-style=BTYRET4],#html-body [data-pb-style=G51FG20],#html-body [data-pb-style=OW55UJL],#html-body [data-pb-style=QEX0HGN],#html-body [data-pb-style=URIVXRJ],#html-body [data-pb-style=WK7B7W3],#html-body [data-pb-style=Y2MW0QQ]{border-style:none} }

Opis

Pergola tarasowa **Gutroof DELUXE 3,6 × 6 m** w kolorze **antracytowym** łączy elegancki wygląd z praktycznymi rozwiązaniami do codziennego użytku. Wykonana z **trwałego aluminium** i pokryta renomowaną powłoką proszkową **Akzo Nobel**, jest **odporna na korozję** oraz **działanie czynników atmosferycznych**. **Regulowane lamele dachowe** pozwalają łatwo kontrolować poziom nasłonecznienia, zapewniając **ochronę zarówno przed słońcem, jak i deszczem**. **Zintegrowany system odprowadzania wody** oraz estetyczne wykończenie bez widocznych śrub podnoszą komfort użytkowania i nadają pergoli nowoczesny charakter. To idealne rozwiązanie dla osób, które cenią jakość, styl i wygodę w swojej ogrodowej strefie relaksu.

Zalecamy, aby podczas rozładunku produktu obecne były dwie dodatkowe osoby, co zapewni sprawny przebieg oraz bezpieczeństwo tego procesu. Konieczna jest pomoc kurierowi przy rozładunku!

Najważniejsze cechy:

- Wymiary pergoli: 370 × 600 × 256 cm
- Szerokie, stabilne nogi: 116 × 116 mm
- Trwały i nowoczesny design
- Kolor: Antracytowy
- Trwała powłoka proszkowa Akzo Nobel zapewniająca estetyczny wygląd
- Wytrzymałość konstrukcji: do 50 kg/m²

-
- Certyfikat TÜV
 - Konstrukcja z odpornego na rdzę aluminium
 - Regulowane lamele dachowe obracane do 135°
 - Ukryte elementy montażowe – estetyczny, nowoczesny wygląd
 - Zintegrowany system odprowadzania wody z listwami podłogowymi
 - Odporność na wiatr do 100 km/h
 - Certyfikat Intertek

Dane techniczne

Wymiary zewnętrzne z dachem:

- głębokość: **370 cm**
- szerokość: **600 cm**
- wysokość: **256 cm**

Nogi:

- szerokość: **11,6 cm**
- głębokość: **11,6 cm**
- grubość ścianki: **1,55 mm**
- podstawa nogi: **16 cm**
- grubość podstawy nogi: **8 mm**
- rozstaw otworów: **13,4 cm**

Pojedynczy panel dachowy:

- szerokość: **16,9 cm**
- głębokość: **3,8 cm**
- grubość ścianki: **1,5 mm**

Materiał:

- Stelaż: **aluminium**
- Żaluzje ruchome: **aluminium**

Belka poprzeczna:

- szerokość: **19,5 cm**
- głębokość: **7,5 cm**
- grubość ścianki: **1,8 mm**

Wymiary i waga opakowania:

- Karton 1: **287x25x38.5 cm ; 68,2 kg**
- Karton 2: **359x41x21.5 cm ; 67,6 kg**
- Karton 3: **355x19x38 cm ; 55,8 kg**
- Karton 4: **355x19x38 cm ; 55,8 kg**
- Karton 5: **355x19x31 cm ; 45,3 kg**

Odporność na wiatr: 100 km/h

Odporność na śnieg: 50kg/m²

Powierzchnia: 19 m²

Waga (z opakowaniem): 292,7 kg

Wymiary całkowite:

Podstawa nogi:

Zalety

Manualna Regulacja dla Maksymalnej Wygody

Manualny system regulacji lameli umożliwia szybkie i wygodne dopasowanie ilości światła pod pergolą. Jednym ruchem możesz stworzyć przyjemny cień lub uchylić lamele, by wpuścić więcej słońca. Mechanizm działa lekko i intuicyjnie, co sprawia, że codzienne użytkowanie jest maksymalnie komfortowe.

Innowacyjny system rynnowy

Pergola posiada **system odprowadzania wody**, który skutecznie kieruje opady poza strefę wypoczynku. Dzięki przemyślanej konstrukcji woda nie zalega na dachu, co zwiększa komfort użytkowania nawet podczas deszczu.

Zaawansowany system dachu z podwójnymi lamelami

Dwuwarstwowy system lameli w dachu pergoli skutecznie chroni przed słońcem i deszczem. Lamele nachodzące na siebie tworzą szczelną powierzchnię, dzięki czemu możesz korzystać z pergoli bez względu na pogodę. To praktyczne i stylowe rozwiązanie do relaksu i spotkań na świeżym powietrzu.

Certyfikowana Wytrzymałość

Pergola Gutroof DELUXE to solidna, aluminiowa konstrukcja odporna na korozję, promieniowanie UV i zmienne warunki pogodowe. Wytrzymuje wiatr do **100 km/h** i obciążenie śniegiem do **50 kg/m²**. Jej jakość potwierdzają **certyfikaty TÜV i Intertek**.

Eleganckie Podświetlenie Twojej Pergoli

Dla jeszcze większego komfortu i wyjątkowego klimatu po zmroku, istnieje możliwość dokupienia dedykowanego oświetlenia LED. Dyskretne podświetlenie zintegrowane z konstrukcją pergoli nie tylko podnosi walory estetyczne, ale również umożliwia korzystanie ze strefy wypoczynkowej o każdej porze dnia i nocy. To praktyczny dodatek, który tworzy przytulną atmosferę i podkreśla nowoczesny charakter pergoli.

Dobierz do zestawu:

- Roleta opuszczana do pergoli ELEGANCE/DELUXE/FUSION 3.6 m Anthracite - Gutroof
- Panel ozdobny DECO 1.3 m do pergoli ELEGANCE/DELUXE/FUSION Anthracite - Gutroof
- Panel żaluzjowy poziomy regulowany do pergoli ELEGANCE/DELUXE/FUSION 1 m Anthracite - Gutroof
- Panel żaluzjowy pionowy do pergoli ELEGANCE/DELUXE/FUSION 1.3 m Anthracite - Gutroof

Rekomendacje montażowe

Montaż pergoli jest łatwy i nie wymaga specjalistycznych umiejętności, choć ze względu na rozmiar konstrukcji warto przeprowadzać go z pomocą **2-3 osób**. Wszystkie niezbędne elementy montażowe są dołączone do zestawu, co ułatwia instalację.

Podłoże

Dla zapewnienia stabilności pergolę najlepiej montować na **płytcie betonowej** lub betonowych podkładach o wymiarach **25 x 25 cm** pod każdym słupkiem. Zalecana grubość podłoża to **minimum 10 cm**. Konstrukcję należy solidnie przymocować za pomocą **śrub rozporowych**.

Przy montażu w pobliżu budynku warto sprawdzić położenie **rynien odprowadzających wodę**, aby uniknąć problemów z odpływem.

Odprowadzanie wody

Podczas montażu pergoli należy zachować niewielki spadek – około **0,5°**, co odpowiada **1 cm na każde 1 metr długości** – aby zapewnić skuteczne odprowadzanie wody deszczowej. Takie rozwiązanie zapobiega jej gromadzeniu się na dachu, co zwiększa komfort i trwałość konstrukcji. Więcej informacji znajduje się w Instrukcji.

Stabilne mocowanie

W zestawie znajdują się **kotwy montażowe**, jednak dla lepszej stabilności zaleca się zastosowanie **dłuższych kotew** dopasowanych do podłoża.

Profesjonalny Start Twojej Strefy Relaksu

Oferujemy profesjonalny montaż realizowany przez doświadczonych specjalistów, dzięki czemu masz pewność, że pergola zostanie zamontowana solidnie, bezpiecznie i zgodnie z zaleceniami producenta. To wygodne rozwiązanie, które pozwala Ci cieszyć się gotową strefą relaksu bez stresu i zbędnego wysiłku.

Gutroof to marka specjalizująca się w nowoczesnych i funkcjonalnych **zadaszeniach tarasowych, pergolach i ogrodach zimowych**. Produkty Gutroof wyróżnia wysoka odporność na warunki atmosferyczne, łatwy montaż i minimalistyczny design, który zapewnia estetyczną oraz funkcjonalną przestrzeń do wypoczynku przez cały rok.