

Link do produktu: <https://www.lisprom.pl/pergola-na-taras-sprint-3x4-anthracitegrey-hardmaister-p-22730.html>



Pergola na taras SPRINT 3x4 Anthracite/Grey - HARDMAISTER

Cena brutto	768,04 zł
Cena netto	624,42 zł
Dostępność	Dostępny
Czas wysyłki	24 godziny
Numer katalogowy	005417
Kod producenta	005417

Opis produktu

#html-body [data-pb-style=KYOBOJ6],#html-body [data-pb-style=VOABY5F]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=VOABY5F]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=KYOBOJ6]{align-self:stretch}#html-body [data-pb-style=R8S6EPL]{display:flex;width:100%}#html-body [data-pb-style=N9F321Y],#html-body [data-pb-style=TU460DC]{justify-content:flex-start;display:flex;flex-direction:column;width:50%;align-self:stretch}#html-body [data-pb-style=LF65DEF],#html-body [data-pb-style=M3NX70N],#html-body [data-pb-style=N9F321Y],#html-body [data-pb-style=TU460DC]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=LF65DEF]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=M3NX70N]{align-self:stretch}#html-body [data-pb-style=WQHAYPR]{display:flex;width:100%}#html-body [data-pb-style=GTWSV0I],#html-body [data-pb-style=Y3J9YBA]{justify-content:flex-start;display:flex;flex-direction:column;width:50%}#html-body [data-pb-style=GTWSV0I],#html-body [data-pb-style=QYWTKEH],#html-body [data-pb-style=Y3J9YBA]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=EEWSN72]{display:flex;width:100%}#html-body [data-pb-style=G3ECFX0]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:100%;align-self:stretch}#html-body [data-pb-style=D5MY4S4]{text-align:center;border-style:none}#html-body [data-pb-style=KE988G8],#html-body [data-pb-style=MT5RXCE]{max-width:100%;height:auto}#html-body [data-pb-style=KNVD5O6],#html-body [data-pb-style=PMJQ92X]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=PMJQ92X]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=KNVD5O6]{align-self:stretch}#html-body [data-pb-style=W9GAIKX]{display:flex;width:100%}#html-body [data-pb-style=QD48N80]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=HS6UYQW]{border-style:none}#html-body [data-pb-style=PVR8OUO],#html-body [data-pb-style=YON0XWK]{max-width:100%;height:auto}#html-body [data-pb-style=IBKY5IR]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=K3K5R9B]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=P4WTGA6]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=NNIIBYB]{display:flex;width:100%}#html-body [data-pb-style=MAYT3S1],#html-body [data-pb-style=YSYA9O3]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=YSYA9O3]{justify-content:flex-start}#html-body [data-pb-style=JO9BA9B]{border-style:none}#html-body [data-pb-style=FDNNMRQ],#html-body [data-pb-style=IEY78DD]{max-width:100%;height:auto}#html-body [data-pb-style=HFA2Y4L]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=WOXGIQ4]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=WIDFDCA]{display:flex;width:100%}#html-body [data-pb-style=T0PSNC3]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=JE5R10W]{border-style:none}#html-body [data-pb-style=FWFRV41],#html-body [data-pb-style=NLQXPFT]{max-width:100%;height:auto}#html-body [data-pb-style=YGDQP3G]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=JV7R5GN]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=J37LTPL]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-

attachment:scroll;align-self:stretch} #html-body [data-pb-style=HGK04L7]{display:flex;width:100%} #html-body [data-pb-style=J0PVOUK], #html-body [data-pb-style=RAWH3NN]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch} #html-body [data-pb-style=J0PVOUK]{justify-content:flex-start} #html-body [data-pb-style=FK87XWX]{border-style:none} #html-body [data-pb-style=AA9JXAM], #html-body [data-pb-style=J3XFJXU]{max-width:100%;height:auto} #html-body [data-pb-style=FRXWPG5], #html-body [data-pb-style=QLHG1Q5]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll} #html-body [data-pb-style=QLHG1Q5]{justify-content:flex-start;display:flex;flex-direction:column} #html-body [data-pb-style=FRXWPG5]{align-self:stretch} #html-body [data-pb-style=KCF6NPD]{display:flex;width:100%} #html-body [data-pb-style=OQJ23TM], #html-body [data-pb-style=T9PJAB4]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:66.6667%;align-self:stretch} #html-body [data-pb-style=OQJ23TM]{width:33.3333%} #html-body [data-pb-style=S3O1BJL]{text-align:center;border-style:none} #html-body [data-pb-style=ODB0UQV], #html-body [data-pb-style=YQX7H1S]{max-width:100%;height:auto} #html-body [data-pb-style=VP7UQR3]{text-align:center;border-style:none} #html-body [data-pb-style=ICVU8MG], #html-body [data-pb-style=QP5H8J6]{max-width:100%;height:auto} #html-body [data-pb-style=FGGWQXN]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=BFMUSAG]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch} #html-body [data-pb-style=MXKVBUH]{display:flex;width:100%} #html-body [data-pb-style=VLT0SEE]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:16.6667%;align-self:stretch} #html-body [data-pb-style=Y3KMRXG]{border-style:none} #html-body [data-pb-style=EKL2IG3], #html-body [data-pb-style=N5NSTHA]{max-width:100%;height:auto} #html-body [data-pb-style=ITLDDIE]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:83.3333%;align-self:stretch} @media only screen and (max-width: 384pt) { #html-body [data-pb-style=D5MY4S4], #html-body [data-pb-style=FK87XWX], #html-body [data-pb-style=HS6UYQW], #html-body [data-pb-style=JE5R10W], #html-body [data-pb-style=JO9BA9B], #html-body [data-pb-style=S3O1BJL], #html-body [data-pb-style=VP7UQR3], #html-body [data-pb-style=Y3KMRXG]{border-style:none} }

Opis

Pergola tarasowa SPRINT 3x4 Anthracite/Grey to stylowe i praktyczne rozwiązanie do stworzenia zacienionej strefy relaksu na świeżym powietrzu. **Solidna stalowa konstrukcja** z profilami o zwiększonej grubości zapewnia trwałość i stabilność, a dach z **wodoodpornej tkaniny poliestrowej** z powłoką **PVC (300 g/m²)** skutecznie chroni przed słońcem i deszczem. Dzięki eleganckiemu wyglądowi i **odporności na warunki atmosferyczne** pergola staje się wyjątkowym elementem tarasu, który łączy nowoczesny design z wygodą użytkowania.

Zalecamy, aby podczas rozładunku produktu obecne były dwie dodatkowe osoby, co zapewni sprawny przebieg oraz bezpieczeństwo tego procesu. Konieczna jest pomoc kurierowi przy rozładunku!

Najważniejsze cechy:

- Grube profile ramy – 60x60 mm, 0,9 mm
- Solidna stalowa konstrukcja
- Kolor: antracyt/szary
- "Żabkowany" system zwijania dachu
- Trwałość na lata
- Odporność na promieniowanie UV - długotrwały kolor i wygląd
- Idealna na taras i ogród
- Wzmocniona rama dachu

-
- Wytrzymałe mocowanie i stabilna konstrukcja
 - Odpowiednia do użytku prywatnego oraz komercyjnego
 - Wodoodporna tkanina z PVC
 - Szybki i łatwy montaż
 - Malowanie proszkowe – ochrona przed korozją

Dane techniczne

Wymiary zewnętrzne z dachem:

- szerokość: **395 cm**
- głębokość: **290 cm**
- wysokość: **228 cm**

Profil ramy:

- szerokość: **6 cm**
- głębokość: **6 cm**
- grubość: **0,9 mm**

Rurki dachowe:

- Średnica: **18 mm**
- Grubość: **0,5 mm**

Profil dachowy:

- szerokość: **6 cm**
- głębokość: **3 cm**
- grubość profilu: **0,7 mm**

Wymiary i waga opakowania:

- Karton 1: **293,5x22x13 cm ; 29,5 kg**
- Karton 2: **232x15x14 cm ; 16,5 kg**

Materiał:

- Stelaż: **stal**
- Materiał: **wodoodporny poliester z powłoką PVC**

Powierzchnia: 11,5 m2

Waga (z opakowaniem): 46 kg

Wymiary całkowite:

Zalety

System zadaszenia

Pergola Sprint posiada funkcjonalne zadaszenie, które **chroni przed promieniowaniem UV i opadami**. System przesuwania tkaniny na „żabkach” umożliwia szybką i wygodną regulację cienia.

Estetyczne mocowanie

Po zsunięciu dachu materiał **można łatwo zabezpieczyć dedykowanymi mocowaniami**, dzięki czemu pergola prezentuje się schludnie bez względu na warunki zewnętrzne.

Solidna konstrukcja

Konstrukcję pergoli tworzy stal łączona wytrzymałymi nitami, co **gwarantuje jej trwałość i stabilność na długie lata**. Powłoka proszkowa skutecznie chroni przed działaniem wilgoci i rdzy.

Stabilne mocowanie do podłoża

Mocowanie pergoli do podłoża możliwe jest za pomocą śrub montażowych (brak w zestawie). Cztery otwory w każdej belce **zwiększają jej stabilność i zapewniają bezpieczne użytkowanie** konstrukcji.

Rekomendacje montażowe

Montaż pergoli **jest prosty i nie wymaga specjalistycznych umiejętności**, jednak ze względu na rozmiar konstrukcji najlepiej przeprowadzać go **z pomocą 2-3 osób**. Wszystkie niezbędne elementy montażowe znajdują się w zestawie, co ułatwia cały proces instalacji.

Podłoże:

Aby zapewnić stabilność pergoli, zalecamy wykonanie **wylewki betonowej pod każdą nogę o wymiarach 30 x 30 x 30 cm**. Minimalna grubość podłoża powinna wynosić **10 cm**, aby zagwarantować trwałość i odporność na obciążenia.

Odływ wody:

Podczas montażu pergoli należy zachować niewielki spadek – około **0,5°**, co odpowiada **1 cm na każde 1 metr długości** – aby zapewnić skuteczne odprowadzanie wody deszczowej. Takie rozwiązanie zapobiega jej gromadzeniu się na dachu, co zwiększa komfort i trwałość konstrukcji. Więcej informacji znajduje się w Instrukcji.

Mocowanie:

W zestawie znajdują się kotwy montażowe, jednak **dla większej stabilności** zalecamy zastosowanie dłuższych kotew, dostosowanych do rodzaju podłoża.

Pergole przyściennie:

Jeśli pergola jest montowana przy ścianie budynku, konieczne jest dobranie odpowiedniego systemu kotwienia do elewacji z ociepleniem. W tym przypadku rekomendujemy zastosowanie kotew chemicznych, które zapewniają solidne i trwałe mocowanie.

Dzięki odpowiedniemu przygotowaniu podłoża i prawidłowemu montażowi pergola będzie stabilna, funkcjonalna i odporna na zmienne warunki atmosferyczne przez długie lata.

Warianty:

- Dostępne rozmiary pergoli: **3x3 ; 3x6**
- Inne kolory modelu Sprint - pergola:

Hardmaister to marka specjalizująca się w architekturze ogrodowej, oferująca szeroki wybór **domków narzędziowych, altan i obrzeży trawnikowych**. Nasze produkty wyróżniają się trwałością oraz nowoczesnym designem. Dbamy o to, by każdy element ogrodu łączył w sobie estetykę z funkcjonalnością, tworząc przestrzeń, która nie tylko cieszy oko, ale i ułatwia codzienne prace.