

Link do produktu: <https://www.lisprom.pl/pergola-na-taras-sprint-3x4-anthracitewhite-hardmaister-p-22731.html>



Pergola na taras SPRINT 3x4 Anthracite/White - HARDMAISTER

Cena brutto **768,04 zł**

Cena netto **624,42 zł**

Dostępność **Dostępny**

Czas wysyłki **24 godziny**

Numer katalogowy **005418**

Kod producenta **005418**

Opis produktu

#html-body [data-pb-style=E5IMXI9],#html-body [data-pb-style=JXBL8FW]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=JXBL8FW]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=E5IMXI9]{align-self:stretch}#html-body [data-pb-style=HE2LJCN]{display:flex;width:100%}#html-body [data-pb-style=LUF0TPN],#html-body [data-pb-style=VJIM3YI]{justify-content:flex-start;display:flex;flex-direction:column;width:50%;align-self:stretch}#html-body [data-pb-style=IDUEVV0],#html-body [data-pb-style=LUF0TPN],#html-body [data-pb-style=UM3I96Q],#html-body [data-pb-style=VJIM3YI]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=UM3I96Q]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=IDUEVV0]{align-self:stretch}#html-body [data-pb-style=GKA8XSB]{display:flex;width:100%}#html-body [data-pb-style=KRGUVHT],#html-body [data-pb-style=SM5JQ0S]{justify-content:flex-start;display:flex;flex-direction:column;width:50%}#html-body [data-pb-style=KRGUVHT],#html-body [data-pb-style=QB9WSRR],#html-body [data-pb-style=SM5JQ0S]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=HDVLU1J]{display:flex;width:100%}#html-body [data-pb-style=RDHPU6C]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:100%;align-self:stretch}#html-body [data-pb-style=TND2VO4]{text-align:center;border-style:none}#html-body [data-pb-style=BQQEXYR],#html-body [data-pb-style=PG000EG]{max-width:100%;height:auto}#html-body [data-pb-style=CQHOXH1],#html-body [data-pb-style=HVC1LST]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=HVC1LST]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=CQHOXH1]{align-self:stretch}#html-body [data-pb-style=H3WXVW5]{display:flex;width:100%}#html-body [data-pb-style=WEQENED]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=WPXKLYV]{border-style:none}#html-body [data-pb-style=DHQCNSNR],#html-body [data-pb-style=TEC6VXJ]{max-width:100%;height:auto}#html-body [data-pb-style=BFBXBSN]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=EQP4N7H]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=WUIPW1]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=H4RIRBG]{display:flex;width:100%}#html-body [data-pb-style=FVB1H7Y],#html-body [data-pb-style=O9K0B80]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=O9K0B80]{justify-content:flex-start}#html-body [data-pb-style=M9SS0KL]{border-style:none}#html-body [data-pb-style=HLLA1G3],#html-body [data-pb-style=K50BEEU]{max-width:100%;height:auto}#html-body [data-pb-style=S3JSVDH]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=Y938KN9]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=L31UQM2]{display:flex;width:100%}#html-body [data-pb-style=JA2NELG]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=OY7OHGI]{border-style:none}#html-body [data-pb-style=EGVU6YH],#html-body [data-pb-style=V7D82JI]{max-width:100%;height:auto}#html-body [data-pb-style=PWUUXRH]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=B72JWX2]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=FGWFX2E]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-

attachment:scroll;align-self:stretch} #html-body [data-pb-style=J7CIWYX]{display:flex;width:100%} #html-body [data-pb-style=J61OXB0], #html-body [data-pb-style=NWSK97B]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch} #html-body [data-pb-style=NWSK97B]{justify-content:flex-start} #html-body [data-pb-style=Y0NPSWG]{border-style:none} #html-body [data-pb-style=F2FVHOV], #html-body [data-pb-style=NBB0VGK]{max-width:100%;height:auto} #html-body [data-pb-style=F56I96T], #html-body [data-pb-style=I73SI4W]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll} #html-body [data-pb-style=F56I96T]{justify-content:flex-start;display:flex;flex-direction:column} #html-body [data-pb-style=I73SI4W]{align-self:stretch} #html-body [data-pb-style=YDKPW66]{display:flex;width:100%} #html-body [data-pb-style=HXX5RDJ], #html-body [data-pb-style=LX2FPBC]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:66.6667%;align-self:stretch} #html-body [data-pb-style=HXX5RDJ]{width:33.3333%} #html-body [data-pb-style=SLKGJI0]{text-align:center;border-style:none} #html-body [data-pb-style=JADUDSG], #html-body [data-pb-style=KMKNI2D]{max-width:100%;height:auto} #html-body [data-pb-style=OTHFKTR]{text-align:center;border-style:none} #html-body [data-pb-style=V91K5XL], #html-body [data-pb-style=VCB0DKG]{max-width:100%;height:auto} #html-body [data-pb-style=OOXS7FK]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=NJGKVJW]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch} #html-body [data-pb-style=XFTJ256]{display:flex;width:100%} #html-body [data-pb-style=QAEMLX0]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:16.6667%;align-self:stretch} #html-body [data-pb-style=S2MF36I]{border-style:none} #html-body [data-pb-style=DL2BMYU], #html-body [data-pb-style=EU44WTR]{max-width:100%;height:auto} #html-body [data-pb-style=FX6OLHC]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:83.3333%;align-self:stretch}@media only screen and (max-width: 384pt) { #html-body [data-pb-style=M9SS0KL], #html-body [data-pb-style=OTHFKTR], #html-body [data-pb-style=OY7OHGI], #html-body [data-pb-style=S2MF36I], #html-body [data-pb-style=SLKGJI0], #html-body [data-pb-style=TND2VO4], #html-body [data-pb-style=WPXKLYV], #html-body [data-pb-style=Y0NPSWG]{border-style:none} }

Opis

Pergola SPRINT 3x4 w kolorze **Anthracite/White** to doskonały wybór dla tych, którzy chcą stworzyć komfortową, zacienioną przestrzeń wypoczynkową na świeżym powietrzu. Wzmocniona **stalowa konstrukcja** z grubymi profilami gwarantuje niezawodność i solidność, a **dach z tkaniny poliestrowej z PVC o gramaturze 300 g/m²** zapewnia skuteczną ochronę przed słońcem i opadami. **Nowoczesny wygląd** i odporność na warunki atmosferyczne sprawiają, że pergola świetnie komponuje się z każdą ogrodową aranżacją, oferując jednocześnie funkcjonalność i styl.

Zalecamy, aby podczas rozładunku produktu obecne były dwie dodatkowe osoby, co zapewni sprawny przebieg oraz bezpieczeństwo tego procesu. Konieczna jest pomoc kurierowi przy rozładunku!

Najważniejsze cechy:

- Grube profile ramy – 60x60 mm, 0,9 mm
- Solidna stalowa konstrukcja
- Kolor: antracyt/biały
- Wodoodporna tkanina z PVC
- "Żabkowany" system zwijania dachu
- Malowanie proszkowe – ochrona przed korozją
- Idealna na taras i ogród
- Szybki i łatwy montaż

-
- Wzmocniona rama dachu
 - Wytrzymałe mocowanie i stabilna konstrukcja
 - Odpowiednia do użytku prywatnego oraz komercyjnego
 - Trwałość na lata
 - Odporność na promieniowanie UV - długotrwały kolor i wygląd

Dane techniczne

Wymiary zewnętrzne z dachem:

- szerokość: **395 cm**
- głębokość: **290 cm**
- wysokość: **228 cm**

Profil ramy:

- szerokość: **6 cm**
- głębokość: **6 cm**
- grubość: **0,9 mm**

Rurki dachowe:

- Średnica: **18 mm**
- Grubość: **0,5 mm**

Profil dachowy:

- szerokość: **6 cm**
- głębokość: **3 cm**
- grubość profilu: **0,7 mm**

Wymiary i waga opakowania:

- Karton 1: **293,5x22x13 cm ; 29,5 kg**
- Karton 2: **232x15x14 cm ; 16,5 kg**

Materiał:

- Stelaż: **stal**
- Materiał: **wodoodporny poliester z powłoką PVC**

Powierzchnia: 11,5 m2

Waga (z opakowaniem): 46 kg

Wymiary całkowite:

Zalety

System zadaszenia

Model Sprint wyposażono w praktyczny dach, który **osłania przed słońcem oraz deszczem**. Zastosowany system "żabek" sprawia, że łatwo dopasujesz ustawienie materiału do swoich potrzeb.

Estetyczne mocowanie

Zsunięty dach z wodoodpornej tkaniny da się unieruchomić przy pomocy specjalnych uchwytów, co **pozwała zachować elegancki wygląd pergoli** w każdej sytuacji pogodowej.

Solidna konstrukcja

Stalowa rama, złączona za pomocą dołączonych nitów, zapewnia **niezawodność i sztywność całej pergoli**. Dodatkowe zabezpieczenie przed korozją gwarantuje malowanie proszkowe.

Stabilne mocowanie do podłoża

Pergolę można trwale zamocować do podłoża przy użyciu odpowiednich śrub (brak w zestawie). Cztery punkty mocowania w każdej nodze **gwarantują stabilność i komfort użytkowania**.

Rekomendacje montażowe

Montaż pergoli **jest prosty i nie wymaga specjalistycznych umiejętności**, jednak ze względu na rozmiar konstrukcji najlepiej przeprowadzać go **z pomocą 2-3 osób**. Wszystkie niezbędne elementy montażowe znajdują się w zestawie, co ułatwia cały proces instalacji.

Podłoże:

Aby zapewnić stabilność pergoli, zalecamy wykonanie **wylewki betonowej pod każdą nogę o wymiarach 30 x 30 x 30 cm**. Minimalna grubość podłoża powinna wynosić **10 cm**, aby zagwarantować trwałość i odporność na obciążenia.

Odływ wody:

Podczas montażu pergoli należy zachować niewielki spadek – około **0,5°**, co odpowiada **1 cm na każde 1 metr długości** – aby zapewnić skuteczne odprowadzanie wody deszczowej. Takie rozwiązanie zapobiega jej gromadzeniu się na dachu, co zwiększa komfort i trwałość konstrukcji. Więcej informacji znajduje się w Instrukcji.

Mocowanie:

W zestawie znajdują się kotwy montażowe, jednak **dla większej stabilności** zalecamy zastosowanie dłuższych kotew, dostosowanych do rodzaju podłoża.

Pergole przyściennie:

Jeśli pergola jest montowana przy ścianie budynku, konieczne jest dobranie odpowiedniego systemu kotwienia do elewacji z ociepleniem. W tym przypadku rekomendujemy zastosowanie kotew chemicznych, które zapewniają solidne i trwałe mocowanie.

Dzięki odpowiedniemu przygotowaniu podłoża i prawidłowemu montażowi pergola będzie stabilna, funkcjonalna i odporna na zmienne warunki atmosferyczne przez długie lata.

Warianty:

- Dostępne rozmiary pergoli: **3x3 ; 3x6**
- Inne kolory modelu Sprint - pergola:

Hardmaister to marka specjalizująca się w architekturze ogrodowej, oferująca szeroki wybór **domków narzędziowych, altan i obrzeży trawnikowych**. Nasze produkty wyróżniają się trwałością oraz nowoczesnym designem. Dbamy o to, by każdy element ogrodu łączył w sobie estetykę z funkcjonalnością, tworząc przestrzeń, która nie tylko cieszy oko, ale i ułatwia codzienne prace.