

Link do produktu: <https://www.lisprom.pl/pergola-na-taras-sprint-3x4-white-hardmaister-p-22732.html>



Pergola na taras SPRINT 3x4 White - HARDMAISTER

Cena brutto	853,49 zł
Cena netto	693,89 zł
Dostępność	Dostępny
Czas wysyłki	24 godziny
Numer katalogowy	005419
Kod producenta	005419

Opis produktu

#html-body [data-pb-style=N5IBS76],#html-body [data-pb-style=V5JCKPA]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=V5JCKPA]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=N5IBS76]{align-self:stretch}#html-body [data-pb-style=LTYJM4D]{display:flex;width:100%}#html-body [data-pb-style=JRUX1KK],#html-body [data-pb-style=V2CJMP1]{justify-content:flex-start;display:flex;flex-direction:column;width:50%;align-self:stretch}#html-body [data-pb-style=GAFIYFL],#html-body [data-pb-style=JRUX1KK],#html-body [data-pb-style=U2RQSFX],#html-body [data-pb-style=V2CJMP1]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=GAFIYFL]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=U2RQSFX]{align-self:stretch}#html-body [data-pb-style=KYQEK6G]{display:flex;width:100%}#html-body [data-pb-style=J0O8OLL],#html-body [data-pb-style=POCO8HD]{justify-content:flex-start;display:flex;flex-direction:column;width:50%}#html-body [data-pb-style=J0O8OLL],#html-body [data-pb-style=POCO8HD],#html-body [data-pb-style=R5JU1PY]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=QGH2JR4]{display:flex;width:100%}#html-body [data-pb-style=SOTJFK9]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:100%;align-self:stretch}#html-body [data-pb-style=EX2KP6V]{text-align:center;border-style:none}#html-body [data-pb-style=BJPSC9L],#html-body [data-pb-style=SDXW2WP]{max-width:100%;height:auto}#html-body [data-pb-style=D842M69],#html-body [data-pb-style=N4X92N8]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=N4X92N8]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=D842M69]{align-self:stretch}#html-body [data-pb-style=XYP6FQJ]{display:flex;width:100%}#html-body [data-pb-style=C5AR1YA]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=Q2BU90G]{border-style:none}#html-body [data-pb-style=KEIG1YY],#html-body [data-pb-style=MXM0FE8]{max-width:100%;height:auto}#html-body [data-pb-style=HY9O5F2]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=ORACCRC]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=RSX616W]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=UKYDSFY]{display:flex;width:100%}#html-body [data-pb-style=AU62RB2],#html-body [data-pb-style=NUU0IF9]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=AU62RB2]{justify-content:flex-start}#html-body [data-pb-style=P6C7SVA]{border-style:none}#html-body [data-pb-style=A0V49GO],#html-body [data-pb-style=O4VTT6M]{max-width:100%;height:auto}#html-body [data-pb-style=R64CCRV]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=L36SVKR]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=U2PIXL7]{display:flex;width:100%}#html-body [data-pb-style=D16HYAY]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=M9V4VY]{border-style:none}#html-body [data-pb-style=PHH8MET],#html-body [data-pb-style=U1HIMYK]{max-width:100%;height:auto}#html-body [data-pb-style=KN810NK]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=A1JU8UO]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=A25V558]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-

attachment:scroll;align-self:stretch} #html-body [data-pb-style=HXLBFTN]{display:flex;width:100%} #html-body [data-pb-style=R9EONCW], #html-body [data-pb-style=TY808H3]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch} #html-body [data-pb-style=TY808H3]{justify-content:flex-start} #html-body [data-pb-style=PB8RB99]{border-style:none} #html-body [data-pb-style=BYV22MC], #html-body [data-pb-style=TBFLMY0]{max-width:100%;height:auto} #html-body [data-pb-style=DNSYB3X], #html-body [data-pb-style=OHGPJ1K]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll} #html-body [data-pb-style=OHGPJ1K]{justify-content:flex-start;display:flex;flex-direction:column} #html-body [data-pb-style=DNSYB3X]{align-self:stretch} #html-body [data-pb-style=CIT1H7T]{display:flex;width:100%} #html-body [data-pb-style=CASVUD1], #html-body [data-pb-style=PP3WASJ]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:66.6667%;align-self:stretch} #html-body [data-pb-style=CASVUD1]{width:33.3333%} #html-body [data-pb-style=AQJPYEG]{text-align:center;border-style:none} #html-body [data-pb-style=AT77YFG], #html-body [data-pb-style=USJ2MA]{max-width:100%;height:auto} #html-body [data-pb-style=N2WGMRX]{text-align:center;border-style:none} #html-body [data-pb-style=J212GQT], #html-body [data-pb-style=RO953VM]{max-width:100%;height:auto} #html-body [data-pb-style=HY24BIE]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=QOL51Q6]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch} #html-body [data-pb-style=KMEYDKA]{display:flex;width:100%} #html-body [data-pb-style=SN18U0V]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:16.6667%;align-self:stretch} #html-body [data-pb-style=MFYLAKB]{border-style:none} #html-body [data-pb-style=GQK2PG4], #html-body [data-pb-style=OU7LP5W]{max-width:100%;height:auto} #html-body [data-pb-style=OHGB7HF]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:83.3333%;align-self:stretch}@media only screen and (max-width: 384pt) { #html-body [data-pb-style=AQJPYEG], #html-body [data-pb-style=EX2KP6V], #html-body [data-pb-style=M9V4VY], #html-body [data-pb-style=MFYLAKB], #html-body [data-pb-style=N2WGMRX], #html-body [data-pb-style=P6C7SVA], #html-body [data-pb-style=PB8RB99], #html-body [data-pb-style=Q2BU90G]{border-style:none} }

Opis

Pergola tarasowa SPRINT 3x4 White to połączenie estetyki i funkcjonalnego zastosowania w ogrodowej strefie relaksu. Konstrukcja oparta na **stalowych profilach** o zwiększonej grubości zapewnia wyjątkową stabilność, natomiast **dach z wodoodpornego poliestru z powłoką PVC (300 g/m²)** skutecznie zabezpiecza przed deszczem i promieniowaniem UV. Dzięki eleganckiemu wykończeniu i wysokiej trwałości pergola stanowi zarówno dekoracyjny, jak i **funkcjonalny dodatek do przestrzeni zewnętrznej**.

Zalecamy, aby podczas rozładunku produktu obecne były dwie dodatkowe osoby, co zapewni sprawny przebieg oraz bezpieczeństwo tego procesu. Konieczna jest pomoc kurierowi przy rozładunku!

Najważniejsze cechy:

- Kolor: biały
- Grube profile ramy – 60x60 mm, 0,9 mm
- Solidna stalowa konstrukcja
- Wzmocniona rama dachu
- Wodoodporna tkanina z PVC
- "Żabkowany" system zwijania dachu
- Odporność na promieniowanie UV - długotrwały kolor i wygląd
- Idealna na taras i ogród

-
- Trwałość na lata
 - Wytrzymałe mocowanie i stabilna konstrukcja
 - Odpowiednia do użytku prywatnego oraz komercyjnego
 - Szybki i łatwy montaż
 - Malowanie proszkowe – ochrona przed korozją

Dane techniczne

Wymiary zewnętrzne z dachem:

- szerokość: **395 cm**
- głębokość: **290 cm**
- wysokość: **228 cm**

Profil ramy:

- szerokość: **6 cm**
- głębokość: **6 cm**
- grubość: **0,9 mm**

Rurki dachowe:

- Średnica: **18 mm**
- Grubość: **0,5 mm**

Profil dachowy:

- szerokość: **6 cm**
- głębokość: **3 cm**
- grubość profilu: **0,7 mm**

Wymiary i waga opakowania:

- Karton 1: **293,5x22x13 cm ; 29,5 kg**
- Karton 2: **232x15x14 cm ; 16,5 kg**

Materiał:

- Stelaż: **stal**
- Materiał: **wodoodporny poliester z powłoką PVC**

Powierzchnia: 11,5 m2

Waga (z opakowaniem): 46 kg

Wymiary całkowite:

Zalety

System zadaszenia

Zadaszenie pergoli Sprint zapewnia skuteczną **ochronę przed niekorzystnymi warunkami atmosferycznymi**. Regulacja poziomu zacienienia jest intuicyjna dzięki przesuwanej tkaninie na funkcjonalnych "żabkach".

Estetyczne mocowanie

Po zwinięciu poszycia dachowego, materiał mocowany jest za pomocą przeznaczonych do tego zaczepów, co sprawia, że pergola **prezentuje się elegancko i estetycznie**, niezależnie od pogody.

Solidna konstrukcja

Wytrzymała stal w połączeniu z mocnymi nitami z zestawu tworzy **stabilną i trwałą konstrukcję**. Malowana proszkowo powłoka **zwiększa odporność pergoli na korozję** i czynniki zewnętrzne.

Stabilne mocowanie do podłoża

Konstrukcję można w łatwy sposób przytwierdzić do podłoża śrubami montażowymi (brak w zestawie). Cztery otwory w każdej belce **wzmacniają pewność mocowania** oraz wpływają na bezpieczeństwo i stabilność pergoli.

Rekomendacje montażowe

Montaż pergoli **jest prosty i nie wymaga specjalistycznych umiejętności**, jednak ze względu na rozmiar konstrukcji najlepiej przeprowadzać go **z pomocą 2-3 osób**. Wszystkie niezbędne elementy montażowe znajdują się w zestawie, co ułatwia cały proces instalacji.

Podłoże:

Aby zapewnić stabilność pergoli, zalecamy wykonanie **wylewki betonowej pod każdą nogę o wymiarach 30 x 30 x 30 cm**. Minimalna grubość podłoża powinna wynosić **10 cm**, aby zagwarantować trwałość i odporność na obciążenia.

Odływ wody:

Podczas montażu pergoli należy zachować niewielki spadek – około **0,5°**, co odpowiada **1 cm na każde 1 metr długości** – aby zapewnić skuteczne odprowadzanie wody deszczowej. Takie rozwiązanie zapobiega jej gromadzeniu się na dachu, co zwiększa komfort i trwałość konstrukcji. Więcej informacji znajduje się w Instrukcji.

Mocowanie:

W zestawie znajdują się kotwy montażowe, jednak **dla większej stabilności** zalecamy zastosowanie dłuższych kotew, dostosowanych do rodzaju podłoża.

Pergole przyściennie:

Jeśli pergola jest montowana przy ścianie budynku, konieczne jest dobranie odpowiedniego systemu kotwienia do elewacji z ociepleniem. W tym przypadku rekomendujemy zastosowanie kotew chemicznych, które zapewniają solidne i trwałe mocowanie.

Dzięki odpowiedniemu przygotowaniu podłoża i prawidłowemu montażowi pergola będzie stabilna, funkcjonalna i odporna na zmienne warunki atmosferyczne przez długie lata.

Warianty:

- Dostępne rozmiary pergoli: **3x3 ; 3x6**
- Inne kolory modelu Sprint - pergola:

Hardmaister to marka specjalizująca się w architekturze ogrodowej, oferująca szeroki wybór **domków narzędziowych, altan i obrzeży trawnikowych**. Nasze produkty wyróżniają się trwałością oraz nowoczesnym designem. Dbamy o to, by każdy element ogrodu łączył w sobie estetykę z funkcjonalnością, tworząc przestrzeń, która nie tylko cieszy oko, ale i ułatwia codzienne prace.