

Link do produktu: <https://www.lisprom.pl/pergola-tarasowa-przyscienna-sprint-wall-4x2-7-anthracitegrey-hardmaister-p-22739.html>



Pergola tarasowa przyścienna SPRINT WALL 4x2,7 Anthracite/Grey - HARDMAISTER

Cena brutto	725,31 zł
Cena netto	589,68 zł
Dostępność	Dostępny
Czas wysyłki	24 godziny
Numer katalogowy	005426
Kod producenta	005426

Opis produktu

#html-body [data-pb-style=HXQN9MP],#html-body [data-pb-style=WX7A52M]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=HXQN9MP]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=WX7A52M]{align-self:stretch}#html-body [data-pb-style=AN0GU5C]{display:flex;width:100%}#html-body [data-pb-style=K1C54GO],#html-body [data-pb-style=KLHA9PV]{justify-content:flex-start;display:flex;flex-direction:column;width:50%;align-self:stretch}#html-body [data-pb-style=D2EOJIT],#html-body [data-pb-style=HNBI7UQ],#html-body [data-pb-style=K1C54GO],#html-body [data-pb-style=KLHA9PV]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=D2EOJIT]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=HNBI7UQ]{align-self:stretch}#html-body [data-pb-style=VFVJ024]{display:flex;width:100%}#html-body [data-pb-style=GG05XJN],#html-body [data-pb-style=Q0E757B]{justify-content:flex-start;display:flex;flex-direction:column;width:50%}#html-body [data-pb-style=GG05XJN],#html-body [data-pb-style=OIWV4Q3],#html-body [data-pb-style=Q0E757B]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=NMT2L9U]{display:flex;width:100%}#html-body [data-pb-style=C0MKI2M]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:100%;align-self:stretch}#html-body [data-pb-style=D02Y37Q]{text-align:center;border-style:none}#html-body [data-pb-style=WP3NG7V],#html-body [data-pb-style=X6LYXTL]{max-width:100%;height:auto}#html-body [data-pb-style=A52DVGB],#html-body [data-pb-style=HHGOG2O]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=A52DVGB]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=HHGOG2O]{align-self:stretch}#html-body [data-pb-style=B69K1XK]{display:flex;width:100%}#html-body [data-pb-style=HXEF7DA]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:100%;align-self:stretch}#html-body [data-pb-style=GKDLJPP]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=PHVI311]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=X0OASJV]{display:flex;width:100%}#html-body [data-pb-style=UAMEI07]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=NVGJLMX]{border-style:none}#html-body [data-pb-style=FSMYU6T],#html-body [data-pb-style=YLBC76V]{max-width:100%;height:auto}#html-body [data-pb-style=K7OEG6G]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=Q1WXXAF]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=FG22JMB]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=YXWJHBU]{display:flex;width:100%}#html-body [data-pb-style=U3MSY46],#html-body [data-pb-style=X228P3G]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=U3MSY46]{justify-content:flex-start}#html-body [data-pb-style=UJXIWYR]{border-style:none}#html-body [data-pb-style=DYB3GL5],#html-body [data-pb-style=VORRIUF]{max-width:100%;height:auto}#html-body [data-pb-style=MXWG77Y]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=LGVO2SX]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-

attachment:scroll;align-self:stretch} #html-body [data-pb-style=MU2FMOM]{display:flex;width:100%} #html-body [data-pb-style=XFTPM0K]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch} #html-body [data-pb-style=HJ73NVB]{border-style:none} #html-body [data-pb-style=BV2ULIN],#html-body [data-pb-style=D87M4FG]{max-width:100%;height:auto} #html-body [data-pb-style=V7DGB2L]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch} #html-body [data-pb-style=AX5KGLH]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=JWWT6PJ]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch} #html-body [data-pb-style=KMI393R]{display:flex;width:100%} #html-body [data-pb-style=DM0YDIN],#html-body [data-pb-style=Y53MB0K]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch} #html-body [data-pb-style=Y53MB0K]{justify-content:flex-start} #html-body [data-pb-style=I9TYYB8]{border-style:none} #html-body [data-pb-style=P1CN57P],#html-body [data-pb-style=PCXI07T]{max-width:100%;height:auto} #html-body [data-pb-style=E6HV6Q9],#html-body [data-pb-style=T3IUYQ9]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll} #html-body [data-pb-style=E6HV6Q9]{justify-content:flex-start;display:flex;flex-direction:column} #html-body [data-pb-style=T3IUYQ9]{align-self:stretch} #html-body [data-pb-style=MCF5JMM]{display:flex;width:100%} #html-body [data-pb-style=FWNY1RK],#html-body [data-pb-style=OA7OSMI]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:66.6667%;align-self:stretch} #html-body [data-pb-style=FWNY1RK]{width:33.3333%} #html-body [data-pb-style=CSKT2XU]{text-align:center;border-style:none} #html-body [data-pb-style=QBCVAU7],#html-body [data-pb-style=T54UE3V]{max-width:100%;height:auto} #html-body [data-pb-style=CVYNJV]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=BBN6B1C]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch} #html-body [data-pb-style=QAAGIJG]{display:flex;width:100%} #html-body [data-pb-style=E511IL0]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:16.6667%;align-self:stretch} #html-body [data-pb-style=LWKMPPTL]{border-style:none} #html-body [data-pb-style=M8RQJO9],#html-body [data-pb-style=XT3IE8W]{max-width:100%;height:auto} #html-body [data-pb-style=HB1DIAK]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch} #media only screen and (max-width: 384pt) { #html-body [data-pb-style=CSKT2XU],#html-body [data-pb-style=D02Y37Q],#html-body [data-pb-style=HJ73NVB],#html-body [data-pb-style=I9TYYB8],#html-body [data-pb-style=LWKMPPTL],#html-body [data-pb-style=NVGJLMX],#html-body [data-pb-style=UJXIWYR]{border-style:none} }

Opis

Pergola tarasowa przyścienna SPRINT WALL 4x2,7 Anthracite/Grey to eleganckie i trwałe zadaszenie, idealne do stworzenia **zacienionej przestrzeni przy ścianie domu**. Solidna stalowa konstrukcja, wykonana z grubych profili, zapewnia stabilność i **odporność na zmienne warunki pogodowe**. Dach z tkaniny poliestrowej o gramaturze 300 g/m² z powłoką PVC **skutecznie chroni przed promieniowaniem UV oraz deszczem**. Nowoczesna kolorystyka w odcieniach antracytu i szarości harmonijnie wpasowuje się w różnorodne aranżacje tarasowe i ogrodowe. To praktyczne i estetyczne rozwiązanie na wiele sezonów wypoczynku.

Zalecamy, aby podczas rozładunku produktu obecne były dwie dodatkowe osoby, co zapewni sprawny przebieg oraz bezpieczeństwo tego procesu. Konieczna jest pomoc kurierowi przy rozładunku!

Najważniejsze cechy:

- Grube profile ramy – 60x60 mm, 0,9 mm
- Solidna stalowa konstrukcja
- Kolor: antracyt/szary
- "Żabkowany" system zwijania dachu
- Trwałość na lata

-
- Odporność na promieniowanie UV - długotrwały kolor i wygląd

- Idealna na taras
- Wzmocniona rama dachu
- Wytrzymałe mocowanie i stabilna konstrukcja
- Odpowiednia do użytku prywatnego oraz komercyjnego
- Wodoodporna tkanina z PVC 300 g/m²
- Przyścienna konstrukcja - oszczędność miejsca
- Malowanie proszkowe – ochrona przed korozją

Dane techniczne

Wymiary zewnętrzne z dachem:

- szerokość: **390 cm**
- głębokość: **270 cm**
- wysokość: **228 cm**

Profil ramy:

- szerokość: **6 cm**
- głębokość: **6 cm**
- grubość: **0,9 mm**

Rurki dachowe:

- Średnica: **18 mm**
- Grubość: **0,5 mm**

Profil dachowy:

- szerokość: **6 cm**
- głębokość: **3 cm**
- grubość profilu: **0,7 mm**

Wymiary i waga opakowania:

- Karton: **274x21x13,5 cm ; 23,5 kg**

Materiał:

- Stelaż: **stal**
- Materiał: **wodoodporny poliester z powłoką PVC**

Powierzchnia: 10,5 m2

Waga (z opakowaniem): 23,5 kg

Wymiary całkowite:

Zalety

Przyścienna konstrukcja

Pergola zaprojektowana została z myślą montażu przy ścianie domu. Dzięki temu **oszczędza miejsce na tarasie** i harmonijnie wpisuje się w przestrzeń, łącząc funkcjonalność z elegancją.

System zadaszenia

Pergola Sprint posiada **dach wykonany z materiału odpornego na deszcz i słońce**. Dzięki praktycznemu systemowi "żabek", możesz szybko i **łatwo dopasowywać poziom zacienienia**.

Estetyczne mocowanie

Po zwinięciu materiału dachowego można go **wygodnie unieruchomić za pomocą specjalnych zaczepów**, co zapewnia schludny wygląd pergoli niezależnie od pogody.

Solidna konstrukcja

Pergola oparta jest na mocnej stalowej ramie, łączonej przy pomocy nitów, co **zapewnia stabilność całej konstrukcji**.

Powłoka proszkowa zabezpiecza ją przed korozją i czynnikami zewnętrznymi.

Stabilne mocowanie do podłoża

Montaż pergoli do podłoża możliwy jest dzięki otworom w nogach i zastosowaniu śrub (brak w komplecie). Cztery punkty mocowania w każdej nodze **gwarantują stabilność i bezpieczeństwo**.

Rekomendacje montażowe

Montaż pergoli **jest prosty i nie wymaga specjalistycznych umiejętności**, jednak ze względu na rozmiar konstrukcji najlepiej przeprowadzać go **z pomocą 2-3 osób**. Wszystkie niezbędne elementy montażowe znajdują się w zestawie, co ułatwia cały proces instalacji.

Podłoże:

Aby zapewnić stabilność pergoli, zalecamy wykonanie **wylewki betonowej pod każdą nogę o wymiarach 30 x 30 x 30 cm**. Minimalna grubość podłoża powinna wynosić **10 cm**, aby zagwarantować trwałość i odporność na obciążenia.

Odpływ wody:

Podczas montażu pergoli należy zachować niewielki spadek – około **0,5°**, co odpowiada **1 cm na każde 1 metr długości** – aby zapewnić skuteczne odprowadzanie wody deszczowej. Takie rozwiązanie zapobiega jej gromadzeniu się na dachu, co zwiększa komfort i trwałość konstrukcji. Więcej informacji znajduje się w Instrukcji.

Mocowanie:

W zestawie znajdują się kotwy montażowe, jednak **dla większej stabilności** zalecamy zastosowanie dłuższych kotew, dostosowanych do rodzaju podłoża.

Pergole przyścienne:

Jeśli pergola jest montowana przy ścianie budynku, konieczne jest dobranie odpowiedniego systemu kotwienia do elewacji z ociepleniem. W tym przypadku rekomendujemy zastosowanie kotew chemicznych, które zapewniają solidne i trwałe mocowanie.

Dzięki odpowiedniemu przygotowaniu podłoża i prawidłowemu montażowi pergola będzie stabilna, funkcjonalna i odporna na zmienne warunki atmosferyczne przez długie lata.

Warianty:

- Inne kolory modelu Sprint - pergola przyścienna: **Anthracite/White**

Hardmaister to marka specjalizująca się w architekturze ogrodowej, oferująca szeroki wybór **domków**

narzędziowych, altan i obrzeży trawnikowych. Nasze produkty wyróżniają się trwałością oraz nowoczesnym designem. Dbamy o to, by każdy element ogrodu łączył w sobie estetykę z funkcjonalnością, tworząc przestrzeń, która nie tylko cieszy oko, ale i ułatwia codzienne prace.