

Link do produktu: <https://www.lisprom.pl/pergola-tarasowa-sprint-3x6-whitewhite-hardmaister-p-24132.html>

# Pergola tarasowa SPRINT 3x6 White/White - Hardmaister



|                  |                    |
|------------------|--------------------|
| Cena brutto      | <b>1 601,23 zł</b> |
| Cena netto       | <b>1 301,81 zł</b> |
| Dostępność       | <b>Dostępny</b>    |
| Czas wysyłki     | <b>24 godziny</b>  |
| Numer katalogowy | <b>006739</b>      |
| Kod producenta   | <b>006739</b>      |

## Opis produktu

#html-body [data-pb-style=B7SHLJX],#html-body [data-pb-style=D2727K6]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=D2727K6]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=B7SHLJX]{align-self:stretch}#html-body [data-pb-style=PACR4DW]{display:flex;width:100%}#html-body [data-pb-style=D33VC7D],#html-body [data-pb-style=IWO60HQ]{justify-content:flex-start;display:flex;flex-direction:column;width:50%;align-self:stretch}#html-body [data-pb-style=AND9YMU],#html-body [data-pb-style=BA7TFCF],#html-body [data-pb-style=D33VC7D],#html-body [data-pb-style=IWO60HQ]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=AND9YMU]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=BA7TFCF]{align-self:stretch}#html-body [data-pb-style=TDG7VP0]{display:flex;width:100%}#html-body [data-pb-style=AP3G6OR],#html-body [data-pb-style=F56UJ28]{justify-content:flex-start;display:flex;flex-direction:column;width:50%}#html-body [data-pb-style=AP3G6OR],#html-body [data-pb-style=F56UJ28],#html-body [data-pb-style=I9QFVUF]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=Y18JG6J]{display:flex;width:100%}#html-body [data-pb-style=L0BDWSU]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:100%;align-self:stretch}#html-body [data-pb-style=M0598J9]{text-align:center;border-style:none}#html-body [data-pb-style=H68BDR5],#html-body [data-pb-style=W1YVNAM]{max-width:100%;height:auto}#html-body [data-pb-style=INMF949],#html-body [data-pb-style=R2OI5MT]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=INMF949]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=R2OI5MT]{align-self:stretch}#html-body [data-pb-style=MOX0DCI]{display:flex;width:100%}#html-body [data-pb-style=P4V6FVL]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=P1VG2XA]{border-style:none}#html-body [data-pb-style=CY52S2R],#html-body [data-pb-style=V3T3Y5B]{max-width:100%;height:auto}#html-body [data-pb-style=JKU84T8]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=I4T1W3E]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=MYPICUIN]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=YT2BG16]{display:flex;width:100%}#html-body [data-pb-style=FJSJQ6G],#html-body [data-pb-style=O4DXRWV]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=FJSJQ6G]{justify-content:flex-start}#html-body [data-pb-style=EE5D4X0]{border-style:none}#html-body [data-pb-style=JIHKM3G],#html-body [data-pb-style=VXPGPS4]{max-width:100%;height:auto}#html-body [data-pb-style=Y1504BX]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=J8VFH3L]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=J1E9F5W]{display:flex;width:100%}#html-body [data-pb-style=U0SS5FF]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=D3A54K9]{border-style:none}#html-body [data-pb-style=SJI28KO],#html-body [data-pb-style=YEI88BI]{max-width:100%;height:auto}#html-body [data-pb-style=SRUGNJV]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=H5VOAQC]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=AHFYM1F]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-

---

attachment:scroll;align-self:stretch} #html-body [data-pb-style=MQJ6MQJ]{display:flex;width:100%} #html-body [data-pb-style=B3HD775], #html-body [data-pb-style=LDPPMV3]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch} #html-body [data-pb-style=LDPPMV3]{justify-content:flex-start} #html-body [data-pb-style=I6SXRTD]{border-style:none} #html-body [data-pb-style=AFETEF3], #html-body [data-pb-style=D141B4S]{max-width:100%;height:auto} #html-body [data-pb-style=QUJC0OX], #html-body [data-pb-style=YR0CJ5D]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll} #html-body [data-pb-style=YR0CJ5D]{justify-content:flex-start;display:flex;flex-direction:column} #html-body [data-pb-style=QUJC0OX]{align-self:stretch} #html-body [data-pb-style=VDM5RFM]{display:flex;width:100%} #html-body [data-pb-style=BAAKM1I], #html-body [data-pb-style=WUT9AMR]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:66.6667%;align-self:stretch} #html-body [data-pb-style=WUT9AMR]{width:33.3333%} #html-body [data-pb-style=T7WHI7H]{text-align:center;border-style:none} #html-body [data-pb-style=A3W83S0], #html-body [data-pb-style=LKQJ8AT]{max-width:100%;height:auto} #html-body [data-pb-style=XRLVU34]{text-align:center;border-style:none} #html-body [data-pb-style=UHMSY5E], #html-body [data-pb-style=WSXUG6L]{max-width:100%;height:auto} #html-body [data-pb-style=D86QRSE]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=DGJ1P8F]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch} #html-body [data-pb-style=GC17EC0]{display:flex;width:100%} #html-body [data-pb-style=RQY5O5Y]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:16.6667%;align-self:stretch} #html-body [data-pb-style=H9SAHNNH]{border-style:none} #html-body [data-pb-style=PWDME01], #html-body [data-pb-style=QITMRGD]{max-width:100%;height:auto} #html-body [data-pb-style=AWF8PRK]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:83.3333%;align-self:stretch} @media only screen and (max-width: 384pt) { #html-body [data-pb-style=D3A54K9], #html-body [data-pb-style=EE5D4X0], #html-body [data-pb-style=H9SAHNNH], #html-body [data-pb-style=I6SXRTD], #html-body [data-pb-style=M0598J9], #html-body [data-pb-style=P1VG2XA], #html-body [data-pb-style=T7WHI7H], #html-body [data-pb-style=XRLVU34]{border-style:none} }

## Opis

**Pergola Hardmaister SPRINT 3x6** w odcieniu **White** doskonale wkomponuje się w nowoczesne przestrzenie ogrodowe i tarasowe. Konstrukcja ze stali o podwyższonej grubości profili zapewnia jej **stabilność oraz odporność na czynniki zewnętrzne**. Dach wykonano z poliestrowej tkaniny 300 g/m<sup>2</sup> z powłoką PVC, która **skutecznie chroni zarówno przed opadami**, jak i promieniowaniem UV. Montaż pergoli nie wymaga użycia specjalistycznych narzędzi, co czyni ją niezwykle **wygodną w użytkowaniu**. To połączenie trwałości i elegancji, które stworzy **idealne warunki do relaksu** na świeżym powietrzu.

**Zalecamy, aby podczas rozładunku produktu obecne były dwie dodatkowe osoby, co zapewni sprawny przebieg oraz bezpieczeństwo tego procesu. Konieczna jest pomoc kurierowi przy rozładunku!**

## Najważniejsze cechy:

- Grube profile ramy – 60x60 mm, 0,9 mm
- Solidna stalowa konstrukcja
- Kolor: biały
- "Żabkowany" system zwijania dachu
- Trwałość na lata
- Odporność na promieniowanie UV - długotrwały kolor i wygląd
- Idealna na taras i ogród
- Wzmocniona rama dachu

- 
- Wytrzymałe mocowanie i stabilna konstrukcja
  - Odpowiednia do użytku prywatnego oraz komercyjnego
  - Wodoodporna tkanina z PVC 300 g/m<sup>2</sup>
  - Duża powierzchnia zadaszania – 3x6 m
  - Malowanie proszkowe – ochrona przed korozją

## Dane techniczne

### Wymiary zewnętrzne z dachem:

- szerokość: **590 cm**
- głębokość: **290 cm**
- wysokość: **228 cm**

### Profil ramy:

- szerokość: **6 cm**
- głębokość: **6 cm**
- grubość: **0,9 mm**

### Rurki dachowe:

- Średnica: **18 mm**
- Grubość: **0,5 mm**

### Profil dachowy:

- szerokość: **6 cm**
- głębokość: **3 cm**
- grubość profilu: **0,7 mm**

### Wymiary i waga opakowania:

- Karton 1: **299x34x8 cm ; 25 kg**
- Karton 2: **232x21x15 cm ; 24 kg**
- Karton 3: **144x24x10 cm ; 15 kg**

### Materiał:

- Stelaż: **stal**

- 
- Materiał: **wodoodporny poliester z powłoką PVC**

**Powierzchnia: 17,1 m2**

**Waga (z opakowaniem): 64 kg**

## **Wymiary całkowite:**

## **Zalety**

### **System zadaszenia**

Ostona dachowa pergoli Sprint oferuje **niezawodną ochronę przed promieniowaniem UV i opadami**. Przesuwana tkanina mocowana na "żabkach" umożliwia **płynną regulację cienia**.

---

### **Estetyczne mocowanie**

Zwinięte zadaszenie z wodoodpornej tkaniny **można w łatwy sposób unieruchomić specjalnymi zaczepami**. Zapobiegają one przesuwaniu się materiału i jednocześnie **podkreślają elegancki charakter konstrukcji**.

---

### **Solidna konstrukcja**

Stalowe elementy połączone solidnymi nitami tworzą **mocną i niezawodną konstrukcję**. Dzięki malowaniu proszkowemu pergola zyskuje **odporność na rdzę** i uszkodzenia zewnętrzne.

---

### **Stabilne mocowanie do podłoża**

Konstrukcja pergoli przewiduje możliwość przytwierdzenia do podłoża przy użyciu śrub (brak w komplecie). Cztery punkty montażowe w każdej belce **gwarantują bezpieczeństwo i stabilność**.

---

## Rekomendacje montażowe

Montaż pergoli **jest prosty i nie wymaga specjalistycznych umiejętności**, jednak ze względu na rozmiar konstrukcji najlepiej przeprowadzać go **z pomocą 2-3 osób**. Wszystkie niezbędne elementy montażowe znajdują się w zestawie, co ułatwia cały proces instalacji.

### Podłoże:

Aby zapewnić stabilność pergoli, zalecamy wykonanie **wylewki betonowej pod każdą nogę o wymiarach 30 x 30 x 30 cm**. Minimalna grubość podłoża powinna wynosić **10 cm**, aby zagwarantować trwałość i odporność na obciążenia.

### Odpływ wody:

Podczas montażu pergoli należy zachować niewielki spadek – około **0,5°**, co odpowiada **1 cm na każde 1 metr długości** – aby zapewnić skuteczne odprowadzanie wody deszczowej. Takie rozwiązanie zapobiega jej gromadzeniu się na dachu, co zwiększa komfort i trwałość konstrukcji. Więcej informacji znajduje się w Instrukcji.

### Mocowanie:

W zestawie znajdują się kotwy montażowe, jednak **dla większej stabilności** zalecamy zastosowanie dłuższych kotew, dostosowanych do rodzaju podłoża.

### Pergole przyściennie:

Jeśli pergola jest montowana przy ścianie budynku, konieczne jest dobranie odpowiedniego systemu kotwienia do elewacji z ociepleniem. W tym przypadku rekomendujemy zastosowanie kotew chemicznych, które zapewniają solidne i trwałe mocowanie.

Dzięki odpowiedniemu przygotowaniu podłoża i prawidłowemu montażowi pergola będzie stabilna, funkcjonalna i odporna na zmienne warunki atmosferyczne przez długie lata.

## Warianty:

- Dostępne rozmiary pergoli: **3x3 ; 3x4**
- Inne kolory modelu Sprint - pergola:

---

**Hardmaister** to marka specjalizująca się w architekturze ogrodowej, oferująca szeroki wybór **domków narzędziowych, altan i obrzeży trawnikowych**. Nasze produkty wyróżniają się trwałością oraz nowoczesnym designem. Dbamy o to, by każdy element ogrodu łączył w sobie estetykę z funkcjonalnością, tworząc przestrzeń, która nie tylko cieszy oko, ale i ułatwia codzienne prace.