

Link do produktu: <https://www.lisprom.pl/plot-modulowy-szary-3-6m-do-mocowania-w-ziemi-keter-p-25260.html>

Płot modułowy szary 3,6m do mocowania w ziemi – Keter

Cena brutto	2 455,79 zł
Cena netto	1 996,58 zł
Dostępność	Dostępny
Czas wysyłki	24 godziny
Numer katalogowy	007942
Kod producenta	007942

Opis produktu

#html-body [data-pb-style=ULGDVCC],#html-body [data-pb-style=Y7PBMHF]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=ULGDVCC]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=Y7PBMHF]{align-self:stretch}#html-body [data-pb-style=LW8MLUP]{display:flex;width:100%}#html-body [data-pb-style=JTDAE3T],#html-body [data-pb-style=SMOPM8Q]{justify-content:flex-start;display:flex;flex-direction:column;width:50%}#html-body [data-pb-style=JTDAE3T],#html-body [data-pb-style=SMOPM8Q],#html-body [data-pb-style=WLMOP8A]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=Y8XELP0]{display:flex;width:100%}#html-body [data-pb-style=JFR98OK]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:100%;align-self:stretch}#html-body [data-pb-style=KCG1F3U]{border-style:none}#html-body [data-pb-style=E0PP5LQ],#html-body [data-pb-style=NAGVNHS]{max-width:100%;height:auto}#html-body [data-pb-style=C966JCF]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=ICPMN30]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=W0XVEN4]{border-style:none}#html-body [data-pb-style=D35SXG7],#html-body [data-pb-style=GNWC06C]{max-width:100%;height:auto}#html-body [data-pb-style=BQIL36Q]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=DKXLD58]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=T7TIX3U]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=GNYNIE3]{display:flex;width:100%}#html-body [data-pb-style=D2GO6XV],#html-body [data-pb-style=ICLB1H2]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:75%;align-self:stretch}#html-body [data-pb-style=D2GO6XV]{width:25%}#html-body [data-pb-style=A8YWR5S]{border-style:none}#html-body [data-pb-style=SNB559],#html-body [data-pb-style=XWIBVAW]{max-width:100%;height:auto}#html-body [data-pb-style=J3KI8L6]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=ISCMX14],#html-body [data-pb-style=L6C6XBQ]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=G032G9K]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=T4IG9F2]{display:flex;width:100%}#html-body [data-pb-style=GRJ9OLS]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:25%;align-self:stretch}#html-body [data-pb-style=FHO6H69]{border-style:none}#html-body [data-pb-style=DUT1NOF],#html-body [data-pb-style=UI1O3SC]{max-width:100%;height:auto}#html-body [data-pb-style=VNJJFVN]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:75%;align-self:stretch}#html-body [data-pb-style=FM1EYU1]{display:flex;width:100%}#html-body [data-pb-style=CCNQIQK]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:25%;align-self:stretch}#html-body [data-pb-style=TVQPHUO]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=JQ4IOR8]{border-style:none}#html-body [data-pb-style=CLAYOJE],#html-body [data-pb-style=PT0D6HM]{max-width:100%;height:auto}#html-body [data-pb-style=DEV9QA9]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:75%;align-self:stretch}#html-body [data-pb-style=P7JWQYY]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-

style=OG1T87N}{display:flex;width:100%} #html-body [data-pb-style=VIB4LPS]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:25%;align-self:stretch} #html-body [data-pb-style=PAQEXTB]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=A6K8VA8]{border-style:none} #html-body [data-pb-style=T4OP1KQ], #html-body [data-pb-style=W2SX2VA]{max-width:100%;height:auto} #html-body [data-pb-style=SFWRDN0]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:75%;align-self:stretch} #html-body [data-pb-style=VWX8LRO]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=S48BIQ4]{display:flex;width:100%} #html-body [data-pb-style=XDBAJOR]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:25%;align-self:stretch} #html-body [data-pb-style=XSA01AH]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=P5TBPAN]{border-style:none} #html-body [data-pb-style=C8MGKXW], #html-body [data-pb-style=NBDLA9P]{max-width:100%;height:auto} #html-body [data-pb-style=SVVXGRM]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:75%;align-self:stretch} #html-body [data-pb-style=F2SN5L]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=OH6V93X]{display:flex;width:100%} #html-body [data-pb-style=LIKU55Y]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:25%;align-self:stretch} #html-body [data-pb-style=CC8WNBE]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=B3IXQ4G]{border-style:none} #html-body [data-pb-style=FACH9O1], #html-body [data-pb-style=WNP7G6X]{max-width:100%;height:auto} #html-body [data-pb-style=D45WSQO]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:75%;align-self:stretch} #html-body [data-pb-style=HKTL6XA]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=SJ52PL7]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch} #html-body [data-pb-style=JOT5CTJ]{display:flex;width:100%} #html-body [data-pb-style=IHCJILR]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:25%;align-self:stretch} #html-body [data-pb-style=UG3ENES]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=N674YU0]{border-style:none} #html-body [data-pb-style=MY0BUYC], #html-body [data-pb-style=XIV0P0B]{max-width:100%;height:auto} #html-body [data-pb-style=OXTAHF3]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:75%;align-self:stretch} #html-body [data-pb-style=O1WVBSC]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=BGL5LXI]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll} #html-body [data-pb-style=XRYE5WG]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=QFNT5EV]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll} #html-body [data-pb-style=RKG36TI]{border-style:none} #html-body [data-pb-style=N4Q8DR1], #html-body [data-pb-style=QI5YNQB]{max-width:100%;height:auto} #html-body [data-pb-style=HWF8144]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=VU407ML]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-repeat:no-repeat;background-attachment:scroll} #html-body [data-pb-style=EISE8YN]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=X3SJGQ6]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch} #html-body [data-pb-style=DIHH0EB]{display:flex;width:100%} #html-body [data-pb-style=V935OOL]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:16.6667%;align-self:stretch} #html-body [data-pb-style=UTLOW6L]{border-style:none} #html-body [data-pb-style=JDW3KFG], #html-body [data-pb-style=VH51CF9]{max-width:100%;height:auto} #html-body [data-pb-style=XSXGRP6]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:83.3333%;align-self:stretch} @media only screen and (max-width: 384pt) { #html-body [data-pb-style=A6K8VA8], #html-body [data-pb-style=A8YWR5S], #html-body [data-pb-style=B3IXQ4G], #html-body [data-pb-style=FHO6H69], #html-body [data-pb-style=JQ4IOR8], #html-body [data-pb-style=KCG1F3U], #html-body [data-pb-style=N674YU0], #html-body [data-pb-style=P5TBPAN], #html-body [data-pb-style=RKG36TI], #html-body [data-pb-style=UTLOW6L], #html-body [data-pb-style=W0XVEN4]{border-style:none} }

Opis

Płot modułowy szary 3,6 m do mocowania w ziemi od Keter to nowoczesne i funkcjonalne rozwiązanie składające się z modułowych elementów, które można łatwo dopasować do różnych wymiarów działki. Ogrodzenie posiada **identyczne wykończenie po obu stronach**, dzięki temu prezentuje się estetycznie z każdej perspektywy. Dzięki **innowacyjnej technologii Evotech™** ogrodzenie doskonale odwzorowuje wygląd naturalnego drewna, oferując jednocześnie trwałość i odporność. Nie wymaga malowania ani konserwacji – jest **odporne na promieniowanie UV oraz zmienne warunki atmosferyczne**. Dzięki przemysłanej konstrukcji pióro-wpust, **montaż ogrodzenia przebiega szybko i intuicyjnie - bez potrzeby użycia specjalistycznych narzędzi**. W zestawie znajdują się panele, relingi i słupki. Ogrodzenie można w łatwy sposób dociąć do potrzebnej długości, dostosowując je do indywidualnych wymiarów przestrzeni. To idealne rozwiązanie dla osób ceniących estetykę, trwałość oraz komfort użytkowania – bez konieczności regularnej pielęgnacji. **Ogrodzenie Keter**

3,6 m do montażu w gruncie doskonale sprawdzi się zarówno w nowoczesnych ogrodach, jak i na terenach użytkowych.

Najważniejsze cechy

- Łączna długość przęsła ogrodzeniowego: 3,6 m
 - Panele o podwójnych ściankach (21 mm)
 - Łatwy w montażu i czyszczeniu
 - Nie wymaga konserwacji
 - Nie łuszczy się, nie rdzewieje i nie butwieje
 - Niezwykle solidny i wytrzymały
 - Odporny na niekorzystne warunki pogodowe oraz promienie UV
 - Możliwość docięcia do wymaganej długości
-
- Identyczna struktura z obu stron
 - 10-letnia gwarancja producenta firmy Keter
 - Łatwy do transportu
 - Technologia EvotechTM
 - Zapewnia bezpieczeństwo i prywatność
 - Montaż oparty na łączeniu pióro-wpust
 - Odpowiedni do mocowania w ziemi
 - Kolor: szary

Wymiary

Wymiary dla pojedynczego modułu:

Oferta obejmuje zestaw składający się z dwóch modułów:

Zalety

Ogrodzenia Keter to trwałe i niezawodne rozwiązanie, które doskonale sprawdzi się w każdym miejscu. **Ich mocna konstrukcja bazuje na panelach z podwójnymi ściankami o grubości 21 mm, co zapewnia wysoką odporność na uszkodzenia oraz działanie czynników atmosferycznych.** Dzięki temu ogrodzenie pozostaje stabilne i estetyczne przez długi czas, niezależnie od warunków pogodowych czy intensywności użytkowania.

Nie wymaga konserwacji

W odróżnieniu od klasycznych płotów drewnianych lub metalowych, ogrodzenie Keter nie potrzebuje konserwacji. **Płot nie wymaga malowania, impregnowania ani zabezpieczania przed korozją czy butwieniem.**

Panele skutecznie odgradzają przestrzeń, chroniąc ją przed wzrokiem sąsiadów czy przechodniów, a tym samym **zapewniają wysoki poziom prywatności** i bezpieczeństwa domownikom. To doskonały wybór dla osób, które cenią trwałość, funkcjonalność i elegancki wygląd bez konieczności konserwacji.

Nowoczesne wykończenie

Panele wykonane **w technologii Evotech™ doskonale imitują drewno**, zachowując przy tym odporność na łuszczenie, butwienie i korozję.

Odporność na niekorzystne warunki pogodowe

Dzięki wysokiej odporności na promieniowanie UV i niekorzystne warunki atmosferyczne, **płot przez lata wygląda jak nowy** – bez potrzeby dodatkowej konserwacji.

Trwałość na lata

Wzmocniona metalowymi elementami konstrukcja płotu gwarantuje jego **solidność i odporność na uszkodzenia.**

Łatwy w transporcie

Płot ma modułową budowę, co ułatwia jego transport i montaż. Tworzą go takie elementy jak: słupki, panele i relingi, które można **łatwo przewozić i łączyć na miejscu**.

Długoletnia ochrona

Płot objęty jest **10-letnią gwarancją**, co zapewnia użytkownikowi poczucie bezpieczeństwa i pewność trwałości produktu.

Możliwość montażu pod kątem 90° i 180°

Montaż pod kątem 90° umożliwia tworzenie estetycznych narożników, **idealnych dla ogrodzeń prowadzonych w zakrętach**. Ustawienie przęseł pod kątem 180° **pozwała na montaż w jednej, równej linii, doskonałej do prostych odcinków ogrodzenia**.

Łatwy montaż

Wybierz modułowy płot, który dzięki prostym, gotowym elementom pozwala na bezproblemowy montaż. Składające się ze słupków, paneli i relingów moduły można łatwo łączyć i dostosowywać do indywidualnych potrzeb, co umożliwia idealne dopasowanie ogrodzenia do każdej przestrzeni. To praktyczne rozwiązanie sprawia, że **instalacja jest szybka i nie wymaga specjalistycznych narzędzi**. Dzięki temu zyskujesz wygodę i oszczędność czasu podczas zakładania płotu.

Dodatkowe informacje

Przygotowanie do montażu płotu Keter:

- Przed rozpoczęciem montażu należy dokładnie sprawdzić, czy wszystkie elementy są kompletne i nieuszkodzone.
- Części należy wyjąć z opakowania i rozłożyć na czystej, płaskiej powierzchni roboczej.
- Zaleca się uważne zapoznanie się z instrukcją montażu i postępowanie zgodnie z jej krokami – nie należy pomijać żadnych etapów.
- Kotwy do ogrodzeń wymagają wcześniejszego zabetonowania w podłożu. Jest to istotne, aby zapewnić stabilność i trwałość płotu.

Wskazówki bezpieczeństwa i użytkowania:

- Ze względu na obecność metalowych krawędzi niektórych komponentów, konieczne jest zachowanie ostrożności i używanie rękawic ochronnych.
- Wszystkie elementy produktu należy montować na płaskiej powierzchni.

Keter Group to globalny lider w tworzeniu innowacyjnych i trwałych rozwiązań dla domu i ogrodu. Jako wynalazcy i twórcy, pasjonujemy się projektowaniem produktów, które doskonale odpowiadają na potrzeby użytkowników.