

Link do produktu: <https://www.lisprom.pl/plot-ogrodowy-szary-9m-do-mocowania-w-drewnie-keter-p-25265.html>

Płot ogrodowy szary 9m do mocowania w drewnie- Keter

Cena brutto	5 233,11 zł
Cena netto	4 254,56 zł
Dostępność	Dostępny
Czas wysyłki	24 godziny
Numer katalogowy	007947
Kod producenta	007947

Opis produktu

#html-body [data-pb-style=PX1M8B9],#html-body [data-pb-style=V492YWD]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=V492YWD]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=PX1M8B9]{align-self:stretch}#html-body [data-pb-style=TI46074]{display:flex;width:100%}#html-body [data-pb-style=BTY9LRK],#html-body [data-pb-style=L6XOYLE]{justify-content:flex-start;display:flex;flex-direction:column;width:50%}#html-body [data-pb-style=BTY9LRK],#html-body [data-pb-style=L6XOYLE],#html-body [data-pb-style=L6XOYLE],#html-body [data-pb-style=RG0XVYM]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=DPRBOVP]{display:flex;width:100%}#html-body [data-pb-style=WTHPGOD]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:100%;align-self:stretch}#html-body [data-pb-style=TK3K6R7]{border-style:none}#html-body [data-pb-style=MEAB3G9],#html-body [data-pb-style=Y4W1MX5]{max-width:100%;height:auto}#html-body [data-pb-style=QJPSL1D]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=NLOXYLK]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=NRWK957]{border-style:none}#html-body [data-pb-style=E8O4HGJ],#html-body [data-pb-style=L8MCY4W]{max-width:100%;height:auto}#html-body [data-pb-style=CX12KYX],#html-body [data-pb-style=R4FDCLR]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=CX12KYX]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=R4FDCLR]{align-self:stretch}#html-body [data-pb-style=R2D1QBB]{display:flex;width:100%}#html-body [data-pb-style=DIKO865]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:75%;align-self:stretch}#html-body [data-pb-style=L8OJL5J]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=U1SOTWK]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:25%;align-self:stretch}#html-body [data-pb-style=O170OQW]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=Q2XLDNN]{border-style:none}#html-body [data-pb-style=D4GPV0S],#html-body [data-pb-style=UYFDSEK]{max-width:100%;height:auto}#html-body [data-pb-style=BAH5J9H]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=BIS6KVI]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=XJ6419O]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=KH0BY53]{display:flex;width:100%}#html-body [data-pb-style=B0SD0YB]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:25%;align-self:stretch}#html-body [data-pb-style=YNPHAY5]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=QRUSHSO]{border-style:none}#html-body [data-pb-style=H0KYP8C],#html-body [data-pb-style=JN6T4A3]{max-width:100%;height:auto}#html-body [data-pb-style=IDL3GQ8]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:75%;align-self:stretch}#html-body [data-pb-style=GS1LP8P]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=IG98MIX]{display:flex;width:100%}#html-body [data-pb-style=XKIUFKU]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:25%;align-self:stretch}#html-body [data-pb-style=KY7N9R3]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=EG66JIT]{border-style:none}#html-body [data-pb-style=GVGUWPN],#html-body [data-pb-style=XM52MKD]{max-

width:100%;height:auto}#html-body [data-pb-style=KEMVGNO]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:75%;align-self:stretch}#html-body [data-pb-style=ROH52CH]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=F1MHYQB]{display:flex;width:100%}#html-body [data-pb-style=V68KQ5U]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:25%;align-self:stretch}#html-body [data-pb-style=OKRJO1B]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=AGUYBUI]{border-style:none}#html-body [data-pb-style=H3QKJMQ],#html-body [data-pb-style=SR6A1H6]{max-width:100%;height:auto}#html-body [data-pb-style=DB8KE1I]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:75%;align-self:stretch}#html-body [data-pb-style=N5NV3PW]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=WR84M5D]{display:flex;width:100%}#html-body [data-pb-style=T0RQKMR]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:25%;align-self:stretch}#html-body [data-pb-style=LFDVBYB]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=OA2X200]{border-style:none}#html-body [data-pb-style=FHBR29O],#html-body [data-pb-style=WCEGKSD]{max-width:100%;height:auto}#html-body [data-pb-style=G9E75LI]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:75%;align-self:stretch}#html-body [data-pb-style=VQLESES]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=J9P5U0R]{display:flex;width:100%}#html-body [data-pb-style=WP6HNX3]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:25%;align-self:stretch}#html-body [data-pb-style=OS5V8CJ]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=UEHEVG8]{border-style:none}#html-body [data-pb-style=BNT6DO9],#html-body [data-pb-style=CTL43]{max-width:100%;height:auto}#html-body [data-pb-style=R340G97]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:75%;align-self:stretch}#html-body [data-pb-style=V4EJPVF]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=OPK05SK]{display:flex;width:100%}#html-body [data-pb-style=W34CEUN]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:25%;align-self:stretch}#html-body [data-pb-style=GX06BJC]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=WWFUOME]{border-style:none}#html-body [data-pb-style=D9MWSU5],#html-body [data-pb-style=GM82NGO]{max-width:100%;height:auto}#html-body [data-pb-style=OF13AHJ]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:75%;align-self:stretch}#html-body [data-pb-style=QXSJJ1C]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=JCTQ0MC]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=TK3E3RN]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=PA4MFLV]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=FMQVETV]{border-style:none}#html-body [data-pb-style=BMJ4Q59],#html-body [data-pb-style=R4OP3WX]{max-width:100%;height:auto}#html-body [data-pb-style=JCE61CM]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=B96Q5DM]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=FWXEOXX]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=PXQGDQB]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=UUF5X3E]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=ORT0CX5]{display:flex;width:100%}#html-body [data-pb-style=S7QC2RT]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:16.6667%;align-self:stretch}#html-body [data-pb-style=UA4L2F7]{border-style:none}#html-body [data-pb-style=RXHOB2E],#html-body [data-pb-style=XWUH9F2]{max-width:100%;height:auto}#html-body [data-pb-style=WNB1IE3]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:83.3333%;align-self:stretch}@media only screen and (max-width: 384pt) { #html-body [data-pb-style=AGUYBUI],#html-body [data-pb-style=EG66JIT],#html-body [data-pb-style=FMQVETV],#html-body [data-pb-style=NRWK957],#html-body [data-pb-style=OA2X200],#html-body [data-pb-style=Q2XLDNN],#html-body [data-pb-style=QRUSHSO],#html-body [data-pb-style=TK3K6R7],#html-body [data-pb-style=UA4L2F7],#html-body [data-pb-style=UEHEVG8],#html-body [data-pb-style=WWFUOME]{border-style:none} }

Opis

Płot ogrodowy szary 9 m do mocowania w drewnie od Keter to propozycja dla tych, którzy szukają połączenia nowoczesnej estetyki, funkcjonalności i długowieczności. To nie tylko ogrodzenie, lecz kompletny system modułowy, który doskonale wpisuje się w nowoczesne aranżacje ogrodowe czy przydomowe przestrzenie. **Płot ma identyczną strukturę z obu stron**, dzięki temu ogrodenie wygląda pięknie i harmonijnie z każdej strony. **Jego elegancki wygląd idzie w parze z trwałością i pełną odpornością na niekorzystne warunki pogodowe** – bez konieczności malowania, impregnacji czy

innych zabiegów konserwacyjnych. Technologia Evotech™ sprawia, że **powierzchnia ogrodzenia do złudzenia przypomina naturalne drewno** – zarówno pod względem koloru, jak i faktury – przy jednoczesnym zachowaniu właściwości materiału kompozytowego.. To idealne rozwiązanie dla osób ceniących sobie wygodę i estetykę przez wiele lat. **System pióro-wpust umożliwia szybki, precyzyjny i samodzielny montaż, bez potrzeby używania specjalistycznych narzędzi.** Ogrodzenie można w łatwy sposób dociąć do potrzebnej długości, dostosowując je do indywidualnych wymiarów przestrzeni. Decydując się na ogrodzenie Keter o długości 9 m, wybierasz trwałość, elegancję i komfort użytkowania bez kompromisów.

Najważniejsze cechy

- Łączna długość przęsła ogrodzeniowego: 9 m
 - Panele o podwójnych ściągach (21 mm)
 - Niezwykle solidny i wytrzymały
 - Nie wymaga konserwacji
 - Łatwy w montażu i czyszczeniu
 - Montaż na system pióro-wpust
 - Odpowiedni do uporządkowanej powierzchni
 - Identyczna struktura z obu stron
 - Możliwość docięcia do wymaganej długości
-
- Nie łuszczy się, nie rdzewieje i nie butwieje
 - Zapewnia prywatność i bezpieczeństwo
 - Łatwy do transportu
 - Odporny na niekorzystne warunki pogodowe oraz promienie UV
 - Technologia Evotech™
 - 10-letnia gwarancja producenta firmy Keter
 - Kolor: szary

Wymiary

Wymiary dla pojedynczego modułu:

Oferta obejmuje zestaw składający się z pięciu modułów:

Zalety

Ogrodzenia Keter to wytrzymałe i niezawodne rozwiązanie, które doskonale sprawdzi się w każdym miejscu. Wykonane z paneli o podwójnych ściankach o grubości 21 mm, zapewniają podwyższoną odporność na uszkodzenia oraz zmienne warunki atmosferyczne. **Solidna konstrukcja gwarantuje trwałość i stabilność**, a także długotrwały, estetyczny wygląd – niezależnie od pory roku.

Nie wymaga konserwacji

W przeciwieństwie do tradycyjnych ogrodzeń drewnianych czy metalowych, **ogrodzenie Keter nie potrzebuje konserwacji**.

Panele stanowią efektywną barierę, oddzielając przestrzeń i osłaniając ją przed spojrzami sąsiadów oraz przechodniów, co przekłada się na **wysoki komfort prywatności** i poczucie bezpieczeństwa mieszkańców. To idealne rozwiązanie dla tych, którzy poszukują trwałego, praktycznego i estetycznego ogrodzenia, niewymagającego regularnej konserwacji.

Nowoczesne wykończenie i odporność na lata

Tworzywo wysokiej jakości w połączeniu z technologią Evotech™ zapewnia realistyczny wygląd drewna, bez jego naturalnych wad – **plot nie łuszczy się, nie butwieje i nie rdzewieje**.

Odporność na niekorzystne warunki pogodowe

Plot cechuje się wysoką odpornością na niekorzystne warunki pogodowe i promieniowanie UV, dzięki czemu **zachowuje trwałość i estetyczny wygląd przez długi czas**.

Stabilna i mocna konstrukcja

Dzięki zastosowaniu metalowych wzmocnień plot **zachowuje wysoką wytrzymałość i niezawodność w codziennym użytkowaniu**.

Łatwy do transportu

Modułowa konstrukcja płotu sprawia, że poszczególne elementy – słupki, panele i relingi – są **łatwe do przewiezienia i złożenia na miejscu**.

Trwałość potwierdzona gwarancją

Produkt objęty jest **gwarancją na 10 lat**, co świadczy o jego wysokiej jakości i odporności na upływ czasu.

Możliwość montażu pod kątem 90° i 180°

Płot można montować pod kątem 90°, co **świetnie sprawdzi się przy tworzeniu narożników ogrodzenia**. Ustawienie pod kątem 180° **pozwała na estetyczne i stabilne poprowadzenie ogrodzenia w linii prostej**.

Łatwy montaż

System składa się ze słupków, paneli i relingów, które można łatwo dopasować do wymiarów Twojej posesji, co pozwala na elastyczne kształtowanie ogrodzenia. To praktyczne rozwiązanie sprawia, że instalacja **nie wymaga specjalistycznych narzędzi ani dużego nakładu pracy**. Dzięki temu zyskujesz wygodę i oszczędność czasu podczas zakładania ogrodzenia.

Dodatkowe informacje

Przygotowanie do montażu płotu Keter:

- Przed rozpoczęciem montażu należy dokładnie sprawdzić, czy wszystkie elementy są kompletne i nieuszkodzone.
 - Części należy wyjąć z opakowania i rozłożyć na czystej, płaskiej powierzchni roboczej.
 - Zaleca się uważne zapoznanie się z instrukcją montażu i postępowanie zgodnie z jej krokami – nie należy pomijać żadnych etapów.
-

Wskazówki bezpieczeństwa i użytkowania:

-
- Ze względu na obecność metalowych krawędzi niektórych komponentów, konieczne jest zachowanie ostrożności i używanie rękawic ochronnych.
 - Wszystkie elementy produktu należy montować na płaskiej powierzchni.
-

Keter Group to globalny lider w tworzeniu innowacyjnych i trwałych rozwiązań dla domu i ogrodu. Jako wynalazcy i twórcy, pasjonujemy się projektowaniem produktów, które doskonale odpowiadają na potrzeby użytkowników.