

Link do produktu: <https://www.lisprom.pl/przeslo-ogrodzeniowe-szare-1-8x1-8m-na-utwardzony-fundament-keter-p-25257.html>



Przęsło ogrodzeniowe szare 1,8x1,8m na utwardzony fundament – Keter

Cena brutto	1 451,68 zł
Cena netto	1 180,23 zł
Dostępność	Dostępny
Czas wysyłki	24 godziny
Numer katalogowy	007930
Kod producenta	007930

Opis produktu

#html-body [data-pb-style=IFAF22D],#html-body [data-pb-style=WSS8FEY]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=IFAF22D]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=WSS8FEY]{align-self:stretch}#html-body [data-pb-style=JPSXXNQ]{display:flex;width:100%}#html-body [data-pb-style=O8SIDGN],#html-body [data-pb-style=OXDO12P]{justify-content:flex-start;display:flex;flex-direction:column;width:50%}#html-body [data-pb-style=EETFPJK],#html-body [data-pb-style=O8SIDGN],#html-body [data-pb-style=OXDO12P]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=WMY4IRY]{display:flex;width:100%}#html-body [data-pb-style=FUUYQ3G]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:100%;align-self:stretch}#html-body [data-pb-style=NHFMG48]{border-style:none}#html-body [data-pb-style=LUKPB3],#html-body [data-pb-style=T62GYVR]{max-width:100%;height:auto}#html-body [data-pb-style=AHA36B1]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=XNCEST9]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=DXJNCG7]{text-align:center;border-style:none}#html-body [data-pb-style=ADB8TON],#html-body [data-pb-style=BGBGYM0]{max-width:100%;height:auto}#html-body [data-pb-style=SL3RF6G]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=UWK4PBI]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=TKMAN3W]{border-style:none}#html-body [data-pb-style=IFD7VOX],#html-body [data-pb-style=RE06XDB]{max-width:100%;height:auto}#html-body [data-pb-style=WQ7Q14X]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=DKBH8HQ]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=HI6JF9F]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=VKDSBQX]{display:flex;width:100%}#html-body [data-pb-style=DFETE4P],#html-body [data-pb-style=R71OUPR]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:66.6667%;align-self:stretch}#html-body [data-pb-style=R71OUPR]{width:33.3333%}#html-body [data-pb-style=XIXAAE8]{border-style:none}#html-body [data-pb-style=SDPOQQ2],#html-body [data-pb-style=XAXALSU]{max-width:100%;height:auto}#html-body [data-pb-style=GQD1CD]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=EPF5W8W],#html-body [data-pb-style=UTS54S0]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=VXVOH91]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=F030W5U]{display:flex;width:100%}#html-body [data-pb-style=OPS2VY5]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:25%;align-self:stretch}#html-body [data-pb-style=UH8MQCV]{border-style:none}#html-body [data-pb-style=RVT3F77],#html-body [data-pb-style=WGTR7OI]{max-width:100%;height:auto}#html-body [data-pb-style=STKKD3Q]{justify-content:flex-start;display:flex;flex-direction:column;width:75%}#html-body [data-pb-style=STKKD3Q],#html-body [data-pb-style=VDMXOXP]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=DAO8HFI]{display:flex;width:100%}#html-body [data-pb-style=NCBPUP4]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-

attachment:scroll;width:25%;align-self:stretch} #html-body [data-pb-style=LRY3PM5]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=FF3DB9F]{border-style:none} #html-body [data-pb-style=EH004KA], #html-body [data-pb-style=V2MIP8I]{max-width:100%;height:auto} #html-body [data-pb-style=BCLUCHK]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:75%;align-self:stretch} #html-body [data-pb-style=XM2K3MO]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=Q6UK9P4]{display:flex;width:100%} #html-body [data-pb-style=BFBNVC9]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:25%;align-self:stretch} #html-body [data-pb-style=Y589B3I]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=A181IKL]{border-style:none} #html-body [data-pb-style=B7VGYAR], #html-body [data-pb-style=JWKK5IS]{max-width:100%;height:auto} #html-body [data-pb-style=M510T2T]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:75%;align-self:stretch} #html-body [data-pb-style=QEXTFT2]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=WW5GY95]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch} #html-body [data-pb-style=CDDMSBC]{display:flex;width:100%} #html-body [data-pb-style=R2YE26J]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:25%;align-self:stretch} #html-body [data-pb-style=RI4A4WU]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=N17U45C]{border-style:none} #html-body [data-pb-style=K1OI05T], #html-body [data-pb-style=U4BJCGV]{max-width:100%;height:auto} #html-body [data-pb-style=V0THVIP]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:75%;align-self:stretch} #html-body [data-pb-style=UD33H2U]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=B26OJ5G]{display:flex;width:100%} #html-body [data-pb-style=I1O3UXU]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:25%;align-self:stretch} #html-body [data-pb-style=XUW17EH]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=OFY76HQ]{border-style:none} #html-body [data-pb-style=NPTIGD2], #html-body [data-pb-style=WYOBANR]{max-width:100%;height:auto} #html-body [data-pb-style=AVJBXEO]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:75%;align-self:stretch} #html-body [data-pb-style=IHPDXRI]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=AKEUHB6]{display:flex;width:100%} #html-body [data-pb-style=OL8DC0I]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:25%;align-self:stretch} #html-body [data-pb-style=QK21Q98]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=ED0ALL3]{border-style:none} #html-body [data-pb-style=L0PXAD1], #html-body [data-pb-style=V1TE8RG]{max-width:100%;height:auto} #html-body [data-pb-style=WJM7I3P]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:75%;align-self:stretch} #html-body [data-pb-style=D3CEIM7]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=O6EQA7U]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll} #html-body [data-pb-style=L3JQV4O]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=KAQWS4O]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll} #html-body [data-pb-style=NV4KQQC]{border-style:none} #html-body [data-pb-style=AN28M92], #html-body [data-pb-style=V0KNB9M]{max-width:100%;height:auto} #html-body [data-pb-style=C39YEWX]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll} #html-body [data-pb-style=WUH1L18]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=AJH9JJB]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll} #html-body [data-pb-style=NBj7IYI]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block} #html-body [data-pb-style=D7HH1EC]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch} #html-body [data-pb-style=LDEIR4K]{display:flex;width:100%} #html-body [data-pb-style=BJjXIK2]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:16.6667%;align-self:stretch} #html-body [data-pb-style=TPNHNEY]{border-style:none} #html-body [data-pb-style=KM75DOT], #html-body [data-pb-style=N9MUC5G]{max-width:100%;height:auto} #html-body [data-pb-style=OTUBX70]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:83.3333%;align-self:stretch} @media only screen and (max-width: 384pt) { #html-body [data-pb-style=A181IKL], #html-body [data-pb-style=DXJNCG7], #html-body [data-pb-style=ED0ALL3], #html-body [data-pb-style=FF3DB9F], #html-body [data-pb-style=N17U45C], #html-body [data-pb-style=NHFMG48], #html-body [data-pb-style=NV4KQQC], #html-body [data-pb-style=OFY76HQ], #html-body [data-pb-style=TKMAN3W], #html-body [data-pb-style=TPNHNEY], #html-body [data-pb-style=UH8MQCV], #html-body [data-pb-style=XIXAAE8]{border-style:none} }

Opis

Przesło ogrodzeniowe szare 1,8 x 1,8m na utwardzony fundament od Keter to doskonały wybór dla osób, które cenią

nie tylko bezpieczeństwo i prywatność, ale także nowoczesny design i niezawodność. To nie jest zwykłe ogrodzenie – to przemyślany, **modułowy system**, który wyróżnia się stylowym wyglądem, wyjątkową wytrzymałością i brakiem potrzeby konserwacji. Świetnie sprawdzi się jako element aranżacji ogrodu, podkreślając charakter przestrzeni i zapewniając jej trwałe wykończenie. **Płot ma identyczną strukturę z obu stron**, dzięki temu ogrodzenie wygląda pięknie i harmonijnie z każdej strony. Zastosowana **innowacyjna technologia Evotech™** sprawia, że ogrodzenie do złudzenia przypomina naturalne drewno – zarówno pod względem koloru, jak i faktury – zachowując przy tym wszystkie atuty materiałów kompozytowych: **odporność na deszcz i promieniowanie UV**. Nie musisz się martwić o malowanie czy impregnację – płot Keter przez lata zachowa swój elegancki wygląd bez dodatkowego wysiłku, ponieważ nie wymaga konserwacji. Dzięki prostemu systemowi montażu na pióro-wpust, **instalacja ogrodzenia jest szybka, intuicyjna i nie wymaga specjalnych narzędzi**. Modułowa budowa pozwala na elastyczne dopasowanie długości ogrodzenia do Twoich potrzeb – od małych przydomowych ogródków po większe przestrzenie użytkowe. Ogrodzenie można w łatwy sposób dociąć do potrzebnej długości, dostosowując je do indywidualnych wymiarów przestrzeni. Wybierając płot Keter, inwestujesz w estetyczne, funkcjonalne i trwałe rozwiązanie, które sprawdzi się w każdych warunkach. To idealna opcja dla tych, którzy chcą połączyć nowoczesny styl z bezproblemową eksploatacją – bez kompromisów.

Najważniejsze cechy

- Długość przęsła ogrodzeniowego: 1,8 m
 - Panele o podwójnych ściankach (21 mm)
 - Niezwykle solidny i wytrzymały
 - Nie wymaga konserwacji
 - Technologia Evotech™
 - Identyczna struktura z obu stron
 - Łatwy w montażu i czyszczeniu
 - Montaż na system pióro-wpust
 - Odpowiedni do uporządkowanej powierzchni
-
- Możliwość docięcia do wymaganej długości
 - Nie łuszczy się, nie rdzewieje i nie butwieje
 - Zapewnia prywatność i bezpieczeństwo
 - Łatwy do transportu
 - Odporny na niekorzystne warunki pogodowe oraz promienie UV
 - 10-letnia gwarancja producenta firmy Keter
 - Kolor: szary

Wymiary

Wymiary dla pojedynczego modułu:

Oferta obejmuje jeden moduł:

Jeden moduł płotu Keter pozwala na stworzenie ogrodzenia o długości 1,8 metra. W przypadku potrzeby ogrodzenia dłuższego odcinka, wystarczy dokupić odpowiednią liczbę modułów:

Zalety

Ogrodzenia Keter to solidna i trwała propozycja, która doskonale sprawdzi się w każdym miejscu. Zbudowane z paneli o podwójnych ściankach o grubości 21 mm, **wyróżniają się wyjątkową odpornością na uszkodzenia mechaniczne oraz działanie niekorzystnych warunków pogodowych**. Taka konstrukcja gwarantuje wysoką stabilność i pozwala zachować estetyczny wygląd ogrodzenia przez wiele lat użytkowania – bez względu na sezon czy lokalizację.

Nie wymaga konserwacji

W przeciwieństwie do tradycyjnych ogrodzeń drewnianych czy metalowych, ogrodzenie Keter nie potrzebuje konserwacji.

Panele stanowią efektywną barierę, oddzielając przestrzeń i osłaniając ją przed spojrzami sąsiadów oraz przechodniów, co przekłada się na **wysoki komfort prywatności** i poczucie bezpieczeństwa mieszkańców. To idealne rozwiązanie dla tych, którzy poszukują trwałego, praktycznego i estetycznego ogrodzenia, niewymagającego regularnej konserwacji.

Nowoczesne wykończenie i odporność na lata

Tworzywo wysokiej jakości w połączeniu z technologią Evotech™ zapewnia realistyczny wygląd drewna, bez jego naturalnych wad – **płot nie łuszczy się, nie butwieje i nie rdzewieje**.

Odporność na niekorzystne warunki pogodowe

Płot cechuje się wysoką odpornością na niekorzystne warunki pogodowe i promieniowanie UV, dzięki czemu **zachowuje trwałość i estetyczny wygląd przez długi czas**.

Stabilna i mocna konstrukcja

Dzięki zastosowaniu metalowych wzmocnień płot **zachowuje wysoką wytrzymałość i niezawodność w codziennym użytkowaniu.**

Łatwy do transportu

Modułowa konstrukcja płotu sprawia, że poszczególne elementy – słupki, panele i relingi – są **łatwe do przewiezienia i złożenia na miejscu.**

Trwałość potwierdzona gwarancją

Produkt objęty jest **gwarancją na 10 lat**, co świadczy o jego wysokiej jakości i odporności na upływ czasu.

Możliwość montażu pod kątem 90° i 180°

Płot można montować pod kątem 90°, co **świetnie sprawdzi się przy tworzeniu narożników ogrodzenia**. Ustawienie pod kątem 180° **pozwała na estetyczne i stabilne poprowadzenie ogrodzenia w linii prostej.**

Łatwy montaż

System składa się ze słupków, paneli i relingów, które można łatwo dopasować do wymiarów Twojej posesji, co pozwala na elastyczne kształtowanie ogrodzenia. To praktyczne rozwiązanie sprawia, że instalacja **nie wymaga specjalistycznych narzędzi ani dużego nakładu pracy**. Dzięki temu zyskujesz wygodę i oszczędność czasu podczas zakładania ogrodzenia.

Dodatkowe informacje

Przygotowanie do montażu płotu Keter:

- Przed rozpoczęciem montażu należy dokładnie sprawdzić, czy wszystkie elementy są kompletne i nieuszkodzone.

-
- Części należy wyjąć z opakowania i rozłożyć na czystej, płaskiej powierzchni roboczej.
 - Zaleca się uważne zapoznanie się z instrukcją montażu i postępowanie zgodnie z jej krokami – nie należy pomijać żadnych etapów.
-

Wskazówki bezpieczeństwa i użytkowania:

- Ze względu na obecność metalowych krawędzi niektórych komponentów, konieczne jest zachowanie ostrożności i używanie rękawic ochronnych.
 - Wszystkie elementy produktu należy montować na płaskiej powierzchni.
-

Keter Group to globalny lider w tworzeniu innowacyjnych i trwałych rozwiązań dla domu i ogrodu. Jako wynalazcy i twórcy, pasjonujemy się projektowaniem produktów, które doskonale odpowiadają na potrzeby użytkowników.