

Link do produktu: <https://www.lisprom.pl/schowek-narzedziowy-montreal-277x323cm-light-grey-hardmaister-p-20966.html>



Schowek narzędziowy MONTREAL 277x323cm Light Grey - Hardmaister

Cena brutto	2 028,51 zł
Cena netto	1 649,20 zł
Dostępność	Dostępny
Czas wysyłki	24 godziny
Numer katalogowy	003106
Kod producenta	003106

Opis produktu

Schowek narzędziowy MONTREAL 277x323cm Light Grey - Hardmaister - Opis

#html-body [data-pb-style=OEJY77],#html-body [data-pb-style=UY3FB6D],#html-body [data-pb-style=XBTQ0M4]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=OEJY77],#html-body [data-pb-style=XBTQ0M4]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=UY3FB6D]{align-self:stretch}#html-body [data-pb-style=EHLMMOD]{display:flex;width:100%}#html-body [data-pb-style=AS4F5LK],#html-body [data-pb-style=S9BL2SU]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}

Elegancki domek narzędziowy MONTREAL firmy Hardmaister **pozwala na wygodne przechowywanie sprzętu ogrodowego**. Konstrukcja z ocynkowanej stali jest niezwykle wytrzymała, odporna na rdzę i zmienne warunki atmosferyczne. Panele 0,25 mm z ocynkowaną powierzchnią **gwarantują ochronę przed deszczem**. Dach dwuspadowy i otwory wentylacyjne zwiększają funkcjonalność i komfort użytkowania.

Najważniejsze cechy:

- Nie wymaga konserwacji
- Możliwość zamontowania kłódki na drzwiach
- Wymiary z dachem 277x323 cm
- Wysokość drzwi 181 cm
- Podwójne drzwi przesuwne
- Kolor: Light Grey
- Cyrkulacja powietrza

-
- Odporny na korozję
 - Całoroczny
 - Okno z wyborem miejsca montażu
 - Otwory wentylacyjne
 - Dwuspadowy dach
 - Nie zawiera podłogi
 - Łatwy montaż, bez specjalistycznej wiedzy technicznej

Dane techniczne

```
#html-body [data-pb-style=QMWSEHT],#html-body [data-pb-style=RI66QVX],#html-body [data-pb-style=SNCAP19]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=QMWSEHT]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=RI66QVX],#html-body [data-pb-style=SNCAP19]{align-self:stretch}#html-body [data-pb-style=IJ28OFG]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=KU69K58],#html-body [data-pb-style=U5DPQNR]{display:flex;width:100%}#html-body [data-pb-style=CCPER98],#html-body [data-pb-style=D2CXQRQ],#html-body [data-pb-style=E13H9L4],#html-body [data-pb-style=KUR453H],#html-body [data-pb-style=Q2T6YQO]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=D2CXQRQ],#html-body [data-pb-style=E13H9L4],#html-body [data-pb-style=KUR453H]{width:16.6667%}#html-body [data-pb-style=D2CXQRQ],#html-body [data-pb-style=E13H9L4]{justify-content:center;width:66.6667%}#html-body [data-pb-style=D2CXQRQ]{justify-content:flex-start;width:16.6667%}#html-body [data-pb-style=TWQBTLTD]{border-style:none}#html-body [data-pb-style=HQ21GFP],#html-body [data-pb-style=OL3W5YW]{max-width:100%;height:auto}@media only screen and (max-width:384pt) { #html-body [data-pb-style=TWQBTLTD]{border-style:none} }
```

Wymiary zewnętrzne z dachem:

- szerokość: **277 cm**
- głębokość: **323 cm**
- wysokość: **219 cm**

Wymiary drzwi:

- szerokość: **117 cm**
- wysokość: **181 cm**

Wymiary okna:

- szerokość: **46 cm**
- wysokość: **24,6 cm**

Powierzchnia: 8,25 m2

Waga (z opakowaniem): 101 kg

Wymiary domku u podstawy:

- szerokość: **267 cm**
- głębokość: **309 cm**
- wysokość: **219 cm**

Wymiary i waga opakowania:

- Karton 1: **189x72x12 cm ; 67 kg**
- Karton 2: **192x27x20 ; 34 kg**

Materiał:

- Konstrukcja: **stal ocynkowana**
- Panele: **stalowe, ocynkowane ogniowo**
(grubość: **0,25 mm**)

Wymiary całkowite:

Zalety

#html-body [data-pb-style=V3GA9HJ],#html-body [data-pb-style=VMYQH0W],#html-body [data-pb-style=XCP5V7D]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=V3GA9HJ],#html-body [data-pb-style=VMYQH0W]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=XCP5V7D]{align-self:stretch}#html-body [data-pb-style=DQ4S8GJ]{display:flex;width:100%}#html-body [data-pb-style=OD5ITWA],#html-body [data-pb-style=PKF8U8H]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=OD5ITWA]{justify-content:flex-start}#html-body [data-pb-style=OV6OVEM]{border-style:none}#html-body [data-pb-style=BIFGESR],#html-body [data-pb-style=DT9SKRV]{max-width:100%;height:auto}#html-body [data-pb-style=X02VG0F]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=QCV9QLJ]{text-align:center;border-style:none}#html-body [data-pb-style=LJY5TE0],#html-body [data-pb-style=S53IJN0]{max-width:100%;height:auto}#html-body [data-pb-style=F2891SL]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=TGJN4V5]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=WGPP67I]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=MJNWPP9]{display:flex;width:100%}#html-body [data-pb-style=AMEVWG0]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=N00OXHB]{border-style:none}#html-body [data-pb-style=AULQTA6],#html-body [data-pb-style=FDQNY0T]{max-width:100%;height:auto}#html-body [data-pb-style=EUL1XCC],#html-body [data-pb-style=G510YPD]{display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=EUL1XCC]{justify-content:center;width:50%;align-self:stretch}#html-body [data-pb-style=G510YPD]{justify-content:flex-start}#html-body [data-pb-style=JBYA70B]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=DJCXQSA]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=AT6QCF9]{display:flex;width:100%}#html-body [data-pb-style=H1UOC9N]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=VP70G1R]{border-style:none}#html-body [data-pb-style=Q60SIHP],#html-body [data-pb-style=VD93QRO]{max-width:100%;height:auto}#html-body [data-pb-

```
style=BIDX BKI],#html-body [data-pb-style=IJGT3V]{display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=IJGT3V]{justify-content:center;width:50%;align-self:stretch}#html-body [data-pb-style=BIDX BKI]{justify-content:flex-start}#html-body [data-pb-style=JPP2G30]{width:100%;border-width:0pt;border-color:#cecece;display:inline-block}#html-body [data-pb-style=BTU7X8F]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=P0CESDN]{display:flex;width:100%}#html-body [data-pb-style=HT096XV]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}#html-body [data-pb-style=MLGDSQU]{border-style:none}#html-body [data-pb-style=FNIOBRO],#html-body [data-pb-style=J9L9J4H]{max-width:100%;height:auto}#html-body [data-pb-style=DER81AT]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:50%;align-self:stretch}@media only screen and (max-width: 384pt) { #html-body [data-pb-style=MLGDSQU],#html-body [data-pb-style=N00OXHB],#html-body [data-pb-style=OV6OVEM],#html-body [data-pb-style=QCV9QLJ],#html-body [data-pb-style=VP70G1R]{border-style:none} }
```

Domek narzędziowy MONTREAL marki Hardmaister to eleganckie i trwałe rozwiązanie dla miłośników ogrodnictwa. Dzięki wymiarom 277x323 cm oferuje **przestronną powierzchnię do przechowywania narzędzi i sprzętu ogrodowego**. Konstrukcja z ocynkowanej stali o grubości 0,25 mm gwarantuje odporność na warunki atmosferyczne oraz promienie UV. Łatwa pielęgnacja przy pomocy wody pozwala utrzymać domek w doskonałym stanie. Dwuspadowy dach odprowadza wodę i śnieg, zapobiegając ich zaleganiu.

Funkcjonalne drzwi przesuwne

Domek MONTREAL wyposażono w drzwi przesuwne, które **umożliwiają wygodny dostęp do środka**, nawet gdy otaczająca przestrzeń jest ograniczona. Ich funkcjonalność doskonale odpowiada potrzebom użytkowników małych ogrodów i wąskich przejść.

Domek z możliwością zamknięcia na kłódkę

Domek MONTREAL wyposażono w drzwi z uchwyty, które pozwalają na użycie kłódki lub innego rodzaju zamka. To praktyczne rozwiązanie zapewnia dodatkowe zabezpieczenie, jednak **kłódka nie jest częścią standardowego zestawu**.

Wybór strony montażu okna - pełna swoboda adaptacji

Montreal to domek narzędziowy, który umożliwia **montaż okna na każdej ścianie**. Takie rozwiązanie pozwala nie tylko poprawić oświetlenie wnętrza, ale także idealnie dopasować domek do układu ogrodu, zgodnie z Twoimi preferencjami.

Stabilna konstrukcja domku

Stalowe kątowniki w domku MONTREAL wzmacniają konstrukcję, zapewniając większą stabilność i odporność na obciążenia. Ich powierzchnia jest **pokryta warstwą antykorozyjną**, co skutecznie chroni je przed rdzewieniem w trudnych warunkach.

Cyrkulacja powietrza w domku narzędziowym

Dzięki czterem otworom wentylacyjnym w domku MONTREAL zapewniona jest **optymalna wentylacja wnętrza**. To praktyczne rozwiązanie zapobiega wilgoci i zastoju powietrza, **chroniąc konstrukcję przed korozją** i rozwijaniem się pleśni.

Ergonomiczny, niski próg w domku

Ergonomiczny próg w domku MONTREAL ułatwia dostęp do wnętrza, szczególnie podczas wprowadzania dużych sprzętów. Jego **niska konstrukcja sprawia, że transport ciężkich urządzeń, takich jak grille czy kosiarki, jest wygodniejszy**.

Dodatkowe informacje

```
#html-body [data-pb-style=JO1AOKK],#html-body [data-pb-style=T75M0S3]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=JO1AOKK]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=T75M0S3]{align-self:stretch}#html-body [data-pb-style=S8VJTC8]{display:flex;width:100%}#html-body [data-pb-style=BDWSK1S],#html-body [data-pb-style=S2LU1YR]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:66.6667%;align-self:stretch}#html-body [data-pb-style=BDWSK1S]{width:33.3333%}#html-body [data-pb-style=E17YLN6]{border-style:none}#html-body [data-pb-style=LV92B9H],#html-body [data-pb-style=Y80YGPO]{max-width:100%;height:auto}#html-body [data-pb-style=EX4A7TU],#html-body [data-pb-style=VGPSD2B]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=EX4A7TU]{justify-content:flex-start;display:flex;flex-direction:column}#html-body [data-pb-style=VGPSD2B]{align-self:stretch}#html-body [data-pb-style=RHQO0B7]{display:flex;width:100%}#html-body [data-pb-style=JOWSXL3],#html-body [data-pb-style=PC49JD5]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:8.3333%;align-self:stretch}#html-body [data-pb-style=PC49JD5]{text-align:center;width:83.3333%}#html-body [data-pb-style=XOOFWLS]{border-style:none}#html-body [data-pb-style=LYFBVYH],#html-body [data-pb-style=Y42U7S6]{max-width:100%;height:auto}#html-body [data-pb-style=VH94TXU]{width:8.3333%;align-self:stretch}#html-body [data-pb-style=I501A1I],#html-body [data-pb-style=VH94TXU]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll}#html-body [data-pb-style=JGEKPIG]{width:100%;border-width:0pt;border-color:#878787;display:inline-block}#html-body [data-pb-style=IAK4Y42]{background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;align-self:stretch}#html-body [data-pb-style=MHOO681]{display:flex;width:100%}#html-body [data-pb-style=M9JCGR3]{justify-content:center;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:16.6667%;align-self:stretch}#html-body [data-pb-style=HRDTCEO]{border-style:none}#html-body [data-pb-style=A8PX72B],#html-body [data-pb-style=V1BAY16]{max-width:100%;height:auto}#html-body [data-pb-style=LV2Q221]{justify-content:flex-start;display:flex;flex-direction:column;background-position:left top;background-size:cover;background-repeat:no-repeat;background-attachment:scroll;width:83.3333%;align-self:stretch}@media only screen and (max-width: 384pt) { #html-body [data-pb-style=E17YLN6],#html-body [data-pb-style=HRDTCEO],#html-body [data-pb-style=XOOFWLS]{border-style:none} }
```

Rekomendacje montażowe:

Przygotowanie podłoża

Domek narzędziowy nie posiada własnej podłogi, dlatego zalecamy przygotowanie odpowiedniej powierzchni pod montaż. Najlepszą opcją jest wykonanie **wylewki betonowej o grubości 15-20 cm**. Wylewka powinna być większa niż wymiary domku - powinna przekraczać obrys domku **o co najmniej 10 cm**. Taka nadwyżka powierzchni zapewni stabilność i ochronę przed wodą opadową, a także ułatwi montaż.

Montaż domku do podłoża

Przed rozpoczęciem montażu upewnij się, że wylewka betonowa jest odpowiednio wyrównana i całkowicie sucha. Montaż domku na nierównej powierzchni może prowadzić do niestabilności konstrukcji. **W zestawie nie znajdują się kotwy montażowe do podłoża.**

Wykonanie odpowiedniej wylewki betonowej i prawidłowy montaż domku zapewnią jego trwałość i bezpieczeństwo użytkowania przez wiele lat.

Warianty:

- Dostępne rozmiary domku: **277x195 cm** | **277x259 cm**
- Inne kolory modelu Montreal - domek narzędziowy:

Hardmaister to marka specjalizująca się w architekturze ogrodowej, oferująca szeroki wybór **domków narzędziowych**, **altan** i **obrzeży trawnikowych**. Nasze produkty wyróżniają się trwałością oraz nowoczesnym designem. Dbamy o to, by każdy element ogrodu łączył w sobie estetykę z funkcjonalnością, tworząc przestrzeń, która nie tylko cieszy oko, ale i ułatwia codzienne prace.